

**PCT**WORLD INTELLECTUAL PROPERTY ORGANIZATION  
International Bureau

## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

<b>(51) International Patent Classification <sup>6</sup> :</b> <b>C12N 15/31, C07K 14/315, 16/12, C12N 5/18, 1/21, A61K 39/09, C12Q 1/68, G01N 33/50</b>	<b>A2</b>	<b>(11) International Publication Number:</b> <b>WO 98/18930</b> <b>(43) International Publication Date:</b> 7 May 1998 (07.05.98)
<b>(21) International Application Number:</b> PCT/US97/19422 <b>(22) International Filing Date:</b> 30 October 1997 (30.10.97)  <b>(30) Priority Data:</b> 60/029,960 31 October 1996 (31.10.96) US  <b>(71) Applicant (for all designated States except US):</b> HUMAN GENOME SCIENCES, INC. [US/US]; 9410 Key West Avenue, Rockville, MD 20850 (US).  <b>(72) Inventors; and</b> <b>(75) Inventors/Applicants (for US only):</b> KUNSCH, Charles, A. [US/US]; 2398B Dunwoody Crossing, Atlanta, GA 30338 (US). CHOI, Gil, H. [KR/US]; 11429 Potomac Oaks Drive, Rockville, MD 20850 (US). JOHNSON, L., Sydnor [US/US]; 13545 Ambassador Drive, Germantown, MD 20874 (US). HROMOCKYJ, Alex [US/US]; 10003 Sidney Road, Silver Spring, MD 20901 (US).  <b>(74) Agents:</b> BROOKES, A., Anders et al.; Human Genome Sciences, Inc., 9410 Key West Avenue, Rockville, MD 20850 (US).		<b>(81) Designated States:</b> AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, ARIPO patent (GH, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).  <b>Published</b> <i>Without international search report and to be republished upon receipt of that report.</i>
<b>(54) Title:</b> <i>STREPTOCOCCUS PNEUMONIAE</i> ANTIGENS AND VACCINES  <b>(57) Abstract</b>  The present invention-relates to novel vaccines for the prevention or attenuation of infection by <i>Streptococcus pneumoniae</i> . The invention further relates to isolated nucleic acid molecules encoding antigenic polypeptides of <i>Streptococcus pneumoniae</i> . Antigenic polypeptides are also provided, as are vectors, host cells and recombinant methods for producing the same. The invention additionally relates to diagnostic methods for detecting <i>Streptococcus</i> nucleic acids, polypeptides and antibodies in a biological sample.		

**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakhstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

## ***Streptococcus pneumoniae* Antigens and Vaccines**

### ***Field of the Invention***

The present invention relates to novel *Streptococcus pneumoniae* antigens for the detection of *Streptococcus* and for the prevention or attenuation of disease caused by *Streptococcus*. The invention further relates to isolated nucleic acid molecules encoding antigenic polypeptides of *S. pneumoniae*. Antigenic polypeptides are also provided, as are vectors, host cells and recombinant methods for producing the same. The invention additionally relates to diagnostic methods for detecting *Streptococcus* gene expression.

### ***Background of the Invention***

*Streptococcus pneumoniae* has been one of the most extensively studied microorganisms since its first isolation in 1881. It was the object of many investigations that led to important scientific discoveries. In 1928, Griffith observed that when heat-killed encapsulated pneumococci and live strains constitutively lacking any capsule were concomitantly injected into mice, the nonencapsulated could be converted into encapsulated pneumococci with the same capsular type as the heat-killed strain. Years later, the nature of this "transforming principle," or carrier of genetic information, was shown to be DNA. (Avery, O.T., *et al.*, *J. Exp. Med.*, 79:137-157 (1944)).

In spite of the vast number of publications on *S. pneumoniae* many questions about its virulence are still unanswered, and this pathogen remains a major causative agent of serious human disease, especially community-acquired pneumonia. (Johnston, R.B., *et al.*, *Rev. Infect. Dis.* 13(Suppl. 6):S509-517 (1991)). In addition, in developing countries, the pneumococcus is responsible for the death of a large number of children under the age of 5 years from pneumococcal pneumonia. The incidence of pneumococcal disease is highest in infants under 2 years of age and in people over 60 years of age. Pneumococci are the second most frequent cause (after *Haemophilus influenzae* type b) of bacterial meningitis and otitis media in children. With the recent introduction of conjugate vaccines for *H. influenzae* type b, pneumococcal meningitis is likely to become increasingly prominent. *S. pneumoniae* is the most important etiologic agent of community-acquired pneumonia in adults and is the second most common cause of bacterial meningitis behind *Neisseria meningitidis*.

The antibiotic generally prescribed to treat *S. pneumoniae* is benzylpenicillin, although resistance to this and to other antibiotics is found occasionally. Pneumococcal resistance to penicillin results from mutations in its

penicillin-binding proteins. In uncomplicated pneumococcal pneumonia caused by a sensitive strain, treatment with penicillin is usually successful unless started too late. Erythromycin or clindamycin can be used to treat pneumonia in patients hypersensitive to penicillin, but resistant strains to these drugs exist. Broad spectrum antibiotics (e.g., the tetracyclines) may also be effective, although tetracycline-resistant strains are not rare. In spite of the availability of antibiotics, the mortality of pneumococcal bacteremia in the last four decades has remained stable between 25 and 29%. (Gillespie, S.H., *et al.*, *J. Med. Microbiol.* 28:237-248 (1989).

*S. pneumoniae* is carried in the upper respiratory tract by many healthy individuals. It has been suggested that attachment of pneumococci is mediated by a disaccharide receptor on fibronectin, present on human pharyngeal epithelial cells. (Anderson, B.J., *et al.*, *J. Immunol.* 142:2464-2468 (1989). The mechanisms by which pneumococci translocate from the nasopharynx to the lung, thereby causing pneumonia, or migrate to the blood, giving rise to bacteremia or septicemia, are poorly understood. (Johnston, R.B., *et al.*, *Rev. Infect. Dis.* 13(Suppl. 6):S509-517 (1991).

Various proteins have been suggested to be involved in the pathogenicity of *S. pneumoniae*, however, only a few of them have actually been confirmed as virulence factors. Pneumococci produce an IgA1 protease that might interfere with host defense at mucosal surfaces. (Kornfield, S.J., *et al.*, *Rev. Inf. Dis.* 3:521-534 (1981). *S. pneumoniae* also produces neuraminidase, an enzyme that may facilitate attachment to epithelial cells by cleaving sialic acid from the host glycolipids and gangliosides. Partially purified neuraminidase was observed to induce meningitis-like symptoms in mice; however, the reliability of this finding has been questioned because the neuraminidase preparations used were probably contaminated with cell wall products. Other pneumococcal proteins besides neuraminidase are involved in the adhesion of pneumococci to epithelial and endothelial cells. These pneumococcal proteins have as yet not been identified. Recently, Cundell *et al.*, reported that peptide permeases can modulate pneumococcal adherence to epithelial and endothelial cells. It was, however, unclear whether these permeases function directly as adhesions or whether they enhance adherence by modulating the expression of pneumococcal adhesions. (DeVelasco, E.A., *et al.*, *Micro. Rev.* 59:591-603 (1995). A better understanding of the virulence factors determining its pathogenicity will need to be developed to cope with the devastating effects of pneumococcal disease in humans.

Ironically, despite the prominent role of *S. pneumoniae* in the discovery of DNA, little is known about the molecular genetics of the organism. The *S. pneumoniae* genome consists of one circular, covalently closed, double-stranded DNA and a collection of so-called variable accessory elements, such as prophages, plasmids, transposons and the like. Most physical characteristics and almost all of the genes of *S. pneumoniae* are unknown. Among the few that have been identified, most have not been physically mapped or characterized in detail. Only a few genes of this organism have been sequenced. (See, for instance current versions of GENBANK and other nucleic acid databases, and references that relate to the genome of *S. pneumoniae* such as those set out elsewhere herein.) Identification of *in vivo*-expressed, and broadly protective, antigens of *S. pneumoniae* has remained elusive.

#### *Summary of the Invention*

The present invention provides isolated nucleic acid molecules comprising polynucleotides encoding the *S. pneumoniae* polypeptides described in Table 1 and having the amino acid sequences shown as SEQ ID NO:2, SEQ ID NO:4, SEQ ID NO:6, and so on through SEQ ID NO:226. Thus, one aspect of the invention provides isolated nucleic acid molecules comprising polynucleotides having a nucleotide sequence selected from the group consisting of: (a) a nucleotide sequence encoding any of the amino acid sequences of the polypeptides shown in Table 1; and (b) a nucleotide sequence complementary to any of the nucleotide sequences in (a).

Further embodiments of the invention include isolated nucleic acid molecules that comprise a polynucleotide having a nucleotide sequence at least 90% identical, and more preferably at least 95%, 96%, 97%, 98% or 99% identical, to any of the nucleotide sequences in (a) or (b) above, or a polynucleotide which hybridizes under stringent hybridization conditions to a polynucleotide in (a) or (b) above. This polynucleotide which hybridizes does not hybridize under stringent hybridization conditions to a polynucleotide having a nucleotide sequence consisting of only A residues or of only T residues. Additional nucleic acid embodiments of the invention relate to isolated nucleic acid molecules comprising polynucleotides which encode the amino acid sequences of epitope-bearing portions of an *S. pneumoniae* polypeptide having an amino acid sequence in (a) above.

The present invention also relates to recombinant vectors, which include the isolated nucleic acid molecules of the present invention, and to host cells containing the recombinant vectors, as well as to methods of making such

vectors and host cells and for using these vectors for the production of *S. pneumoniae* polypeptides or peptides by recombinant techniques.

The invention further provides isolated *S. pneumoniae* polypeptides having an amino acid sequence selected from the group consisting of an amino acid sequence of any of the polypeptides described in Table 1.

The polypeptides of the present invention also include polypeptides having an amino acid sequence with at least 70% similarity, and more preferably at least 75%, 80%, 85%, 90%, 95%, 96%, 97%, 98%, or 99% similarity to those described in Table 1, as well as polypeptides having an amino acid sequence at least 70% identical, more preferably at least 75% identical, and still more preferably 80%, 85%, 90%, 95%, 96%, 97%, 98%, or 99% identical to those above; as well as isolated nucleic acid molecules encoding such polypeptides.

The present invention further provides a vaccine, preferably a multi-component vaccine comprising one or more of the *S. pneumoniae* polynucleotides or polypeptides described in Table 1, or fragments thereof, together with a pharmaceutically acceptable diluent, carrier, or excipient, wherein the *S. pneumoniae* polypeptide(s) are present in an amount effective to elicit an immune response to members of the *Streptococcus* genus in an animal. The *S. pneumoniae* polypeptides of the present invention may further be combined with one or more immunogens of one or more other streptococcal or non-streptococcal organisms to produce a multi-component vaccine intended to elicit an immunological response against members of the *Streptococcus* genus and, optionally, one or more non-streptococcal organisms.

The vaccines of the present invention can be administered in a DNA form, e.g., "naked" DNA, wherein the DNA encodes one or more streptococcal polypeptides and, optionally, one or more polypeptides of a non-streptococcal organism. The DNA encoding one or more polypeptides may be constructed such that these polypeptides are expressed fusion proteins.

The vaccines of the present invention may also be administered as a component of a genetically engineered organism. Thus, a genetically engineered organism which expresses one or more *S. pneumoniae* polypeptides may be administered to an animal. For example, such a genetically engineered organism may contain one or more *S. pneumoniae* polypeptides of the present invention intracellularly, on its cell surface, or in its periplasmic space. Further, such a genetically engineered organism may secrete one or more *S. pneumoniae* polypeptides.

The vaccines of the present invention may be co-administered to an animal with an immune system modulator (*e.g.*, CD86 and GM-CSF).

The invention also provides a method of inducing an immunological response in an animal to one or more members of the *Streptococcus* genus, preferably one or more isolates of the *S. pneumoniae* genus, comprising administering to the animal a vaccine as described above.

The invention further provides a method of inducing a protective immune response in an animal, sufficient to prevent or attenuate an infection by members of the *Streptococcus* genus, preferably at least *S. pneumoniae*, comprising administering to the animal a composition comprising one or more of the polynucleotides or polypeptides described in Table 1, or fragments thereof. Further, these polypeptides, or fragments thereof, may be conjugated to another immunogen and/or administered in admixture with an adjuvant.

The invention further relates to antibodies elicited in an animal by the administration of one or more *S. pneumoniae* polypeptides of the present invention and to methods for producing such antibodies.

The invention also provides diagnostic methods for detecting the expression of genes of members of the *Streptococcus* genus in an animal. One such method involves assaying for the expression of a gene encoding *S. pneumoniae* peptides in a sample from an animal. This expression may be assayed either directly (*e.g.*, by assaying polypeptide levels using antibodies elicited in response to amino acid sequences described in Table 1) or indirectly (*e.g.*, by assaying for antibodies having specificity for amino acid sequences described in Table 1). An example of such a method involves the use of the polymerase chain reaction (PCR) to amplify and detect *Streptococcus* nucleic acid sequences.

The present invention also relates to nucleic acid probes having all or part of a nucleotide sequence described in Table 1 (shown as SEQ ID NO:1, SEQ ID NO:3, SEQ ID NO:5, and so on through SEQ ID NO:225) which are capable of hybridizing under stringent conditions to *Streptococcus* nucleic acids. The invention further relates to a method of detecting one or more *Streptococcus* nucleic acids in a biological sample obtained from an animal, said one or more nucleic acids encoding *Streptococcus* polypeptides, comprising: (a) contacting the sample with one or more of the above-described nucleic acid probes, under conditions such that hybridization occurs, and (b) detecting hybridization of said one or more probes to the *Streptococcus* nucleic acid present in the biological sample.

The invention also includes immunoassays, including an immunoassay for detecting *Streptococcus*, preferably at least isolates of the *S. pneumoniae* genus, comprising incubation of a sample (which is suspected of being infected with *Streptococcus*) with a probe antibody directed against an antigen/epitope of *S. pneumoniae*, to be detected under conditions allowing the formation of an antigen-antibody complex; and detecting the antigen-antibody complex which contains the probe antibody. An immunoassay for the detection of antibodies which are directed against a *Streptococcus* antigen comprising the incubation of a sample (containing antibodies from a mammal suspected of being infected with *Streptococcus*) with a probe polypeptide including an epitope of *S. pneumoniae*, under conditions that allow the formation of antigen-antibody complexes which contain the probe epitope containing antigen.

Some aspects of the invention pertaining to kits are those for: investigating samples for the presence of polynucleotides derived from *Streptococcus* which comprise a polynucleotide probe including a nucleotide sequence selected from Table 1 or a fragment thereof of approximately 15 or more nucleotides, in an appropriate container; analyzing the samples for the presence of antibodies directed against a *Streptococcus* antigen made up of a polypeptide which contains a *S. pneumoniae* epitope present in the polypeptide, in a suitable container; and analyzing samples for the presence of *Streptococcus* antigens made up of an anti-*S. pneumoniae* antibody, in a suitable container.

### Detailed Description

The present invention relates to recombinant antigenic *S. pneumoniae* polypeptides and fragments thereof. The invention also relates to methods for using these polypeptides to produce immunological responses and to confer immunological protection to disease caused by members of the genus *Streptococcus*, at least isolates of the *S. pneumoniae* genus. The invention further relates to nucleic acid sequences which encode antigenic *S. pneumoniae* polypeptides and to methods for detecting *S. pneumoniae* nucleic acids and polypeptides in biological samples. The invention also relates to *S. pneumoniae*-specific antibodies and methods for detecting such antibodies produced in a host animal.

### Definitions

The following definitions are provided to clarify the subject matter which the inventors consider to be the present invention.



As used herein, the phrase "pathogenic agent" means an agent which causes a disease state or affliction in an animal. Included within this definition, for examples, are bacteria, protozoans, fungi, viruses and metazoan parasites which either produce a disease state or render an animal infected with such an organism susceptible to a disease state (*e.g.*, a secondary infection). Further included are species and strains of the genus *Streptococcus* which produce disease states in animals.

As used herein, the term "organism" means any living biological system, including viruses, regardless of whether it is a pathogenic agent.

As used herein, the term "*Streptococcus*" means any species or strain of bacteria which is members of the genus *Streptococcus*. Such species and strains are known to those of skill in the art, and include those that are pathogenic and those that are not.

As used herein, the phrase "one or more *S. pneumoniae* polypeptides of the present invention" means polypeptides comprising the amino acid sequence of one or more of the *S. pneumoniae* polypeptides described in Table 1 and disclosed as SEQ ID NO:2, SEQ ID NO:4, SEQ ID NO:6, and so on through SEQ ID NO:226. These polypeptides may be expressed as fusion proteins wherein the *S. pneumoniae* polypeptides of the present invention are linked to additional amino acid sequences which may be of streptococcal or non-streptococcal origin. This phrase further includes polypeptide comprising fragments of the *S. pneumoniae* polypeptides of the present invention.

Additional definitions are provided throughout the specification.

### ***Explanation of Table 1***

Table 1, below, provides information describing 113 open reading frames (ORFs) which encode potentially antigenic polypeptides of *S. pneumoniae* of the present invention. The table lists the ORF identifier which consists of the letters SP, which denote *S. pneumoniae*, followed immediately by a three digit numeric code, which arbitrarily number the potentially antigenic polypeptides of *S. pneumoniae* of the present invention and the nucleotide or amino acid sequence of each ORF and encoded polypeptide. The table further correlates the ORF identifier with a sequence identification number (SEQ ID NO:). The actual nucleotide or amino acid sequence of each ORF identifier is also shown in the Sequence Listing under the corresponding SEQ ID NO.

Thus, for example, the designation "SP126" refers to both the nucleotide and amino acid sequences of *S. pneumoniae* polypeptide number 126 of the present invention. Further, "SP126" correlates with the nucleotide

sequence shown as SEQ ID NO:223 and with the amino acid sequence shown as SEQ ID NO:224 as is described in Table 1.

The open reading frame within each "ORF" begins with the second nucleotide shown. Thus, the first codon for each nucleotide sequence shown is bases 2-4, the second 5-7, the third 8-10, and so on.

### ***Explanation of Table 2***

Table 2 lists the antigenic epitopes present in each of the *S. pneumoniae* polypeptides described in Table 1 as predicted by the inventors. Each *S. pneumoniae* polypeptide shown in Table 1 has one or more antigenic epitopes described in Table 2. It will be appreciated that depending on the analytical criteria used to predict antigenic determinants, the exact address of the determinant may vary slightly. The exact location of the antigenic determinant may shift by about 1 to 5 residues, more likely 1 to 2 residues, depending on the criteria used. Thus, the first antigenic determinant described in Table 2, "Lys-1 to Ile-10" of SP001, represents a peptide comprising the lysine at position 1 in SEQ ID NO:2 through and including the isoleucine at position 10 in SEQ ID NO:2, but may include more or fewer residues than those 10. It will also be appreciated that, generally speaking, amino acids can be added to either terminus of a peptide or polypeptide containing an antigenic epitope without affecting its activity, whereas removing residues from a peptide or polypeptide containing only the antigenic determinant is much more likely to destroy activity. It will be appreciated that the residues and locations shown described in Table 2 correspond to the amino acid sequences for each ORF shown in Table 1 and in the Sequence Listing.

### ***Explanation of Table 3***

Table 3 shows PCR primers designed by the inventors for the amplification of polynucleotides encoding polypeptides of the present invention according to the method of Example 1. PCR primer design is routine in the art and those shown in Table 3 are provided merely for the convenience of the skilled artisan. It will be appreciated that others can be used with equal success.

For each primer, the table lists the corresponding ORF designation from Table 1 followed by either an "A" or a "B". The "A" primers are the 5' primers and the "B" primers 3'. A restriction enzyme site was built into each primer to allow ease of cloning. The restriction enzyme which will recognize and cleave a sequence within each primer is shown in Table 3, as well, under the heading

"RE" for restriction enzyme. Finally the sequence identifier is shown in Table 3 for each primer for easy correlation with the Sequence Listing.

***Selection of Nucleic Acid Sequences Encoding Antigenic S. pneumoniae Polypeptides***

The present invention provides a select number of ORFs from those presented in the fragments of the *S. pneumoniae* genome which may prove useful for the generation of a protective immune response. The sequenced *S. pneumoniae* genomic DNA was obtained from a sub-cultured isolate of *S. pneumoniae* Strain 7/87 14.8.91, which has been deposited at the American Type Culture Collection, as a convenience to those of skill in the art. The *S. pneumoniae* isolate was deposited on October 10, 1996 at the ATCC, 12301 Park Lawn Drive, Rockville, Maryland 20852, and given accession number 55840. A genomic library constructed from DNA isolated from the *S. pneumoniae* isolate was also deposited at the ATCC on October 11, 1996 and given ATCC Deposit No. 97755. A more complete listing of the sequence obtained from the *S. pneumoniae* genome may be found in co-pending U.S. Provisional Application Serial No. 60/029,960, filed 10/31/96, incorporated herein by reference in its entirety. Some ORFs contained in the subset of fragments of the *S. pneumoniae* genome disclosed herein were derived through the use of a number of screening criteria detailed below.

The selected ORFs do not consist of complete ORFs. Although a polypeptide representing a complete ORF may be the closest approximation of a protein native to an organism, it is not always preferred to express a complete ORF in a heterologous system. It may be challenging to express and purify a highly hydrophobic protein by common laboratory methods. Thus, the polypeptide vaccine candidates described herein may have been modified slightly to simplify the production of recombinant protein. For example, nucleotide sequences which encode highly hydrophobic domains, such as those found at the amino terminal signal sequence, have been excluded from some constructs used for *in vitro* expression of the polypeptides. Furthermore, any highly hydrophobic amino acid sequences occurring at the carboxy terminus have also been excluded from the recombinant expression constructs. Thus, in one embodiment, a polypeptide which represents a truncated or modified ORF may be used as an antigen.

While numerous methods are known in the art for selecting potentially immunogenic polypeptides, many of the ORFs disclosed herein were selected

on the basis of screening all theoretical *S. pneumoniae* ORFs for several aspects of potential immunogenicity. One set of selection criteria are as follows:

5       1. *Type I signal sequence*: An amino terminal type I signal sequence generally directs a nascent protein across the plasma and outer membranes to the exterior of the bacterial cell. Experimental evidence obtained from studies with *Escherichia coli* suggests that the typical type I signal sequence consists of the following biochemical and physical attributes (Izard, J. W. and Kendall, D. A. *Mol. Microbiol.* 13:765-773 (1994)). The length of the type I signal sequence is approximately 15 to 25 primarily hydrophobic amino acid residues with a net positive charge in the extreme amino terminus. In addition, the central region of the signal sequence adopts an alpha-helical conformation in a hydrophobic environment. Finally, the region surrounding the actual site of cleavage is ideally six residues long, with small side-chain amino acids in the -1 and -3 positions.

15       2. *Type IV signal sequence*: The type IV signal sequence is an example of the several types of functional signal sequences which exist in addition to the type I signal sequence detailed above. Although functionally related, the type IV signal sequence possesses a unique set of biochemical and physical attributes (Strom, M. S. and Lory, S., *J. Bacteriol.* 174:7345-7351 (1992)). These are typically six to eight amino acids with a net basic charge followed by an additional sixteen to thirty primarily hydrophobic residues. The cleavage site of a type IV signal sequence is typically after the initial six to eight amino acids at the extreme amino terminus. In addition, type IV signal sequences generally contain a phenylalanine residue at the +1 site relative to the cleavage site.

25       3. *Lipoprotein*: Studies of the cleavage sites of twenty-six bacterial lipoprotein precursors has allowed the definition of a consensus amino acid sequence for lipoprotein cleavage. Nearly three-fourths of the bacterial lipoprotein precursors examined contained the sequence L-(A,S)-(G,A)-C at positions -3 to +1, relative to the point of cleavage (Hayashi, S. and Wu, H. C., *J. Bioenerg. Biomembr.* 22:451-471 (1990)).

30       4. *LPXTG motif*: It has been experimentally determined that most anchored proteins found on the surface of gram-positive bacteria possess a highly conserved carboxy terminal sequence. More than fifty such proteins from organisms such as *S. pyogenes*, *S. mutans*, *E. faecalis*, *S. pneumoniae*, and others, have been identified based on their extracellular location and carboxy terminal amino acid sequence (Fischetti, V. A., *ASM News* 62:405-410 (1996)). The conserved region consists of six charged amino acids at the extreme carboxy terminus coupled to 15-20 hydrophobic amino acids

presumed to function as a transmembrane domain. Immediately adjacent to the transmembrane domain is a six amino acid sequence conserved in nearly all proteins examined. The amino acid sequence of this region is L-P-X-T-G-X, where X is any amino acid.

5           An algorithm for selecting antigenic and immunogenic *S. pneumoniae* polypeptides including the foregoing criteria was developed. Use of the algorithm by the inventors to select immunologically useful *S. pneumoniae* polypeptides resulted in the selection of a number of the disclosed ORFs. Polypeptides comprising the polypeptides identified in this group may be  
10           produced by techniques standard in the art and as further described herein.

### *Nucleic Acid Molecules*

          The present invention provides isolated nucleic acid molecules comprising polynucleotides encoding the *S. pneumoniae* polypeptides having  
15           the amino acid sequences described in Table 1 and shown as SEQ ID NO:2, SEQ ID NO:4, SEQ ID NO:6, and so on through SEQ ID NO:226, which were determined by sequencing the genome of *S. pneumoniae* and selected as putative immunogens.

          Unless otherwise indicated, all nucleotide sequences determined by  
20           sequencing a DNA molecule herein were determined using an automated DNA sequencer (such as the Model 373 from Applied Biosystems, Inc.), and all amino acid sequences of polypeptides encoded by DNA molecules determined herein were predicted by translation of DNA sequences determined as above. Therefore, as is known in the art for any DNA sequence determined by this  
25           automated approach, any nucleotide sequence determined herein may contain some errors. Nucleotide sequences determined by automation are typically at least about 90% identical, more typically at least about 95% to at least about 99.9% identical to the actual nucleotide sequence of the sequenced DNA molecule. The actual sequence can be more precisely determined by other  
30           approaches including manual DNA sequencing methods well known in the art. As is also known in the art, a single insertion or deletion in a determined nucleotide sequence compared to the actual sequence will cause a frame shift in translation of the nucleotide sequence such that the predicted amino acid  
35           sequence encoded by a determined nucleotide sequence will be completely different from the amino acid sequence actually encoded by the sequenced DNA molecule, beginning at the point of such an insertion or deletion.

          Unless otherwise indicated, each "nucleotide sequence" set forth herein is presented as a sequence of deoxyribonucleotides (abbreviated A, G , C and

5 T). However, by "nucleotide sequence" of a nucleic acid molecule or polynucleotide is intended, for a DNA molecule or polynucleotide, a sequence of deoxyribonucleotides, and for an RNA molecule or polynucleotide, the corresponding sequence of ribonucleotides (A, G, C and U), where each  
10 thymidine deoxyribonucleotide (T) in the specified deoxyribonucleotide sequence is replaced by the ribonucleotide uridine (U). For instance, reference to an RNA molecule having a sequence described in Table 1 set forth using deoxyribonucleotide abbreviations is intended to indicate an RNA molecule having a sequence in which each deoxyribonucleotide A, G or C described in  
15 Table 1 has been replaced by the corresponding ribonucleotide A, G or C, and each deoxyribonucleotide T has been replaced by a ribonucleotide U.

Nucleic acid molecules of the present invention may be in the form of RNA, such as mRNA, or in the form of DNA, including, for instance, cDNA and genomic DNA obtained by cloning or produced synthetically. The DNA  
20 may be double-stranded or single-stranded. Single-stranded DNA or RNA may be the coding strand, also known as the sense strand, or it may be the non-coding strand, also referred to as the anti-sense strand.

By "isolated" nucleic acid molecule(s) is intended a nucleic acid molecule, DNA or RNA, which has been removed from its native environment.  
25 For example, recombinant DNA molecules contained in a vector are considered isolated for the purposes of the present invention. Further examples of isolated DNA molecules include recombinant DNA molecules maintained in heterologous host cells or purified (partially or substantially) DNA molecules in solution. Isolated RNA molecules include *in vivo* or *in vitro* RNA transcripts of the DNA molecules of the present invention. Isolated nucleic acid molecules according to the present invention further include such molecules produced synthetically.

Isolated nucleic acid molecules of the present invention include DNA molecules comprising a nucleotide sequence described in Table 1 and shown as  
30 SEQ ID NO:1, SEQ ID NO:3, SEQ ID NO:5, and so on through SEQ ID NO:225; DNA molecules comprising the coding sequences for the polypeptides described in Table 1 and shown as SEQ ID NO:2, SEQ ID NO:4, SEQ ID NO:6, and so on through SEQ ID NO:226; and DNA molecules which comprise sequences substantially different from those described above but which, due to  
35 the degeneracy of the genetic code, still encode the *S. pneumoniae* polypeptides described in Table 1. Of course, the genetic code is well known in the art. Thus, it would be routine for one skilled in the art to generate such degenerate variants.

The invention also provides nucleic acid molecules having sequences complementary to any one of those described in Table 1. Such isolated molecules, particularly DNA molecules, are useful as probes for detecting expression of *Streptococcal* genes, for instance, by Northern blot analysis or the polymerase chain reaction (PCR).

The present invention is further directed to fragments of the isolated nucleic acid molecules described herein. By a fragment of an isolated nucleic acid molecule having a nucleotide sequence described in Table 1, is intended fragments at least about 15 nt, and more preferably at least about 17 nt, still more preferably at least about 20 nt, and even more preferably, at least about 25 nt in length which are useful as diagnostic probes and primers as discussed herein. Of course, larger fragments 50-100 nt in length are also useful according to the present invention as are fragments corresponding to most, if not all, of a nucleotide sequence described in Table 1. By a fragment at least 20 nt in length, for example, is intended fragments which include 20 or more contiguous bases of a nucleotide sequence as described in Table 1. Since the nucleotide sequences identified in Table 1 are provided as SEQ ID NO:1, SEQ ID NO:3, SEQ ID NO:5, and so on through SEQ ID NO:225, generating such DNA fragments would be routine to the skilled artisan. For example, such fragments could be generated synthetically.

Preferred nucleic acid fragments of the present invention also include nucleic acid molecules comprising nucleotide sequences encoding epitope-bearing portions of the *S. pneumoniae* polypeptides identified in Table 1. Such nucleic acid fragments of the present invention include, for example, nucleotide sequences encoding polypeptide fragments comprising from about the amino terminal residue to about the carboxy terminal residue of each fragment shown in Table 2. The above referred to polypeptide fragments are antigenic regions of the *S. pneumoniae* polypeptides identified in Table 1.

In another aspect, the invention provides isolated nucleic acid molecules comprising polynucleotides which hybridize under stringent hybridization conditions to a portion of a polynucleotide in a nucleic acid molecule of the invention described above, for instance, a nucleic acid sequence identified in Table 1. By "stringent hybridization conditions" is intended overnight incubation at 42°C in a solution comprising: 50% formamide, 5x SSC (150 mM NaCl, 15 mM trisodium citrate), 50 mM sodium phosphate (pH 7.6), 5x Denhardt's solution, 10% dextran sulfate, and 20 g/ml denatured, sheared salmon sperm DNA, followed by washing the filters in 0.1x SSC at about 65°C.

By polynucleotides which hybridize to a "portion" of a polynucleotide is intended polynucleotides (either DNA or RNA) which hybridize to at least about 15 nucleotides (nt), and more preferably at least about 17 nt, still more preferably at least about 20 nt, and even more preferably about 25-70 nt of the reference polynucleotide. These are useful as diagnostic probes and primers as discussed above and in more detail below.

Of course, polynucleotides hybridizing to a larger portion of the reference polynucleotide, for instance, a portion 50-100 nt in length, or even to the entire length of the reference polynucleotide, are also useful as probes according to the present invention, as are polynucleotides corresponding to most, if not all, of a nucleotide sequence as identified in Table 1. By a portion of a polynucleotide of "at least 20 nt in length," for example, is intended 20 or more contiguous nucleotides from the nucleotide sequence of the reference polynucleotide (e.g., a nucleotide sequences as described in Table 1). As noted above, such portions are useful diagnostically either as probes according to conventional DNA hybridization techniques or as primers for amplification of a target sequence by PCR, as described in the literature (for instance, in *Molecular Cloning, A Laboratory Manual*, 2nd. edition, Sambrook, J., Fritsch, E. F. and Maniatis, T., eds., Cold Spring Harbor Laboratory Press, Cold Spring Harbor, N.Y. (1989), the entire disclosure of which is hereby incorporated herein by reference).

Since nucleic acid sequences encoding the *S. pneumoniae* polypeptides of the present invention are identified in Table 1 and provided as SEQ ID NO:1, SEQ ID NO:3, SEQ ID NO:5, and so on through SEQ ID NO:225, generating polynucleotides which hybridize to portions of these sequences would be routine to the skilled artisan. For example, the hybridizing polynucleotides of the present invention could be generated synthetically according to known techniques.

As indicated, nucleic acid molecules of the present invention which encode *S. pneumoniae* polypeptides of the present invention may include, but are not limited to those encoding the amino acid sequences of the polypeptides by themselves; and additional coding sequences which code for additional amino acids, such as those which provide additional functionalities. Thus, the sequences encoding these polypeptides may be fused to a marker sequence, such as a sequence encoding a peptide which facilitates purification of the fused polypeptide. In certain preferred embodiments of this aspect of the invention, the marker amino acid sequence is a hexa-histidine peptide, such as the tag provided in a pQE vector (Qiagen, Inc.), among others, many of which are



commercially available. As described by Gentz and colleagues (*Proc. Natl. Acad. Sci. USA* 86:821-824 (1989)), for instance, hexa-histidine provides for convenient purification of the resulting fusion protein.

Thus, the present invention also includes genetic fusions wherein the *S. pneumoniae* nucleic acid sequences coding sequences identified in Table 1 are linked to additional nucleic acid sequences to produce fusion proteins. These fusion proteins may include epitopes of streptococcal or non-streptococcal origin designed to produce proteins having enhanced immunogenicity. Further, the fusion proteins of the present invention may contain antigenic determinants known to provide helper T-cell stimulation, peptides encoding sites for post-translational modifications which enhance immunogenicity (*e.g.*, acylation), peptides which facilitate purification (*e.g.*, histidine "tag"), or amino acid sequences which target the fusion protein to a desired location (*e.g.*, a heterologous leader sequence).

In all cases of bacterial expression, an N-terminal methionine residues is added. In many cases, however, the N-terminal methionine residues is cleaved off post-translationally. Thus, the invention includes polypeptides shown in Table 1 with, and without an N-terminal methionine.

The present invention thus includes nucleic acid molecules and sequences which encode fusion proteins comprising one or more *S. pneumoniae* polypeptides of the present invention fused to an amino acid sequence which allows for post-translational modification to enhance immunogenicity. This post-translational modification may occur either *in vitro* or when the fusion protein is expressed *in vivo* in a host cell. An example of such a modification is the introduction of an amino acid sequence which results in the attachment of a lipid moiety.

Thus, as indicated above, the present invention includes genetic fusions wherein a *S. pneumoniae* nucleic acid sequence identified in Table 1 is linked to a nucleotide sequence encoding another amino acid sequence. These other amino acid sequences may be of streptococcal origin (*e.g.*, another sequence selected from Table 1) or non-streptococcal origin.

The present invention further relates to variants of the nucleic acid molecules of the present invention, which encode portions, analogs or derivatives of the *S. pneumoniae* polypeptides described in Table 1. Variants may occur naturally, such as a natural allelic variant. By an "allelic variant" is intended one of several alternate forms of a gene occupying a given locus on a chromosome of an organism (*Genes II*, Lewin, B., ed., John Wiley & Sons,

New York (1985)). Non-naturally occurring variants may be produced using art-known mutagenesis techniques.

Such variants include those produced by nucleotide substitutions, deletions or additions. The substitutions, deletions or additions may involve one or more nucleotides. These variants may be altered in coding regions, non-coding regions, or both. Alterations in the coding regions may produce conservative or non-conservative amino acid substitutions, deletions or additions. Especially preferred among these are silent substitutions, additions and deletions, which do not alter the properties and activities of the *S. pneumoniae* polypeptides disclosed herein or portions thereof. Silent substitution are most likely to be made in non-epitopic regions. Guidance regarding those regions containing epitopes is provided herein, for example, in Table 2. Also especially preferred in this regard are conservative substitutions.

Further embodiments of the invention include isolated nucleic acid molecules comprising a polynucleotide having a nucleotide sequence at least 90% identical, and more preferably at least 95%, 96%, 97%, 98% or 99% identical to: (a) a nucleotide sequence encoding any of the amino acid sequences of the polypeptides identified in Table 1; and (b) a nucleotide sequence complementary to any of the nucleotide sequences in (a) above.

By a polynucleotide having a nucleotide sequence at least, for example, 95% "identical" to a reference nucleotide sequence encoding a *S. pneumoniae* polypeptide described in Table 1, is intended that the nucleotide sequence of the polynucleotide is identical to the reference sequence except that the polynucleotide sequence may include up to five point mutations per each 100 nucleotides of the reference nucleotide sequence encoding the subject *S. pneumoniae* polypeptide. In other words, to obtain a polynucleotide having a nucleotide sequence at least 95% identical to a reference nucleotide sequence, up to 5% of the nucleotides in the reference sequence may be deleted or substituted with another nucleotide, or a number of nucleotides up to 5% of the total nucleotides in the reference sequence may be inserted into the reference sequence. These mutations of the reference sequence may occur at the 5' or 3' terminal positions of the reference nucleotide sequence or anywhere between those terminal positions, interspersed either individually among nucleotides in the reference sequence or in one or more contiguous groups within the reference sequence.

Certain nucleotides within some of the nucleic acid sequences shown in Table 1 were ambiguous upon sequencing. Completely unknown sequences are shown as an "N". Other unresolved nucleotides are known to be either a

purine, shown as "R", or a pyrimidine, shown as "Y". Accordingly, when determining identity between two nucleotide sequences, identity is met where any nucleotide, including an "R", "Y" or "N", is found in a test sequence and at the corresponding position in the reference sequence (from Table 1). Likewise, an A, G or "R" in a test sequence is identical to an "R" in the reference sequence; and a T, C or "Y" in a test sequence is identical to a "Y" in the reference sequence.

As a practical matter, whether any particular nucleic acid molecule is at least 90%, 95%, 96%, 97%, 98% or 99% identical to, for instance, a nucleotide sequence described in Table 1 can be determined conventionally using known computer programs such as the Bestfit program (Wisconsin Sequence Analysis Package, Version 8 for Unix, Genetics Computer Group, University Research Park, 575 Science Drive, Madison, WI 53711). Bestfit uses the local homology algorithm of Smith and Waterman (*Advances in Applied Mathematics* 2:482-489 (1981)), to find the best segment of homology between two sequences. When using Bestfit or any other sequence alignment program to determine whether a particular sequence is, for instance, 95% identical to a reference sequence according to the present invention, the parameters are set, of course, such that the percentage of identity is calculated over the full length of the reference nucleotide sequence and that gaps in homology of up to 5% of the total number of nucleotides in the reference sequence are allowed.

The present application is directed to nucleic acid molecules at least 90%, 95%, 96%, 97%, 98% or 99% identical to a nucleic acid sequences described in Table 1. One of skill in the art would still know how to use the nucleic acid molecule, for instance, as a hybridization probe or a polymerase chain reaction (PCR) primer. Uses of the nucleic acid molecules of the present invention include, *inter alia*, (1) isolating *Streptococcal* genes or allelic variants thereof from either a genomic or cDNA library and (2) Northern Blot or PCR analysis for detecting *Streptococcal* mRNA expression.

Of course, due to the degeneracy of the genetic code, one of ordinary skill in the art will immediately recognize that a large number of nucleic acid molecules having a sequence at least 90%, 95%, 96%, 97%, 98%, or 99% identical to a nucleic acid sequence identified in Table 1 will encode the same polypeptide. In fact, since degenerate variants of these nucleotide sequences all encode the same polypeptide, this will be clear to the skilled artisan even without performing the above described comparison assay.

It will be further recognized in the art that, for such nucleic acid molecules that are not degenerate variants, a reasonable number will also encode

proteins having antigenic epitopes of the *S. pneumoniae* polypeptides of the present invention. This is because the skilled artisan is fully aware of amino acid substitutions that are either less likely or not likely to significantly effect the antigenicity of a polypeptide (*e.g.*, replacement of an amino acid in a region which is not believed to form an antigenic epitope). For example, since antigenic epitopes have been identified which contain as few as six amino acids (see Harlow, *et al.*, *Antibodies: A Laboratory Manual, 2nd Ed.*; Cold Spring Harbor Laboratory Press, Cold Spring Harbor, New York (1988), page 76), in instances where a polypeptide has multiple antigenic epitopes the alteration of several amino acid residues would often not be expected to eliminate all of the antigenic epitopes of that polypeptide. This is especially so when the alterations are in regions believed to not constitute antigenic epitopes.

### *Vectors and Host Cells*

The present invention also relates to vectors which include the isolated DNA molecules of the present invention, host cells which are genetically engineered with the recombinant vectors, and the production of *S. pneumoniae* polypeptides or fragments thereof by recombinant techniques.

Recombinant constructs may be introduced into host cells using well known techniques such as infection, transduction, transfection, transvection, electroporation and transformation. The vector may be, for example, a phage, plasmid, viral or retroviral vector. Retroviral vectors may be replication competent or replication defective. In the latter case, viral propagation generally will occur only in complementing host cells.

The polynucleotides may be joined to a vector containing a selectable marker for propagation in a host. Generally, a plasmid vector is introduced in a precipitate, such as a calcium phosphate precipitate, or in a complex with a charged lipid. If the vector is a virus, it may be packaged *in vitro* using an appropriate packaging cell line and then transduced into host cells.

Preferred are vectors comprising *cis*-acting control regions to the polynucleotide of interest. Appropriate *trans*-acting factors may be supplied by the host, supplied by a complementing vector or supplied by the vector itself upon introduction into the host.

In certain preferred embodiments in this regard, the vectors provide for specific expression, which may be inducible and/or cell type-specific. Particularly preferred among such vectors are those inducible by environmental factors that are easy to manipulate, such as temperature and nutrient additives.

Expression vectors useful in the present invention include chromosomal-, episomal- and virus-derived vectors, *e.g.*, vectors derived from bacterial plasmids, bacteriophage, yeast episomes, yeast chromosomal elements, viruses such as baculoviruses, papova viruses, vaccinia viruses, adenoviruses, fowl pox viruses, pseudorabies viruses and retroviruses, and vectors derived from combinations thereof, such as cosmids and phagemids.

The DNA insert should be operatively linked to an appropriate promoter, such as the phage lambda PL promoter, the *E. coli lac*, *trp* and *tac* promoters, the SV40 early and late promoters and promoters of retroviral LTRs, to name a few. Other suitable promoters will be known to the skilled artisan. The expression constructs will further contain sites for transcription initiation, termination and, in the transcribed region, a ribosome binding site for translation. The coding portion of the mature transcripts expressed by the constructs will preferably include a translation initiating site at the beginning and a termination codon (UAA, UGA or UAG) appropriately positioned at the end of the polypeptide to be translated.

As indicated, the expression vectors will preferably include at least one selectable marker. Such markers include dihydrofolate reductase or neomycin resistance for eukaryotic cell culture and tetracycline or ampicillin resistance genes for culturing in *E. coli* and other bacteria. Representative examples of appropriate hosts include, but are not limited to, bacterial cells, such as *E. coli*, *Streptomyces* and *Salmonella typhimurium* cells; fungal cells, such as yeast cells; insect cells such as *Drosophila* S2 and *Spodoptera* Sf9 cells; animal cells such as CHO, COS and Bowes melanoma cells; and plant cells. Appropriate culture mediums and conditions for the above-described host cells are known in the art.

Among vectors preferred for use in bacteria include pQE70, pQE60 and pQE-9, available from Qiagen; pBS vectors, Phagescript vectors, Bluescript vectors, pNH8A, pNH16a, pNH18A, pNH46A available from Stratagene; pET series of vectors available from Novagen; and ptc99a, pKK223-3, pKK233-3, pDR540, pRIT5 available from Pharmacia. Among preferred eukaryotic vectors are pWLNEO, pSV2CAT, pOG44, pXT1 and pSG available from Stratagene; and pSVK3, pBPV, pMSG and pSVL available from Pharmacia. Other suitable vectors will be readily apparent to the skilled artisan.

Among known bacterial promoters suitable for use in the present invention include the *E. coli lacI* and *lacZ* promoters, the T3 and T7 promoters, the *gpt* promoter, the lambda PR and PL promoters and the *trp* promoter. Suitable eukaryotic promoters include the CMV immediate early promoter, the

HSV thymidine kinase promoter, the early and late SV40 promoters, the promoters of retroviral LTRs, such as those of the Rous sarcoma virus (RSV), and metallothionein promoters, such as the mouse metallothionein-I promoter.

Introduction of the construct into the host cell can be effected by calcium phosphate transfection, DEAE-dextran mediated transfection, cationic lipid-mediated transfection, electroporation, transduction, infection or other methods. Such methods are described in many standard laboratory manuals (for example, Davis, *et al.*, *Basic Methods In Molecular Biology* (1986)).

Transcription of DNA encoding the polypeptides of the present invention by higher eukaryotes may be increased by inserting an enhancer sequence into the vector. Enhancers are *cis*-acting elements of DNA, usually about from 10 to 300 bp that act to increase transcriptional activity of a promoter in a given host cell-type. Examples of enhancers include the SV40 enhancer, which is located on the late side of the replication origin at bp 100 to 270, the cytomegalovirus early promoter enhancer, the polyoma enhancer on the late side of the replication origin, and adenovirus enhancers.

For secretion of the translated polypeptide into the lumen of the endoplasmic reticulum, into the periplasmic space or into the extracellular environment, appropriate secretion signals may be incorporated into the expressed polypeptide. The signals may be endogenous to the polypeptide or they may be heterologous signals.

The polypeptide may be expressed in a modified form, such as a fusion protein, and may include not only secretion signals, but also additional heterologous functional regions. For instance, a region of additional amino acids, particularly charged amino acids, may be added to the N-terminus of the polypeptide to improve stability and persistence in the host cell, during purification, or during subsequent handling and storage. Also, peptide moieties may be added to the polypeptide to facilitate purification. Such regions may be removed prior to final preparation of the polypeptide. The addition of peptide moieties to polypeptides to engender secretion or excretion, to improve stability and to facilitate purification, among others, are familiar and routine techniques in the art. A preferred fusion protein comprises a heterologous region from immunoglobulin that is useful to solubilize proteins. For example, EP-A-O 464 533 (Canadian counterpart 2045869) discloses fusion proteins comprising various portions of constant region of immunoglobulin molecules together with another human protein or part thereof. In many cases, the Fc part in a fusion protein is thoroughly advantageous for use in therapy and diagnosis and thus results, for example, in improved pharmacokinetic properties (EP-A 0232 262).

On the other hand, for some uses it would be desirable to be able to delete the Fc part after the fusion protein has been expressed, detected and purified in the advantageous manner described. This is the case when Fc portion proves to be a hindrance to use in therapy and diagnosis, for example when the fusion protein is to be used as antigen for immunizations. In drug discovery, for example, human proteins, such as, hIL-5-receptor has been fused with Fc portions for the purpose of high-throughput screening assays to identify antagonists of hIL-5. See Bennett, D. *et al.*, *J. Molec. Recogn.* 8:52-58 (1995) and Johanson, K. *et al.*, *J. Biol. Chem.* 270 (16):9459-9471 (1995).

The *S. pneumoniae* polypeptides can be recovered and purified from recombinant cell cultures by well-known methods including ammonium sulfate or ethanol precipitation, acid extraction, anion or cation exchange chromatography, phosphocellulose chromatography, hydrophobic interaction chromatography, affinity chromatography, hydroxylapatite chromatography, lectin chromatography and high performance liquid chromatography ("HPLC") is employed for purification. Polypeptides of the present invention include naturally purified products, products of chemical synthetic procedures, and products produced by recombinant techniques from a prokaryotic or eukaryotic host, including, for example, bacterial, yeast, higher plant, insect and mammalian cells.

### ***Polypeptides and Fragments***

The invention further provides isolated polypeptides having the amino acid sequences described in Table 1, and shown as SEQ ID NO:2, SEQ ID NO:4, SEQ ID NO:6, and so on through SEQ ID NO:226, and peptides or polypeptides comprising portions of the above polypeptides. The terms "peptide" and "oligopeptide" are considered synonymous (as is commonly recognized) and each term can be used interchangeably as the context requires to indicate a chain of at least two amino acids coupled by peptidyl linkages. The word "polypeptide" is used herein for chains containing more than ten amino acid residues. All oligopeptide and polypeptide formulas or sequences herein are written from left to right and in the direction from amino terminus to carboxy terminus.

Some amino acid sequences of the *S. pneumoniae* polypeptides described in Table 1 can be varied without significantly effecting the antigenicity of the polypeptides. If such differences in sequence are contemplated, it should be remembered that there will be critical areas on the polypeptide which determine antigenicity. In general, it is possible to replace residues which do

not form part of an antigenic epitope without significantly effecting the antigenicity of a polypeptide. Guidance for such alterations is given in Table 2 wherein epitopes for each polypeptide is delineated.

The polypeptides of the present invention are preferably provided in an isolated form. By "isolated polypeptide" is intended a polypeptide removed from its native environment. Thus, a polypeptide produced and/or contained within a recombinant host cell is considered isolated for purposes of the present invention. Also intended as an "isolated polypeptide" is a polypeptide that has been purified, partially or substantially, from a recombinant host cell. For example, recombinantly produced versions of the *S. pneumoniae* polypeptides described in Table 1 can be substantially purified by the one-step method described by Smith and Johnson (*Gene* 67:31-40 (1988)).

The polypeptides of the present invention include: (a) an amino acid sequence of any of the polypeptides described in Table 1; and (b) an amino acid sequence of an epitope-bearing portion of any one of the polypeptides of (a); as well as polypeptides with at least 70% similarity, and more preferably at least 75%, 80%, 85%, 90%, 95%, 96%, 97%, 98%, or 99% similarity to those described in (a) or (b) above, as well as polypeptides having an amino acid sequence at least 70% identical, more preferably at least 75% identical, and still more preferably 80%, 85%, 90%, 95%, 96%, 97%, 98%, or 99% identical to those above.

By "% similarity" for two polypeptides is intended a similarity score produced by comparing the amino acid sequences of the two polypeptides using the Bestfit program (Wisconsin Sequence Analysis Package, Version 8 for Unix, Genetics Computer Group, University Research Park, 575 Science Drive, Madison, WI 53711) and the default settings for determining similarity. Bestfit uses the local homology algorithm of Smith and Waterman (*Advances in Applied Mathematics* 2:482-489 (1981)) to find the best segment of similarity between two sequences.

By a polypeptide having an amino acid sequence at least, for example, 95% "identical" to a reference amino acid sequence of a *S. pneumoniae* polypeptide is intended that the amino acid sequence of the polypeptide is identical to the reference sequence except that the polypeptide sequence may include up to five amino acid alterations per each 100 amino acids of the reference amino acid sequence. In other words, to obtain a polypeptide having an amino acid sequence at least 95% identical to a reference amino acid sequence, up to 5% of the amino acid residues in the reference sequence may be deleted or substituted with another amino acid, or a number of amino acids up to



5 5% of the total amino acid residues in the reference sequence may be inserted into the reference sequence. These alterations of the reference sequence may occur at the amino or carboxy terminal positions of the reference amino acid sequence or anywhere between those terminal positions, interspersed either individually among residues in the reference sequence or in one or more contiguous groups within the reference sequence.

10 The amino acid sequences shown in Table 1 may have on or more "X" residues. "X" represents unknown. Thus, for purposes of defining identity, if any amino acid is present at the same position in a reference amino acid sequence (shown in Table 1) where an X is shown, the two sequences are identical at that position.

15 As a practical matter, whether any particular polypeptide is at least 70%, 75%, 80%, 85%, 90%, 95%, 96%, 97%, 98%, or 99% identical to, for instance, an amino acid sequence shown in Table 1, can be determined conventionally using known computer programs such the Bestfit program (Wisconsin Sequence Analysis Package, Version 8 for Unix, Genetics Computer Group, University Research Park, 575 Science Drive, Madison, WI 53711). When using Bestfit or any other sequence alignment program to determine whether a particular sequence is, for instance, 95% identical to a  
20 reference sequence according to the present invention, the parameters are set, of course, such that the percentage of identity is calculated over the full length of the reference amino acid sequence and that gaps in homology of up to 5% of the total number of amino acid residues in the reference sequence are allowed.

25 As described below, the polypeptides of the present invention can also be used to raise polyclonal and monoclonal antibodies, which are useful in assays for detecting *Streptococcal* protein expression.

30 In another aspect, the invention provides peptides and polypeptides comprising epitope-bearing portions of the *S. pneumoniae* polypeptides of the invention. These epitopes are immunogenic or antigenic epitopes of the polypeptides of the invention. An "immunogenic epitope" is defined as a part of a protein that elicits an antibody response when the whole protein or polypeptide is the immunogen. These immunogenic epitopes are believed to be confined to a few loci on the molecule. On the other hand, a region of a protein molecule to which an antibody can bind is defined as an "antigenic determinant" or  
35 "antigenic epitope." The number of immunogenic epitopes of a protein generally is less than the number of antigenic epitopes (Geysen, *et al.*, *Proc. Natl. Acad. Sci. USA* 81:3998- 4002 (1983)). Predicted antigenic epitopes are shown in Table 2, below.

As to the selection of peptides or polypeptides bearing an antigenic epitope (*i.e.*, that contain a region of a protein molecule to which an antibody can bind), it is well known in that art that relatively short synthetic peptides that mimic part of a protein sequence are routinely capable of eliciting an antiserum that reacts with the partially mimicked protein (for instance, Sutcliffe, J., *et al.*, *Science* **219**:660-666 (1983)). Peptides capable of eliciting protein-reactive sera are frequently represented in the primary sequence of a protein, can be characterized by a set of simple chemical rules, and are confined neither to immunodominant regions of intact proteins (*i.e.*, immunogenic epitopes) nor to the amino or carboxyl terminals. Peptides that are extremely hydrophobic and those of six or fewer residues generally are ineffective at inducing antibodies that bind to the mimicked protein; longer, peptides, especially those containing proline residues, usually are effective (Sutcliffe, *et al.*, *supra*, p. 661). For instance, 18 of 20 peptides designed according to these guidelines, containing 8-39 residues covering 75% of the sequence of the influenza virus hemagglutinin HA1 polypeptide chain, induced antibodies that reacted with the HA1 protein or intact virus; and 12/12 peptides from the MuLV polymerase and 18/18 from the rabies glycoprotein induced antibodies that precipitated the respective proteins.

Antigenic epitope-bearing peptides and polypeptides of the invention are therefore useful to raise antibodies, including monoclonal antibodies, that bind specifically to a polypeptide of the invention. Thus, a high proportion of hybridomas obtained by fusion of spleen cells from donors immunized with an antigen epitope-bearing peptide generally secrete antibody reactive with the native protein (Sutcliffe, *et al.*, *supra*, p. 663). The antibodies raised by antigenic epitope-bearing peptides or polypeptides are useful to detect the mimicked protein, and antibodies to different peptides may be used for tracking the fate of various regions of a protein precursor which undergoes post-translational processing. The peptides and anti-peptide antibodies may be used in a variety of qualitative or quantitative assays for the mimicked protein, for instance in competition assays since it has been shown that even short peptides (*e.g.*, about 9 amino acids) can bind and displace the larger peptides in immunoprecipitation assays (for instance, Wilson, *et al.*, *Cell* **37**:767-778 (1984) p. 777). The anti-peptide antibodies of the invention also are useful for purification of the mimicked protein, for instance, by adsorption chromatography using methods well known in the art.

Antigenic epitope-bearing peptides and polypeptides of the invention designed according to the above guidelines preferably contain a sequence of at

least seven, more preferably at least nine and most preferably between about 15 to about 30 amino acids contained within the amino acid sequence of a polypeptide of the invention. However, peptides or polypeptides comprising a larger portion of an amino acid sequence of a polypeptide of the invention, containing about 30 to about 50 amino acids, or any length up to and including the entire amino acid sequence of a polypeptide of the invention, also are considered epitope-bearing peptides or polypeptides of the invention and also are useful for inducing antibodies that react with the mimicked protein. Preferably, the amino acid sequence of the epitope-bearing peptide is selected to provide substantial solubility in aqueous solvents (*i.e.*, the sequence includes relatively hydrophilic residues and highly hydrophobic sequences are preferably avoided); and sequences containing proline residues are particularly preferred.

Non-limiting examples of antigenic polypeptides or peptides that can be used to generate *Streptococcal*-specific antibodies include portions of the amino acid sequences identified in Table 1. More specifically, Table 2 discloses antigenic fragments of polypeptides of the present invention, which antigenic fragments comprise amino acid sequences from about the first amino acid residues indicated to about the last amino acid residue indicated for each fragment. The polypeptide fragments disclosed in Table 2 are believed to be antigenic regions of the *S. pneumoniae* polypeptides described in Table 1. Thus the invention further includes isolated peptides and polypeptides comprising an amino acid sequence of an epitope shown in Table 2 and polynucleotides encoding said polypeptides.

The epitope-bearing peptides and polypeptides of the invention may be produced by any conventional means for making peptides or polypeptides including recombinant means using nucleic acid molecules of the invention. For instance, an epitope-bearing amino acid sequence of the present invention may be fused to a larger polypeptide which acts as a carrier during recombinant production and purification, as well as during immunization to produce anti-peptide antibodies. Epitope-bearing peptides also may be synthesized using known methods of chemical synthesis. For instance, Houghten has described a simple method for synthesis of large numbers of peptides, such as 10-20 mg of 248 different 13 residue peptides representing single amino acid variants of a segment of the HA1 polypeptide which were prepared and characterized (by ELISA-type binding studies) in less than four weeks (Houghten, R. A. Proc. Natl. Acad. Sci. USA 82:5131-5135 (1985)). This "Simultaneous Multiple Peptide Synthesis (SMPS)" process is further described in U.S. Patent No. 4,631,211 to Houghten and coworkers (1986). In this procedure the individual

resins for the solid-phase synthesis of various peptides are contained in separate solvent-permeable packets, enabling the optimal use of the many identical repetitive steps involved in solid-phase methods. A completely manual procedure allows 500-1000 or more syntheses to be conducted simultaneously (Houghten, *et al.*, *supra*, p. 5134).

Epitope-bearing peptides and polypeptides of the invention are used to induce antibodies according to methods well known in the art (for instance, Sutcliffe, *et al.*, *supra*; Wilson, *et al.*, *supra*; Chow, M., *et al.*, *Proc. Natl. Acad. Sci. USA* 82:910-914; and Bittle, F. J., *et al.*, *J. Gen. Virol.* 66:2347-2354 (1985)). Generally, animals may be immunized with free peptide; however, anti-peptide antibody titer may be boosted by coupling of the peptide to a macromolecular carrier, such as keyhole limpet hemacyanin (KLH) or tetanus toxoid. For instance, peptides containing cysteine may be coupled to carrier using a linker such as m-maleimidobenzoyl-N-hydroxysuccinimide ester (MBS), while other peptides may be coupled to carrier using a more general linking agent such as glutaraldehyde. Animals such as rabbits, rats and mice are immunized with either free or carrier-coupled peptides, for instance, by intraperitoneal and/or intradermal injection of emulsions containing about 100 µg peptide or carrier protein and Freund's adjuvant. Several booster injections may be needed, for instance, at intervals of about two weeks, to provide a useful titer of anti-peptide antibody which can be detected, for example, by ELISA assay using free peptide adsorbed to a solid surface. The titer of anti-peptide antibodies in serum from an immunized animal may be increased by selection of anti-peptide antibodies, for instance, by adsorption to the peptide on a solid support and elution of the selected antibodies according to methods well known in the art.

Immunogenic epitope-bearing peptides of the invention, *i.e.*, those parts of a protein that elicit an antibody response when the whole protein is the immunogen, are identified according to methods known in the art. For instance, Geysen, *et al.*, *supra*, discloses a procedure for rapid concurrent synthesis on solid supports of hundreds of peptides of sufficient purity to react in an enzyme-linked immunosorbent assay. Interaction of synthesized peptides with antibodies is then easily detected without removing them from the support. In this manner a peptide bearing an immunogenic epitope of a desired protein may be identified routinely by one of ordinary skill in the art. For instance, the immunologically important epitope in the coat protein of foot-and-mouth disease virus was located by Geysen *et al. supra* with a resolution of seven amino acids by synthesis of an overlapping set of all 208 possible hexapeptides covering the

entire 213 amino acid sequence of the protein. Then, a complete replacement set of peptides in which all 20 amino acids were substituted in turn at every position within the epitope were synthesized, and the particular amino acids conferring specificity for the reaction with antibody were determined. Thus, peptide  
5 analogs of the epitope-bearing peptides of the invention can be made routinely by this method. U.S. Patent No. 4,708,781 to Geysen (1987) further describes this method of identifying a peptide bearing an immunogenic epitope of a desired protein.

Further still, U.S. Patent No. 5,194,392, to Geysen (1990), describes a  
10 general method of detecting or determining the sequence of monomers (amino acids or other compounds) which is a topological equivalent of the epitope (*i.e.*, a "mimotope") which is complementary to a particular paratope (antigen binding site) of an antibody of interest. More generally, U.S. Patent No. 4,433,092, also to Geysen (1989), describes a method of detecting or determining  
15 a sequence of monomers which is a topographical equivalent of a ligand which is complementary to the ligand binding site of a particular receptor of interest. Similarly, U.S. Patent No. 5,480,971 to Houghten, R. A. *et al.* (1996) discloses linear C<sub>1</sub>-C<sub>7</sub>-alkyl peralkylated oligopeptides and sets and libraries of such peptides, as well as methods for using such oligopeptide sets and libraries  
20 for determining the sequence of a peralkylated oligopeptide that preferentially binds to an acceptor molecule of interest. Thus, non-peptide analogs of the epitope-bearing peptides of the invention also can be made routinely by these methods.

The entire disclosure of each document cited in this section on  
25 "Polypeptides and Fragments" is hereby incorporated herein by reference.

As one of skill in the art will appreciate, the polypeptides of the present invention and the epitope-bearing fragments thereof described above can be combined with parts of the constant domain of immunoglobulins (IgG), resulting in chimeric polypeptides. These fusion proteins facilitate purification  
30 and show an increased half-life *in vivo*. This has been shown, *e.g.*, for chimeric proteins consisting of the first two domains of the human CD4-polypeptide and various domains of the constant regions of the heavy or light chains of mammalian immunoglobulins (EPA 0,394,827; Trauneker *et al.*, *Nature* 331:84-86 (1988)). Fusion proteins that have a disulfide-linked dimeric structure due to the IgG part can also be more efficient in binding and  
35 neutralizing other molecules than a monomeric *S. pneumoniae* polypeptide or

fragment thereof alone (Fountoulakis *et al.*, *J. Biochem.* 270:3958-3964 (1995)).

### Diagnostic Assays

5           The present invention further relates to a method for assaying for *Streptococcal* infection in an animal *via* detecting the expression of genes encoding *Streptococcal* polypeptides (*e.g.*, the polypeptides described Table 1). This method comprises analyzing tissue or body fluid from the animal for *Streptococcus*-specific antibodies or *Streptococcal* nucleic acids or proteins.  
10          Analysis of nucleic acid specific to *Streptococcus* can be done by PCR or hybridization techniques using nucleic acid sequences of the present invention as either hybridization probes or primers (*cf. Molecular Cloning: A Laboratory Manual, second edition*, edited by Sambrook, Fritsch, & Maniatis, Cold Spring Harbor Laboratory, 1989; Ereemeeva *et al.*, *J. Clin. Microbiol.* 32:803-810  
15          (1994) which describes differentiation among spotted fever group *Rickettsiae* species by analysis of restriction fragment length polymorphism of PCR-amplified DNA). Methods for detecting *B. burgdorferi* nucleic acids *via* PCR are described, for example, in Chen *et al.*, *J. Clin. Microbiol.* 32:589-595 (1994).

20          Where diagnosis of a disease state related to infection with *Streptococcus* has already been made, the present invention is useful for monitoring progression or regression of the disease state whereby patients exhibiting enhanced *Streptococcus* gene expression will experience a worse clinical outcome relative to patients expressing these gene(s) at a lower level.

25          By "assaying for *Streptococcal* infection in an animal *via* detection of genes encoding *Streptococcal* polypeptides" is intended qualitatively or quantitatively measuring or estimating the level of one or more *Streptococcus* polypeptides or the level of nucleic acid encoding *Streptococcus* polypeptides in a first biological sample either directly (*e.g.*, by determining or estimating  
30          absolute protein level or nucleic level) or relatively (*e.g.*, by comparing to the *Streptococcus* polypeptide level or mRNA level in a second biological sample). The *Streptococcus* polypeptide level or nucleic acid level in the second sample used for a relative comparison may be undetectable if obtained from an animal which is not infected with *Streptococcus*. When monitoring the progression or  
35          regression of a disease state, the *Streptococcus* polypeptide level or nucleic acid level may be compared to a second sample obtained from either an animal infected with *Streptococcus* or the same animal from which the first sample was obtained but taken from that animal at a different time than the first. As will be

appreciated in the art, once a standard *Streptococcus* polypeptide level or nucleic acid level which corresponds to a particular stage of a *Streptococcus* infection is known, it can be used repeatedly as a standard for comparison.

By "biological sample" is intended any biological sample obtained from an animal, cell line, tissue culture, or other source which contains *Streptococcus* polypeptide, mRNA, or DNA. Biological samples include body fluids (such as plasma and synovial fluid) which contain *Streptococcus* polypeptides, and muscle, skin, and cartilage tissues. Methods for obtaining tissue biopsies and body fluids are well known in the art.

The present invention is useful for detecting diseases related to *Streptococcus* infections in animals. Preferred animals include monkeys, apes, cats, dogs, cows, pigs, mice, horses, rabbits and humans. Particularly preferred are humans.

Total RNA can be isolated from a biological sample using any suitable technique such as the single-step guanidinium-thiocyanate-phenol-chloroform method described in Chomczynski and Sacchi, *Anal. Biochem.* 162:156-159 (1987). mRNA encoding *Streptococcus* polypeptides having sufficient homology to the nucleic acid sequences identified in Table 1 to allow for hybridization between complementary sequences are then assayed using any appropriate method. These include Northern blot analysis, S1 nuclease mapping, the polymerase chain reaction (PCR), reverse transcription in combination with the polymerase chain reaction (RT-PCR), and reverse transcription in combination with the ligase chain reaction (RT-LCR).

Northern blot analysis can be performed as described in Harada *et al.*, *Cell* 63:303-312 (1990). Briefly, total RNA is prepared from a biological sample as described above. For the Northern blot, the RNA is denatured in an appropriate buffer (such as glyoxal/dimethyl sulfoxide/sodium phosphate buffer), subjected to agarose gel electrophoresis, and transferred onto a nitrocellulose filter. After the RNAs have been linked to the filter by a UV linker, the filter is prehybridized in a solution containing formamide, SSC, Denhardt's solution, denatured salmon sperm, SDS, and sodium phosphate buffer. A *S. pneumoniae* polypeptide DNA sequence shown in Table 1 labeled according to any appropriate method (such as the <sup>32</sup>P-multiprimered DNA labeling system (Amersham)) is used as probe. After hybridization overnight, the filter is washed and exposed to x-ray film. DNA for use as probe according to the present invention is described in the sections above and will preferably at least 15 bp in length.

S1 mapping can be performed as described in Fujita *et al.*, *Cell* 49:357-367 (1987). To prepare probe DNA for use in S1 mapping, the sense strand of an above-described *S. pneumoniae* DNA sequence of the present invention is used as a template to synthesize labeled antisense DNA. The antisense DNA can then be digested using an appropriate restriction endonuclease to generate further DNA probes of a desired length. Such antisense probes are useful for visualizing protected bands corresponding to the target mRNA (*i.e.*, mRNA encoding *Streptococcus* polypeptides).

Preferably, levels of mRNA encoding *Streptococcus* polypeptides are assayed using the RT-PCR method described in Makino *et al.*, *Technique* 2:295-301 (1990). By this method, the radioactivities of the "amplicons" in the polyacrylamide gel bands are linearly related to the initial concentration of the target mRNA. Briefly, this method involves adding total RNA isolated from a biological sample in a reaction mixture containing a RT primer and appropriate buffer. After incubating for primer annealing, the mixture can be supplemented with a RT buffer, dNTPs, DTT, RNase inhibitor and reverse transcriptase. After incubation to achieve reverse transcription of the RNA, the RT products are then subject to PCR using labeled primers. Alternatively, rather than labeling the primers, a labeled dNTP can be included in the PCR reaction mixture. PCR amplification can be performed in a DNA thermal cycler according to conventional techniques. After a suitable number of rounds to achieve amplification, the PCR reaction mixture is electrophoresed on a polyacrylamide gel. After drying the gel, the radioactivity of the appropriate bands (corresponding to the mRNA encoding the *Streptococcus* polypeptides)) is quantified using an imaging analyzer. RT and PCR reaction ingredients and conditions, reagent and gel concentrations, and labeling methods are well known in the art. Variations on the RT-PCR method will be apparent to the skilled artisan.

Assaying *Streptococcus* polypeptide levels in a biological sample can occur using any art-known method. Preferred for assaying *Streptococcus* polypeptide levels in a biological sample are antibody-based techniques. For example, *Streptococcus* polypeptide expression in tissues can be studied with classical immunohistological methods. In these, the specific recognition is provided by the primary antibody (polyclonal or monoclonal) but the secondary detection system can utilize fluorescent, enzyme, or other conjugated secondary antibodies. As a result, an immunohistological staining of tissue section for pathological examination is obtained. Tissues can also be extracted, *e.g.*, with urea and neutral detergent, for the liberation of *Streptococcus* polypeptides for



Western-blot or dot/slot assay (Jalkanen, M., *et al.*, *J. Cell. Biol.* 101:976-985 (1985); Jalkanen, M., *et al.*, *J. Cell. Biol.* 105:3087-3096 (1987)). In this technique, which is based on the use of cationic solid phases, quantitation of a *Streptococcus* polypeptide can be accomplished using an isolated *Streptococcus* polypeptide as a standard. This technique can also be applied to body fluids.

Other antibody-based methods useful for detecting *Streptococcus* polypeptide gene expression include immunoassays, such as the enzyme linked immunosorbent assay (ELISA) and the radioimmunoassay (RIA). For example, a *Streptococcus* polypeptide-specific monoclonal antibodies can be used both as an immunoabsorbent and as an enzyme-labeled probe to detect and quantify a *Streptococcus* polypeptide. The amount of a *Streptococcus* polypeptide present in the sample can be calculated by reference to the amount present in a standard preparation using a linear regression computer algorithm. Such an ELISA for detecting a tumor antigen is described in Iacobelli *et al.*, *Breast Cancer Research and Treatment* 11:19-30 (1988). In another ELISA assay, two distinct specific monoclonal antibodies can be used to detect *Streptococcus* polypeptides in a body fluid. In this assay, one of the antibodies is used as the immunoabsorbent and the other as the enzyme-labeled probe.

The above techniques may be conducted essentially as a "one-step" or "two-step" assay. The "one-step" assay involves contacting the *Streptococcus* polypeptide with immobilized antibody and, without washing, contacting the mixture with the labeled antibody. The "two-step" assay involves washing before contacting the mixture with the labeled antibody. Other conventional methods may also be employed as suitable. It is usually desirable to immobilize one component of the assay system on a support, thereby allowing other components of the system to be brought into contact with the component and readily removed from the sample.

*Streptococcus* polypeptide-specific antibodies for use in the present invention can be raised against an intact *S. pneumoize* polypeptide of the present invention or fragment thereof. These polypeptides and fragments may be administered to an animal (*e.g.*, rabbit or mouse) either with a carrier protein (*e.g.*, albumin) or, if long enough (*e.g.*, at least about 25 amino acids), without a carrier.

As used herein, the term "antibody" (Ab) or "monoclonal antibody" (Mab) is meant to include intact molecules as well as antibody fragments (such as, for example, Fab and F(ab')<sub>2</sub> fragments) which are capable of specifically binding to a *Streptococcus* polypeptide. Fab and F(ab')<sub>2</sub> fragments lack the Fc fragment of intact antibody, clear more rapidly from the circulation, and may

have less non-specific tissue binding of an intact antibody (Wahl *et al.*, *J. Nucl. Med.* 24:316-325 (1983)). Thus, these fragments are preferred.

The antibodies of the present invention may be prepared by any of a variety of methods. For example, the *S. pneumoniae* polypeptides identified in Table 1, or fragments thereof, can be administered to an animal in order to induce the production of sera containing polyclonal antibodies. In a preferred method, a preparation of a *S. pneumoniae* polypeptide of the present invention is prepared and purified to render it substantially free of natural contaminants. Such a preparation is then introduced into an animal in order to produce polyclonal antisera of high specific activity.

In the most preferred method, the antibodies of the present invention are monoclonal antibodies. Such monoclonal antibodies can be prepared using hybridoma technology (Köhler *et al.*, *Nature* 256:495 (1975); Kohler *et al.*, *Eur. J. Immunol.* 6:511 (1976); Kohler *et al.*, *Eur. J. Immunol.* 6:292 (1976); Hammerling *et al.*, In: *Monoclonal Antibodies and T-Cell Hybridomas*, Elsevier, N.Y., (1981) pp. 563-681 ). In general, such procedures involve immunizing an animal (preferably a mouse) with a *S. pneumoniae* polypeptide antigen of the present invention. Suitable cells can be recognized by their capacity to bind anti-*Streptococcus* polypeptide antibody. Such cells may be cultured in any suitable tissue culture medium; however, it is preferable to culture cells in Earle's modified Eagle's medium supplemented with 10% fetal bovine serum (inactivated at about 56°C), and supplemented with about 10 g/l of nonessential amino acids, about 1,000 U/ml of penicillin, and about 100 µg/ml of streptomycin. The splenocytes of such mice are extracted and fused with a suitable myeloma cell line. Any suitable myeloma cell line may be employed in accordance with the present invention; however, it is preferable to employ the parent myeloma cell line (SP<sub>2</sub>O), available from the American Type Culture Collection, Rockville, Maryland. After fusion, the resulting hybridoma cells are selectively maintained in HAT medium, and then cloned by limiting dilution as described by Wands *et al.* (*Gastroenterology* 80:225-232 (1981)). The hybridoma cells obtained through such a selection are then assayed to identify clones which secrete antibodies capable of binding the *Streptococcus* polypeptide antigen administered to immunized animal.

Alternatively, additional antibodies capable of binding to *Streptococcus* polypeptide antigens may be produced in a two-step procedure through the use of anti-idiotypic antibodies. Such a method makes use of the fact that antibodies are themselves antigens, and that, therefore, it is possible to obtain an antibody

which binds to a second antibody. In accordance with this method, *Streptococcus* polypeptide-specific antibodies are used to immunize an animal, preferably a mouse. The splenocytes of such an animal are then used to produce hybridoma cells, and the hybridoma cells are screened to identify clones which produce an antibody whose ability to bind to the *Streptococcus* polypeptide-specific antibody can be blocked by a *Streptococcus* polypeptide antigen. Such antibodies comprise anti-idiotypic antibodies to the *Streptococcus* polypeptide-specific antibody and can be used to immunize an animal to induce formation of further *Streptococcus* polypeptide-specific antibodies.

It will be appreciated that Fab and F(ab')<sub>2</sub> and other fragments of the antibodies of the present invention may be used according to the methods disclosed herein. Such fragments are typically produced by proteolytic cleavage, using enzymes such as papain (to produce Fab fragments) or pepsin (to produce F(ab')<sub>2</sub> fragments). Alternatively, *Streptococcus* polypeptide-binding fragments can be produced through the application of recombinant DNA technology or through synthetic chemistry.

Of special interest to the present invention are antibodies to *Streptococcus* polypeptide antigens which are produced in humans, or are "humanized" (*i.e.*, non-immunogenic in a human) by recombinant or other technology. Humanized antibodies may be produced, for example by replacing an immunogenic portion of an antibody with a corresponding, but non-immunogenic portion (*i.e.*, chimeric antibodies) (Robinson, R.R. *et al.*, International Patent Publication PCT/US86/02269; Akira, K. *et al.*, European Patent Application 184,187; Taniguchi, M., European Patent Application 171,496; Morrison, S.L. *et al.*, European Patent Application 173,494; Neuberger, M.S. *et al.*, PCT Application WO 86/01533; Cabilly, S. *et al.*, European Patent Application 125,023; Better, M. *et al.*, *Science* 240:1041-1043 (1988); Liu, A.Y. *et al.*, *Proc. Natl. Acad. Sci. USA* 84:3439-3443 (1987); Liu, A.Y. *et al.*, *J. Immunol.* 139:3521-3526 (1987); Sun, L.K. *et al.*, *Proc. Natl. Acad. Sci. USA* 84:214-218 (1987); Nishimura, Y. *et al.*, *Canc. Res.* 47:999-1005 (1987); Wood, C.R. *et al.*, *Nature* 314:446-449 (1985); Shaw *et al.*, *J. Natl. Cancer Inst.* 80:1553-1559 (1988). General reviews of "humanized" chimeric antibodies are provided by Morrison, S.L. (*Science*, 229:1202-1207 (1985)) and by Oi, V.T. *et al.*, *BioTechniques* 4:214 (1986). Suitable "humanized" antibodies can be alternatively produced by CDR or CEA substitution (Jones, P.T. *et al.*, *Nature* 321:552-525 (1986);

Verhoeyan *et al.*, *Science* 239:1534 (1988); Beidler, C.B. *et al.*, *J. Immunol.* 141:4053-4060 (1988)).

Suitable enzyme labels include, for example, those from the oxidase group, which catalyze the production of hydrogen peroxide by reacting with substrate. Glucose oxidase is particularly preferred as it has good stability and its substrate (glucose) is readily available. Activity of an oxidase label may be assayed by measuring the concentration of hydrogen peroxide formed by the enzyme-labeled antibody/substrate reaction. Besides enzymes, other suitable labels include radioisotopes, such as iodine ( $^{125}\text{I}$ ,  $^{121}\text{I}$ ), carbon ( $^{14}\text{C}$ ), sulphur ( $^{35}\text{S}$ ), tritium ( $^3\text{H}$ ), indium ( $^{112}\text{In}$ ), and technetium ( $^{99\text{m}}\text{Tc}$ ), and fluorescent labels, such as fluorescein and rhodamine, and biotin.

Further suitable labels for the *Streptococcus* polypeptide-specific antibodies of the present invention are provided below. Examples of suitable enzyme labels include malate dehydrogenase, staphylococcal nuclease, delta-5-steroid isomerase, yeast-alcohol dehydrogenase, alpha-glycerol phosphate dehydrogenase, triose phosphate isomerase, peroxidase, alkaline phosphatase, asparaginase, glucose oxidase, beta-galactosidase, ribonuclease, urease, catalase, glucose-6-phosphate dehydrogenase, glucoamylase, and acetylcholine esterase.

Examples of suitable radioisotopic labels include  $^3\text{H}$ ,  $^{111}\text{In}$ ,  $^{125}\text{I}$ ,  $^{131}\text{I}$ ,  $^{32}\text{P}$ ,  $^{35}\text{S}$ ,  $^{14}\text{C}$ ,  $^{51}\text{Cr}$ ,  $^{57}\text{Co}$ ,  $^{58}\text{Co}$ ,  $^{59}\text{Fe}$ ,  $^{75}\text{Se}$ ,  $^{152}\text{Eu}$ ,  $^{90}\text{Y}$ ,  $^{67}\text{Cu}$ ,  $^{217}\text{Bi}$ ,  $^{211}\text{At}$ ,  $^{212}\text{Pb}$ ,  $^{47}\text{Sc}$ ,  $^{109}\text{Pd}$ , etc.  $^{111}\text{In}$  is a preferred isotope where *in vivo* imaging is used since it avoids the problem of dehalogenation of the  $^{125}\text{I}$  or  $^{131}\text{I}$ -labeled monoclonal antibody by the liver. In addition, this radionuclide has a more favorable gamma emission energy for imaging (Perkins *et al.*, *Eur. J. Nucl. Med.* 10:296-301 (1985); Carasquillo *et al.*, *J. Nucl. Med.* 28:281-287 (1987)). For example,  $^{111}\text{In}$  coupled to monoclonal antibodies with 1-(P-isothiocyanatobenzyl)-DPTA has shown little uptake in non-tumorous tissues, particularly the liver, and therefore enhances specificity of tumor localization (Esteban *et al.*, *J. Nucl. Med.* 28:861-870 (1987)).

Examples of suitable non-radioactive isotopic labels include  $^{157}\text{Gd}$ ,  $^{55}\text{Mn}$ ,  $^{162}\text{Dy}$ ,  $^{52}\text{Cr}$ , and  $^{56}\text{Fe}$ .

Examples of suitable fluorescent labels include an  $^{152}\text{Eu}$  label, a fluorescein label, an isothiocyanate label, a rhodamine label, a phycoerythrin label, a phycocyanin label, an allophycocyanin label, an o-phthaldehyde label, and a fluorescamine label.

Examples of suitable toxin labels include diphtheria toxin, ricin, and cholera toxin.

Examples of chemiluminescent labels include a luminal label, an isoluminal label, an aromatic acridinium ester label, an imidazole label, an acridinium salt label, an oxalate ester label, a luciferin label, a luciferase label, and an aequorin label.

5        Examples of nuclear magnetic resonance contrasting agents include heavy metal nuclei such as Gd, Mn, and iron.

Typical techniques for binding the above-described labels to antibodies are provided by Kennedy *et al.*, *Clin. Chim. Acta* 70:1-31 (1976), and Schurs *et al.*, *Clin. Chim. Acta* 81:1-40 (1977). Coupling techniques mentioned in the  
10        latter are the glutaraldehyde method, the periodate method, the dimaleimide method, the m-maleimidobenzyl-N-hydroxy-succinimide ester method, all of which methods are incorporated by reference herein.

In a related aspect, the invention includes a diagnostic kit for use in screening serum containing antibodies specific against *S. pneumoniae*  
15        infection. Such a kit may include an isolated *S. pneumoniae* antigen comprising an epitope which is specifically immunoreactive with at least one anti-*S. pneumoniae* antibody. Such a kit also includes means for detecting the binding of said antibody to the antigen. In specific embodiments, the kit may include a recombinantly produced or chemically synthesized peptide or polypeptide  
20        antigen. The peptide or polypeptide antigen may be attached to a solid support.

In a more specific embodiment, the detecting means of the above-described kit includes a solid support to which said peptide or polypeptide antigen is attached. Such a kit may also include a non-attached reporter-labelled anti-human antibody. In this embodiment, binding of the antibody to the *S.*  
25        *pneumoniae* antigen can be detected by binding of the reporter labelled antibody to the anti-*S. pneumoniae* antibody.

In a related aspect, the invention includes a method of detecting *S. pneumoniae* infection in a subject. This detection method includes reacting a body fluid, preferably serum, from the subject with an isolated *S. pneumoniae*  
30        antigen, and examining the antigen for the presence of bound antibody. In a specific embodiment, the method includes a polypeptide antigen attached to a solid support, and serum is reacted with the support. Subsequently, the support is reacted with a reporter-labelled anti-human antibody. The support is then examined for the presence of reporter-labelled antibody.

35        The solid surface reagent employed in the above assays and kits is prepared by known techniques for attaching protein material to solid support material, such as polymeric beads, dip sticks, 96-well plates or filter material. These attachment methods generally include non-specific adsorption of the

protein to the support or covalent attachment of the protein, typically through a free amine group, to a chemically reactive group on the solid support, such as an activated carboxyl, hydroxyl, or aldehyde group. Alternatively, streptavidin coated plates can be used in conjunction with biotinylated antigen(s).

### ***Therapeutics and Modes of Administration***

The present invention also provides vaccines comprising one or more polypeptides of the present invention. Heterogeneity in the composition of a vaccine may be provided by combining *S. pneumoniae* polypeptides of the present invention. Multi-component vaccines of this type are desirable because they are likely to be more effective in eliciting protective immune responses against multiple species and strains of the *Streptococcus* genus than single polypeptide vaccines. Thus, as discussed in detail below, a multi-component vaccine of the present invention may contain one or more, preferably 2 to about 20, more preferably 2 to about 15, and most preferably 3 to about 8, of the *S. pneumoniae* polypeptides identified in Table 1, or fragments thereof.

Multi-component vaccines are known in the art to elicit antibody production to numerous immunogenic components. Decker, M. and Edwards, K., *J. Infect. Dis.* 174:S270-275 (1996). In addition, a hepatitis B, diphtheria, tetanus, pertussis tetravalent vaccine has recently been demonstrated to elicit protective levels of antibodies in human infants against all four pathogenic agents. Aristegui, J. *et al.*, *Vaccine* 15:7-9 (1997).

The present invention thus also includes multi-component vaccines. These vaccines comprise more than one polypeptide, immunogen or antigen. An example of such a multi-component vaccine would be a vaccine comprising more than one of the *S. pneumoniae* polypeptides described in Table 1. A second example is a vaccine comprising one or more, for example 2 to 10, of the *S. pneumoniae* polypeptides identified in Table 1 and one or more, for example 2 to 10, additional polypeptides of either streptococcal or non-streptococcal origin. Thus, a multi-component vaccine which confers protective immunity to both a Streptococcal infection and infection by another pathogenic agent is also within the scope of the invention.

As indicated above, the vaccines of the present invention are expected to elicit a protective immune response against infections caused by species and strains of *Streptococcus* other than strain of *S. pneumoniae* deposited with that ATCC.

Further within the scope of the invention are whole cell and whole viral vaccines. Such vaccines may be produced recombinantly and involve the

expression of one or more of the *S. pneumoniae* polypeptides described in Table 1. For example, the *S. pneumoniae* polypeptides of the present invention may be either secreted or localized intracellular, on the cell surface, or in the periplasmic space. Further, when a recombinant virus is used, the *S. pneumoniae* polypeptides of the present invention may, for example, be localized in the viral envelope, on the surface of the capsid, or internally within the capsid. Whole cells vaccines which employ cells expressing heterologous proteins are known in the art. See, e.g., Robinson, K. *et al.*, *Nature Biotech.* 15:653-657 (1997); Sirard, J. *et al.*, *Infect. Immun.* 65:2029-2033 (1997); Chabalgoity, J. *et al.*, *Infect. Immun.* 65:2402-2412 (1997). These cells may be administered live or may be killed prior to administration. Chabalgoity, J. *et al.*, *supra*, for example, report the successful use in mice of a live attenuated *Salmonella* vaccine strain which expresses a portion of a platyhelminth fatty acid-binding protein as a fusion protein on its cells surface.

A multi-component vaccine can also be prepared using techniques known in the art by combining one or more *S. pneumoniae* polypeptides of the present invention, or fragments thereof, with additional non-streptococcal components (e.g., diphtheria toxin or tetanus toxin, and/or other compounds known to elicit an immune response). Such vaccines are useful for eliciting protective immune responses to both members of the *Streptococcus* genus and non-streptococcal pathogenic agents.

The vaccines of the present invention also include DNA vaccines. DNA vaccines are currently being developed for a number of infectious diseases. Boyer, J *et al.*, *Nat. Med.* 3:526-532 (1997); reviewed in Spier, R., *Vaccine* 14:1285-1288 (1996). Such DNA vaccines contain a nucleotide sequence encoding one or more *S. pneumoniae* polypeptides of the present invention oriented in a manner that allows for expression of the subject polypeptide. The direct administration of plasmid DNA encoding *B. burgdorgeri* OspA has been shown to elicit protective immunity in mice against borrelial challenge. Luke, C. *et al.*, *J. Infect. Dis.* 175:91-97 (1997).

The present invention also relates to the administration of a vaccine which is co-administered with a molecule capable of modulating immune responses. Kim, J. *et al.*, *Nature Biotech.* 15:641-646 (1997), for example, report the enhancement of immune responses produced by DNA immunizations when DNA sequences encoding molecules which stimulate the immune response are co-administered. In a similar fashion, the vaccines of the present invention may be co-administered with either nucleic acids encoding immune modulators or the immune modulators themselves. These immune modulators

include granulocyte macrophage colony stimulating factor (GM-CSF) and CD86.

The vaccines of the present invention may be used to confer resistance to streptococcal infection by either passive or active immunization. When the vaccines of the present invention are used to confer resistance to streptococcal infection through active immunization, a vaccine of the present invention is administered to an animal to elicit a protective immune response which either prevents or attenuates a streptococcal infection. When the vaccines of the present invention are used to confer resistance to streptococcal infection through passive immunization, the vaccine is provided to a host animal (*e.g.*, human, dog, or mouse), and the antisera elicited by this antisera is recovered and directly provided to a recipient suspected of having an infection caused by a member of the *Streptococcus* genus.

The ability to label antibodies, or fragments of antibodies, with toxin molecules provides an additional method for treating streptococcal infections when passive immunization is conducted. In this embodiment, antibodies, or fragments of antibodies, capable of recognizing the *S. pneumoniae* polypeptides disclosed herein, or fragments thereof, as well as other *Streptococcus* proteins, are labeled with toxin molecules prior to their administration to the patient. When such toxin derivatized antibodies bind to *Streptococcus* cells, toxin moieties will be localized to these cells and will cause their death.

The present invention thus concerns and provides a means for preventing or attenuating a streptococcal infection resulting from organisms which have antigens that are recognized and bound by antisera produced in response to the polypeptides of the present invention. As used herein, a vaccine is said to prevent or attenuate a disease if its administration to an animal results either in the total or partial attenuation (*i.e.*, suppression) of a symptom or condition of the disease, or in the total or partial immunity of the animal to the disease.

The administration of the vaccine (or the antisera which it elicits) may be for either a "prophylactic" or "therapeutic" purpose. When provided prophylactically, the compound(s) are provided in advance of any symptoms of streptococcal infection. The prophylactic administration of the compound(s) serves to prevent or attenuate any subsequent infection. When provided therapeutically, the compound(s) is provided upon or after the detection of symptoms which indicate that an animal may be infected with a member of the *Streptococcus* genus. The therapeutic administration of the compound(s) serves to attenuate any actual infection. Thus, the *S. pneumoniae* polypeptides, and



fragments thereof, of the present invention may be provided either prior to the onset of infection (so as to prevent or attenuate an anticipated infection) or after the initiation of an actual infection.

The polypeptides of the invention, whether encoding a portion of a native protein or a functional derivative thereof, may be administered in pure form or may be coupled to a macromolecular carrier. Example of such carriers are proteins and carbohydrates. Suitable proteins which may act as macromolecular carrier for enhancing the immunogenicity of the polypeptides of the present invention include keyhole limpet hemacyanin (KLH) tetanus toxoid, pertussis toxin, bovine serum albumin, and ovalbumin. Methods for coupling the polypeptides of the present invention to such macromolecular carriers are disclosed in Harlow *et al.*, *Antibodies: A Laboratory Manual, 2nd Ed.*; Cold Spring Harbor Laboratory Press, Cold Spring Harbor, New York (1988), the entire disclosure of which is incorporated by reference herein.

A composition is said to be "pharmacologically acceptable" if its administration can be tolerated by a recipient animal and is otherwise suitable for administration to that animal. Such an agent is said to be administered in a "therapeutically effective amount" if the amount administered is physiologically significant. An agent is physiologically significant if its presence results in a detectable change in the physiology of a recipient patient.

While in all instances the vaccine of the present invention is administered as a pharmacologically acceptable compound, one skilled in the art would recognize that the composition of a pharmacologically acceptable compound varies with the animal to which it is administered. For example, a vaccine intended for human use will generally not be co-administered with Freund's adjuvant. Further, the level of purity of the *S. pneumoniae* polypeptides of the present invention will normally be higher when administered to a human than when administered to a non-human animal.

As would be understood by one of ordinary skill in the art, when the vaccine of the present invention is provided to an animal, it may be in a composition which may contain salts, buffers, adjuvants, or other substances which are desirable for improving the efficacy of the composition. Adjuvants are substances that can be used to specifically augment a specific immune response. These substances generally perform two functions: (1) they protect the antigen(s) from being rapidly catabolized after administration and (2) they nonspecifically stimulate immune responses.

Normally, the adjuvant and the composition are mixed prior to presentation to the immune system, or presented separately, but into the same

site of the animal being immunized. Adjuvants can be loosely divided into several groups based upon their composition. These groups include oil adjuvants (for example, Freund's complete and incomplete), mineral salts (for example,  $\text{AlK}(\text{SO}_4)_2$ ,  $\text{AlNa}(\text{SO}_4)_2$ ,  $\text{AlNH}_4(\text{SO}_4)$ , silica, kaolin, and carbon),  
5 polynucleotides (for example, poly IC and poly AU acids), and certain natural substances (for example, wax D from *Mycobacterium tuberculosis*, as well as substances found in *Corynebacterium parvum*, or *Bordetella pertussis*, and members of the genus *Brucella*. Other substances useful as adjuvants are the saponins such as, for example, Quil A. (Superfos A/S, Denmark). Preferred  
10 adjuvants for use in the present invention include aluminum salts, such as  $\text{AlK}(\text{SO}_4)_2$ ,  $\text{AlNa}(\text{SO}_4)_2$ , and  $\text{AlNH}_4(\text{SO}_4)$ . Examples of materials suitable for use in vaccine compositions are provided in *Remington's Pharmaceutical Sciences* (Osol, A, Ed, Mack Publishing Co, Easton, PA, pp. 1324-1341 (1980), which reference is incorporated herein by reference).

15 The therapeutic compositions of the present invention can be administered parenterally by injection, rapid infusion, nasopharyngeal absorption (intranasopharyngeally), dermoabsorption, or orally. The compositions may alternatively be administered intramuscularly, or intravenously. Compositions for parenteral administration include sterile  
20 aqueous or non-aqueous solutions, suspensions, and emulsions. Examples of non-aqueous solvents are propylene glycol, polyethylene glycol, vegetable oils such as olive oil, and injectable organic esters such as ethyl oleate. Carriers or occlusive dressings can be used to increase skin permeability and enhance antigen absorption. Liquid dosage forms for oral administration may generally  
25 comprise a liposome solution containing the liquid dosage form. Suitable forms for suspending liposomes include emulsions, suspensions, solutions, syrups, and elixirs containing inert diluents commonly used in the art, such as purified water. Besides the inert diluents, such compositions can also include adjuvants, wetting agents, emulsifying and suspending agents, or sweetening, flavoring,  
30 or perfuming agents.

Therapeutic compositions of the present invention can also be administered in encapsulated form. For example, intranasal immunization of mice against *Bordetella pertussis* infection using vaccines encapsulated in biodegradable microsphere composed of poly(DL-lactide-co-glycolide) has been  
35 shown to stimulate protective immune responses. Shalin, R. *et al.*, *Infect. Immun.* 63:1195-1200 (1995). Similarly, orally administered encapsulated *Salmonella typhimurium* antigens have also been shown to elicit protective

immunity in mice. Allaoui-Attarki, K. *et al.*, *Infect. Immun.* 65:853-857 (1997). Encapsulated vaccines of the present invention can be administered by a variety of routes including those involving contacting the vaccine with mucous membranes (*e.g.*, intranasally, intracolonicly, intraduodenally).

Many different techniques exist for the timing of the immunizations when a multiple administration regimen is utilized. It is possible to use the compositions of the invention more than once to increase the levels and diversities of expression of the immunoglobulin repertoire expressed by the immunized animal. Typically, if multiple immunizations are given, they will be given one to two months apart.

According to the present invention, an "effective amount" of a therapeutic composition is one which is sufficient to achieve a desired biological effect. Generally, the dosage needed to provide an effective amount of the composition will vary depending upon such factors as the animal's or human's age, condition, sex, and extent of disease, if any, and other variables which can be adjusted by one of ordinary skill in the art.

The antigenic preparations of the invention can be administered by either single or multiple dosages of an effective amount. Effective amounts of the compositions of the invention can vary from 0.01-1,000 µg/ml per dose, more preferably 0.1-500 µg/ml per dose, and most preferably 10-300 µg/ml per dose.

Having now generally described the invention, the same will be more readily understood through reference to the following example which is provided by way of illustration, and is not intended to be limiting of the present invention, unless specified.

### ***Examples***

#### ***Example 1: Expression and Purification of S. pneumoniae Polypeptides in E. coli***

The bacterial expression vector pQE10 (QIAGEN, Inc., 9259 Eton Avenue, Chatsworth, CA, 91311) is used in this example for cloning of the nucleotide sequences shown in Table 1 and for expressing the polypeptides identified in Table 1. The components of the pQE10 plasmid are arranged such that the inserted DNA sequence encoding a polypeptide of the present invention expresses the polypeptide with the six His residues (*i.e.*, a "6 X His tag")) covalently linked to the amino terminus.

The DNA sequences encoding the desired portions of the polypeptides of Table 1 are amplified using PCR oligonucleotide primers from either a DNA

library constructed from *S. pneumoniae*, such as the one deposited by the inventors at the ATCC for convenience, ATCC Deposit No. 97755, or from DNA isolated from the same organism such as the *S. pneumoniae* strain deposited with the ATCC as Deposit No. 55840. A list of PCR primers which can be used for this purpose is provided in Table 3, below. The PCR primers anneal to the nucleotide sequences encoding both the amino terminal and carboxy terminal amino acid sequences of the desired portion of the polypeptides of Table 1. Additional nucleotides containing restriction sites to facilitate cloning in the pQE10 vector were added to the 5' and 3' primer sequences, respectively. Such restriction sites are listed in Table 3 for each primer. In each case, the primer comprises, from the 5' end, 4 random nucleotides to prevent "breathing" during the annealing process, a restriction site (shown in Table 3), and approximately 15 nucleotides of *S. pneumoniae* ORF sequence (the complete sequence of each cloning primer is shown as SEQ ID NO:227 through SEQ ID NO:452).

For cloning the polypeptides of Table 1, the 5' and 3' primers were selected to amplify their respective nucleotide coding sequences. One of ordinary skill in the art would appreciate that the point in the protein coding sequence where the 5' primer begins may be varied to amplify a DNA segment encoding any desired portion of the complete amino acid sequences described in Table 1. Similarly, one of ordinary skill in the art would further appreciate that the point in the protein coding sequence where the 3' primer begins may also be varied to amplify a DNA segment encoding any desired portion of the complete amino acid sequences described in Table 1.

The amplified DNA fragment and the pQE10 vector are digested with the appropriate restriction enzyme(s) and the digested DNAs are then ligated together. The ligation mixture is transformed into competent *E. coli* cells using standard procedures such as those described in Sambrook *et al.*, *Molecular Cloning: a Laboratory Manual, 2nd Ed.*; Cold Spring Harbor Laboratory Press, Cold Spring Harbor, N.Y. (1989). Transformants are identified by their ability to grow under selective pressure on LB plates. Plasmid DNA is isolated from resistant colonies and the identity of the cloned DNA confirmed by restriction analysis, PCR and DNA sequencing.

Clones containing the desired constructs are grown overnight ("O/N") in liquid culture under selection. The O/N culture is used to inoculate a large culture, at a dilution of approximately 1:25 to 1:250. The cells are grown to an optical density at 600 nm ("OD600") of between 0.4 and 0.6. Isopropyl-b-D-thiogalactopyranoside ("IPTG") is then added to a final concentration of 1 mM

to induce transcription from the *lac* repressor sensitive promoter, by inactivating the *lacI* repressor. Cells subsequently are incubated further for 3 to 4 hours. Cells are then harvested by centrifugation.

The cells are stirred for 3-4 hours at 4 C in 6M guanidine-HCl, pH 8. The cell debris is removed by centrifugation, and the supernatant containing the protein of interest is loaded onto a nickel-nitrilo-tri-acetic acid ("NiNTA") affinity resin column (available from QIAGEN, Inc., *supra*). Proteins with a 6x His tag bind to the NI-NTA resin with high affinity and can be purified in a simple one-step procedure (for details see: The QIAexpressionist, 1995, QIAGEN, Inc., *supra*). Briefly, the supernatant is loaded onto the column in 6 M guanidine-HCl, pH8, the column is first washed with 10 volumes of 6 M guanidine-HCl, pH8, then washed with 10 volumes of 6 M guanidine-HCl pH6, and finally the polypeptide is eluted with 6 M guanidine-HCl, pH 5.0.

The purified protein is then renatured by dialyzing it against phosphate-buffered saline (PBS) or 50 mM Na-acetate, pH 6 buffer plus 200 mM NaCl. Alternatively, the protein can be successfully refolded while immobilized on the Ni-NTA column. The recommended conditions are as follows: renature using a linear 6M-1M urea gradient in 500 mM NaCl, 20% glycerol, 20 mM Tris/HCl pH7.4, containing protease inhibitors. The renaturation should be performed over a period of 1.5 hours or more. After renaturation the proteins can be eluted by the addition of 250 mM imidazole. Imidazole is removed by a final dialyzing step against PBS or 50 mM sodium acetate pH6 buffer plus 200 mM NaCl. The purified protein is stored at 4°C or frozen at -80°C.

The DNA sequences encoding the amino acid sequences of Table 1 may also be cloned and expressed as fusion proteins by a protocol similar to that described directly above, wherein the pET-32b(+) vector (Novagen, 601 Science Drive, Madison, WI 53711) is preferentially used in place of pQE10.

Each of the polynucleotides shown in Table 1, was successfully amplified and subcloned into pQE10 as described above using the PCR primers shown in Table 3. These pQE10 plasmids containing the DNAs of Table 1, except SP023, SP042, SP054, SP063, SP081, SP092, SP114, SP122, SP123, SP126, and SP127, were deposited with the ATCC as a pooled deposit as a convenience to those of skill in the art. This pooled deposit was deposited on October 16, 1997 and given ATCC Deposit No. 209369. Those of ordinary skill in the art appreciate that isolating an individual plasmid from the pooled deposit is trivial provided the information and reagents described herein. Each of the deposited clones is capable of expressing its encoded *S. pneumoniae* polypeptide.

**Example 2: Immunization and Detection of Immune Responses****Methods****Growth of bacterial innoculum, immunization of Mice and Challenge with *S pneumoniae*.**

Propagation and storage of, and challenge by *S. pneumoniae* are preformed essentially as described in Aaberge, I.S. et al., Virulence of *Streptococcus pneumoniae* in mice: a standardized method for preparation and frozen storage of the experimental bacterial inoculum, *Microbial Pathogenesis*, 18:141 (1995), incorporated herein by reference.

Briefly, Todd Hewitt (TH) broth (Difco laboratories, Detroit, MI) with 17% FCS, and horse blood agar plates are used for culturing the bacteria. Both broth and blood plates are incubated at 37°C in a 5% CO<sub>2</sub> atmosphere. Blood plates are incubated for 18 hr. The culture broth is regularly 10-fold serially diluted in TH broth kept at room temperature and bacterial suspensions are kept at room temperature until challenge of mice.

For active immunizations C3H/HeJ mice (The Jackson Laboratory, Bar Harbor, ME) are injected intraperitoneally (i.p.) at week 0 with 20 g of recombinant streptococcal protein, or phosphate-buffered saline (PBS), emulsified with complete Freund's adjuvant (CFA), given a similar booster immunization in incomplete Freund's adjuvant (IFA) at week 4, and challenged at week 6. For challenge *S. pneumoniae* are diluted in TH broth from exponentially-growing cultures and mice are injected subcutaneously (s.c.) at the base of the tail with 0.1 ml of these dilutions (serial dilutions are used to find medium infectious dose). Streptococci used for challenge are passaged fewer than six times *in vitro*. To assess infection, blood samples are obtained from the distal part of the lateral femoral vein into heparinized capillary tubes. A 25 ul blood sample is serially 10-fold diluted in TH broth, and 25 ul of diluted and undiluted blood is plated onto blood agar plates. The plates are incubated for 18 hr. and colonies are counted.

Other methods are known in the art, for example, see Langermann, S. et al., *J. Exp. Med.*, 180:2277 (1994), incorporated herein by reference.

### *Immunoassays*

Several immunoassay formats are used to quantify levels of streptococcal-specific antibodies (ELISA and immunoblot), and to evaluate the functional properties of these antibodies (growth inhibition assay). The ELISA and immunoblot assays are also used to detect and quantify antibodies elicited in response to streptococcal infection that react with specific streptococcal antigens. Where antibodies to certain streptococcal antigens are elicited by infection this is taken as evidence that the streptococcal proteins in question are expressed *in vivo*. Absence of infection-derived antibodies (seroconversion) following streptococcal challenge is evidence that infection is prevented or suppressed. The immunoblot assay is also used to ascertain whether antibodies raised against recombinant streptococcal antigens recognize a protein of similar size in extracts of whole streptococci. Where the natural protein is of similar, or identical, size in the immunoblot assay to the recombinant version of the same protein, this is taken as evidence that the recombinant protein is the product of a full-length clone of the respective gene.

### *Enzyme-Linked Immunosorbant Assay (ELISA).*

The ELISA is used to quantify levels of antibodies reactive with streptococcus antigens elicited in response to immunization with these streptococcal antigens. Wells of 96 well microtiter plates (Immunolon 4, Dynatech, Chantilly, Virginia, or equivalent) are coated with antigen by incubating 50  $\mu$ l of 1  $\mu$ g/ml protein antigen solution in a suitable buffer, typically 0.1 M sodium carbonate buffer at pH 9.6. After decanting unbound antigen, additional binding sites are blocked by incubating 100  $\mu$ l of 3% nonfat milk in wash buffer (PBS, 0.2% Tween 20, pH 7.4). After washing, duplicate serial two-fold dilutions of sera in PBS, Tween 20, 1% fetal bovine serum, are incubated for 1 hr, removed, wells are washed three times, and incubated with horseradish peroxidase-conjugated goat anti-mouse IgG. After three washes, bound antibodies are detected with H<sub>2</sub>O<sub>2</sub> and 2,2'-azino-di-(3-ethylbenzthiazoline sulfonate) (Schwan, T.G., *et al.*, *Proc. Natl. Acad. Sci. USA* 92:2909-2913 (1985)) (ABTS®, Kirkegaard & Perry Labs., Gaithersburg, MD) and A<sub>405</sub> is quantified with a Molecular Devices, Corp. (Menlo Park, California) Vmax™ plate reader. IgG levels twice the background level in serum from naive mice are assigned the minimum titer of 1:100.

***Sodiumdodecylsulfate-Polyacrylamide Gel Electrophoresis (SDS-PAGE) and Immunoblotting***

Using a single well format, total streptococcal protein extracts or recombinant streptococcal antigen are boiled in SDS/2-ME sample buffer before electrophoresis through 3% acrylamide stacking gels, and resolving gels of higher acrylamide concentration, typically 10-15% acrylamide monomer. Gels are electro-blotted to nitrocellulose membranes and lanes are probed with dilutions of antibody to be tested for reactivity with specific streptococcal antigens, followed by the appropriate secondary antibody-enzyme (horseradish peroxidase) conjugate. When it is desirable to confirm that the protein had transferred following electro-blotting, membranes are stained with Ponceau S. Immunoblot signals from bound antibodies are detected on x-ray film as chemiluminescence using ECL™ reagents (Amersham Corp., Arlington Heights, Illinois).

***Example 3: Detection of Streptococcus mRNA expression***

Northern blot analysis is carried out using methods described by, among others, Sambrook *et al.*, *supra.* to detect the expression of the *S. pneumoniae* nucleotide sequences of the present invention in animal tissues. A cDNA probe containing an entire nucleotide sequence shown in Table 1 is labeled with <sup>32</sup>P using the *rediprime*™ DNA labeling system (Amersham Life Science), according to manufacturer's instructions. After labeling, the probe is purified using a CHROMA SPIN-100™ column (Clontech Laboratories, Inc.), according to manufacturer's protocol number PT1200-1. The purified labeled probe is then used to detect the expression of *Streptococcus* mRNA in an animal tissue sample.

Animal tissues, such as blood or spinal fluid, are examined with the labeled probe using ExpressHyb™ hybridization solution (Clontech) according to manufacturer's protocol number PT1190-1. Following hybridization and washing, the blots are mounted and exposed to film at -70 C overnight, and films developed according to standard procedures.



It will be clear that the invention may be practiced otherwise than as particularly described in the foregoing description and examples.

Numerous modifications and variations of the present invention are possible in light of the above teachings and, therefore, are within the scope of the appended claims.

The entire disclosure of all publications (including patents, patent applications, journal articles, laboratory manuals, books, or other documents) cited herein are hereby incorporated by reference.

Table 1

**SP001 nucleotide (SEQ ID NO:1)**

TAAATCTACGACAATAAAATCAACTCATTGCTGACTTGGGTCTGAACGCCGCGTCAATGCCCAAGC  
TAATGATATTTCCACAGATTTGGTTAAGGCAATCGTTTCTATCGAAGACCATCGCTTCTTCGACCACAG  
GGGATTGATACCATCCGTATCCTGGGAGCTTTCTTGGCGCAATCTGCAAAGCAATTCCCTCCAAGGTGG  
ATCAACTCTCACCCAACAGTTGATTAAAGTTGACTTACTTTTCAACTTCGACTTCCGACCAGACTATTTTC  
TCGTAAGGCTCAGGAAGCTTGGTTAGCGATTCAAGTTAGAACAAAAAGCAACCAAGCAAGAAATCTTGAC  
CTACTATATAAATAAGGTCTACATGTCTAATGGGAACATGGAATGCAGACAGCAGCTCAAACTACTA  
TGGTAAAGACCTCAATAATTTAAGTTTACCTCAGTTAGCCTTGCTGGCTGGAATGCCTCAGGCACCAAA  
CCAATATGACCCCTATTACATCCAGAAGCAGCCCAAGACCGCCGAAACTTGGTCTTATCTGAAATGAA  
AAATCAAGGCTACATCTCTGCTGAACAGTATGAGAAAGCAGTCAATACACCAATTACTGATGGACTACA  
AAGTCTCAAATCAGCAAGTAATTACCTGCTTACATGGATAATTACCTCAAGGAAGTCATCAATCAAGT  
TGAAGAAGAAACAGGCTATAACCTACTCACAACGGGATGGATGTCTACACAAATGTAGACCAAGAAGC  
TCAAAAACATCTGTGGGATATTTACAATACAGACGAATACGTTGCCTATCCAGACGATGAATTGCAAGT  
CGCTTCTACCATGTGTTGATGTTTCTAACGGTAAAGTCATTGCCAGCTAGGAGCACGCCATCAGTCAAG  
TAATGTTTCCCTTCGGAATTAACCAAGCAGTAGAAACAAACCGCGACTGGGGATCAACTATGAAACCGAT  
CACAGACTATGCTCCTGCCTTGGAGTACGGTGTCTACGATTCAACTGCTACTATCGTTTACGATGAGCC  
CTATACTACCTTGGGACAAATACTCCTGTTTATAACTGGGATAGGGGCTACTTTGGCAACATCACCTT  
GCAATACGCCCTGCAACAAATCGCGAAACGTCCCAGCCGTGGAACTCTAAACAAGGTCCGACTCAACCG  
CGCAAGACTTTCTCTAAATGGTCTAGGAATCGACTACCCAAGTATTCACTACTCAAAATGCCATTTCAAG  
TAACACAACCGAATCAGACAAAAAATATGGAGCAAGTAGTGAAGAGATGGCTGCTGCTTACGCTGCCTT  
TGCAAAATGGTGGAACTTACTATAAACCAATGTATATCCATAAAGTCGTCTTTAGTGATGGGAGTGAAAA  
AGAGTTCTCTAATGTGCGAACTCGTGCCATGAAGGAACGACAGCCTATATGATGACCGACATGATGAA  
AACAGTCTTGACTTATGGAACTGGACGAAATGCCTATCTTGCTTGGCTCCCTCAGGCTGGTAAAAACAGG  
AACCTCTAACTATACAGACGAGGAAATGAAAACCATCAAGACCTCTCAATTTGTAGCACCTGATGA  
ACTATTTGCTGGCTATACGCGTAAATATTCATGGCTGTATGGACAGGCTATTCTAACCGTCTGACACC  
ACTTGTAGGCAATGGCCTTACGGTCGCTGCCAAAGTTTACCGCTCTATGATGACCTACCTGTCTGAAGG  
AAGCAATCCAGAAGATTGGAATATACCAAGAGGGGCTCTACAGAAATGGAGAATTCGTATTTAAAAATGG  
TGCTCGTTCTACGTGGAATCACCTGCTCCACAACAACCCCCATCAACTGAAAGTTCAAGCTCATCATC  
AGATAGTTCAACTTCACAGTCTAGCTCAACCACTCCAAGCACAAATAATAGTACGACTACCAATCCTAA  
CAATAATACGCAACAATCAATACAACCCCTGATCAACAAAATCAGAATCCTCAACCAAGCACAAACA

**SP001 AMINO ACID (SEQ ID NO:2)**

KIYDNKNQLIADLGSERRVNAQANDIPTDLVKAIVSIEDHRFFDHRGIDTIRILGAFLRNLQSNLSLQGG  
STLTQQLIKLTYFSTSTSDQTI SRKAQEAWLAIQLEQKATKQEILTYIINKVYMSNGNYGMQTAAQNY  
GKDLNLSLPQLALLAGMPQAPNQYDPYSHPEAAQDRRLVLSMKNQGYISAEQYKAVNTPITDGLQ  
SLKSASNYPAYMDNYLKEVINQVEETGYNLLTTGMDVYTNVDQEAQKHLWDIYNTDEYVAYPDDELQV  
ASTIVDVSNQKVIAQLGARHQSSNVSFQINQAVETNRDWSMTKPI TDYAPALEYGVYDSTATIVHDEP  
YNYPGTNTPVYNWDRGYFGNITLQYALQQSRNVPVETLNKVLNRAKTFNLGLGIDYPSIHYNSNAISS  
NTTESDKKYGASSEKMAAAYAAFANGGTYKPMYIHKVVFSDGSEKEFSNVGTRAMKETTA YMMTDMMK  
TVLTYGTGRNAYLAWLPQAGKTGTSNYTDEEIEENHIKTSQFVAPDEL FAGYTRKYSMAVWTGYSNRLTP  
LVGNGLTVAAKVYRSMMTYLSEGSNPEDWNIPEGLYRNGEFVFKNGARSTWNSPAPQPPSTESSSSSS  
DSSTSQSSSTTPSTNNSTTTNPNNTTQSQNTTPDQONQNPQPAQ

**SP004 nucleotide (SEQ ID NO:3)**

AAATTACAATACGGACTATGAATTGACCTCTGGAGAAAAATTACCTCTTCTTAAAGAGATTTAGGTTA  
CACTTATATTGGATATATCAAAGAGGGAAAAACGACTTCTGAGTCTGAAGTAAGTAATCAAAGAGTTT  
AGTTGCCACTCTTACAAAACAACAAAAGGTGGATTATAATGTTACACCGAATTTTGTAGACCATCCATC  
AACAGTACAAGCTATTTCAGGAACAACACCTGTTTCTTCAACTAAGCCGACAGAAGTTCAAGTAGTTGA  
AAAACCTTTCTCTACTGAATTAATCAATCCAAGAAAAGAAGAGAAAATCTTCAGATTCTCAAGAACA  
ATTAGCCGAACATAAGAATCTAGAAACGAAGAAAGAGGAGAAGATTTCTCCAAAAGAAAAGACTGGGGT  
AAATACATTAAATCCACAGGATGAAGTTTTATCAGGTCAATTGAACAAACCTGAACTCTTATATCGTGA  
GGAACTATGGAGACAAAAATAGATTTTCAAGAAGAAATTCAGAAAATCCTGATTTAGCTGAAGGAAC  
TCTAAGAGTAAACAAGAAAGTAAATTAGGTAAGAAAGTTGAAATCGTCAGAAATATCTCTGTAAACAA  
GGAAGAGTTTCGCGAGAAATGTTTCAACTTCAACGACTGCGCCTAGTCCAAGAATAGTCGAAAAAGG  
TACTAAAAAACTCAAGTTATAAAGGAACAACCTGAGACTGGTGTAGAACATAAGGACGTACAGTCTGG  
AGCTATTGTTGAACCCGCAATTCAGCCTGAGTTGCCCGAAGCTGTAGTAAGTGACAAAAGGCGAACGAGA  
AGTTCAACCTACATTACCCGAAGCAGTTGTGACCGACAAAGGTGAGACTGAGGTTCAACCAGAGTCCGC  
AGATACTGTGGTAAGTGATAAAGGTGAACCAGAGCAGGTAGCACCGCTTCCAGAATATAAGGGTAATAT

Table 1

49

TGAGCAAGTAAAACCTGAAACTCCGGTTGAGAAGACCAAAGAACAAGGTCCAGAAAAAACTGAAGAAGT  
TCCAGTAAAAACCAACAGAAGAAACACCAAGTAAATCCAAATGAAGGTACTACAGAAGGAACCTCAATTCA  
AGAAGCAGAAAATCCAGTTCAACCTGCAGAAGAATCAACAACGAATTCAGAGAAAAGTATCACCAGATAC  
ATCTAGCAAAAATACTGGGGAAGTGTCCAGTAATCCTAGTGATTTCGACAACCTCAGTTGGAGAATCAAA  
TAAACCAGAACAATAATGACTCTAAAAATGAAAATTCAGAAAAAACTGTAGAAGAAGTTCAGTAAATCC  
AAATGAAGGCACAGTAGAAGGTACCTCAAAATCAAGAAACAGAAAAACCAGTTCAACCTGCAGAAGAAAC  
ACAAACAAACTCTGGGAAAATAGCTAACGAAAAATCTGGAGAAGTATCCAATAAACCTAGTGATTCAAA  
ACCACCAGTTGAAGAATCAAAATCAACCAGAAAAAACCGAACTGCAACAAAACCAGAAAATTCAGGTAA  
TACAACATCAGAGAATGGACAAACAGAACCAAGCATCAACCGAAATTCAACTGAGGATGTTTTCAAC  
CGAATCAAAACACATCCAATTCAAATGGAACGAAGAAATTAACAAGAAAATGAACTAGACCCTGATAA  
AAAGGTAGAAGAACCAGAGAAAAACCTTGAATTAAGAAATGTTTCCGACCTAGAGTTA

**SP004 amino acid (SEQ ID NO:4)**

NYNTDYELTSGEKLPKPKEISGYTYIGYIKEGKTTSESEVSNQKSSVATPTKQQKVDYNTVNFVDHPS  
TVQAIQEQTTPVSSTKPTEVQVVEKPFSTELINPRKEEKQSSDSQEQLAEHKNLETKKEEKISPKEKTGV  
NTLNPQDEVLSGQLNKPELLYREETMETKIDFQEEIQENPDLEGTVRVKQEGKLGKKVEIVRIFSVNK  
EEVSREIVSTSTTAPSPRIVEKGTKKTKQVIKEQPETGVEHKDVQSGAIVEPAIQPELPEAVVSDKGEPE  
VQPTLPEAVVTDKGETEVQPEPDTTVVSDKGEPEQVAPLPEYKGNIEQVKPETPVEKTKEQGPEKTEEV  
PVKPTETPVNPNEGTTEGTSIQEAENPVQPAEESTTNSEKVSPTSSKNTGEVSSNPSDSTTSVGESN  
KPEHNSDKNENSEKTVEEVPVNPNEGTVEGTSNQETEKVPQPAEETQTNSGKIANENTGEVSNKPSDSK  
PPVEESNQPEKNGTATKPNESGNTTSENGQTEPEPSNGNSTEDVSTESNTSNSNGNEEIKQENELDPDK  
KVEEPEKTLLELRNVSDLEL

**SP006 nucleotide (SEQ ID NO:5)**

TGAGAATCAAGCTACACCCAAAGAGACTAGCGCTCAAAGACAATCGTCCTTGCTACAGCTGGCGACGT  
GCCACCATTGTGACTACGAAGACAAGGGCAATCTGACAGGCTTTGATATCGAAGTTTTAAAGGCAGTAGA  
TGAAAAACTCAGCGACTACGAGATTCAATTCCAAAGAACCCTGGGAGAGCATCTTCCAGGACTTGA  
TTCTGGTCACTATCAGGCTGCGGCCAATAACTTGAGTTACACAAAAGAGCGGTGCTGAAAAATACCTTTA  
CTCGCTTCCAAATTTCCAACAATCCCTCGTCCTTGTCAGCAACAAGAAAAATCCTTTGACTTCTCTTGA  
CCAGATCGCTGGTAAACACAACACAAGAGGATACCGGAATCTTAACGCTCAATTCATCAATAACTGGAA  
TCAGAAACACACTGATAATCCCGCTACAATTAATTTTCTGGTGAGGATATTGGTAAACGAATCCTAGA  
CCTTGCTAACGGAGAGTTTGATTTCCTAGTTTGTGACAAGGTATCCGTTCAAAGATTATCAAGGACCG  
TGGTTTAGACCTCTCAGTCGTTGATTTACCTTCTGCAGATAGCCCCAGCAATTATATCATTTTCTCAAG  
CGACCAAAAAGAGTTTAAAGAGCAATTTGATAAAGCGCTCAAAGAATCTATCAAGACGGAACCTTGA  
AAAACCTCAGCAATACCTATCTAGGTGGTTCTTACCTCCAGATCAATCTCAGTTACAA

**SP006 amino acid (SEQ ID NO:6)**

ENQATPKETSQAKTIVLATAGDVPPFDYEDKGNLTGFDIEVLKAVDEKLSDEYEQRTAWESIFPGLD  
SGHYQAAANNLSYTKERAELYLSLPISNNPLVLVSNKKNPLTSLDQIAGKTTQEDTGSNAQFINNWN  
QKHTDNPATINFSGEDIGKRILDLANGEFDLFLVDKVSQKIIKDRGLDLSVVDLPSADSPSNYIIFSS  
DQKEFKEQFDKALKELYQDGTLEKLSNTYLGGSYLPDQSQLQ

**SP007 nucleotide (SEQ ID NO:7)**

TGGTAACCGCTCTTCTCGTAACGCAGCTTCATCTTCTGATGTGAAGACAAAAGCAGCAATCGTCACTGA  
TACTGGTGGTGTGATGACAAATCATTCAACCAATCAGCTTGGGAAGGTTTGCAGGCTTGGGGTAAAGA  
ACACAATCTTTCAAAAAGATAACGGTTTCACTTACTTCCAATCAACAAGTGAAGCTGACTACGTAACAA  
CTTGCAACAAGCGGCTGGAAGTTACAACCTAATCTTCGGTGTGGTTTTCGCCCTTAATAATGCAGTTAA  
AGATGCAGCAAAAAGAACACACTGACTTGAACATATGTCTTGATTGATGATGTGATTAAAGACCAAAAGAA  
TGTTGCGAGCGTAACCTTCGCTGATAATGAGTCAGGTTACCTTGCAGGTGTGGCTGCAGCAAAAACAAC  
TAAGACAAAACAAGTTGGTTTGTAGGTGGTATCGAATCTGAAGTTATCTCTCGTTTGAAGCAGGATT  
CAAGGCTGGTGTGCGTCAGTAGACCCATCTATCAAAGTCCAAGTTGACTACGCTGGTTCAATTTGGTGA  
TGCGGCTAAAGGTAAAACAATTGCAGCCGCACAATACGCAGCCGGTGCAGATATTGTTTACCAAGTAGC  
TGGTGGTACAGGTGCAGGTGTCTTTGCAGAGGCAAAATCTCTCAACGAAAGCCGCTCTGAAAATGAAAA  
AGTTTGGGTATCGGTGTGATCGTGACCAAGAAGCAGAAGGTAATACACTTCTAAAGATGGCAAAGA  
ATCAAACTTTGTTCTTGTATCTACTTTGAAACAAGTTGGTACAACGTGTAAGATATTTCTAAACAAGGC  
AGAAAGAGGAGAATTCCTGGCGGTCAAGTGATCGTTTACTCATGAAGGATAAAGGGGTTGACTTGGC  
AGTAACAAACCTTTTCAAGAAGGTAAGGTAAGGCTGTGCAAGATGCAAAAGCTAAAATCCTTGATGGAAG  
CGTAAAAGTTCTCTGAAAAA

Table 1

**SP007 amino acid (SEQ ID NO:8)**

GNRSSRNAASSSDVKTAAIVTDTGGVDDKSFNQSAWEGQLQAWGKEHNLSKDNNGFTYFQSTSEADYANN  
LQQAAGSYNLI FGVGFALNNVAKDAKEHTDLNLYVLIDDVIKDQKNVASVTFADNESGYLAGVAAAKTT  
KTKQGVFVGGIESEVISRFEAGFKAGVASVDPSIKVQVDYAGSFGDAAKGKTI AAAQYAAGADIVYQVA  
GGTGAGVFAEAKSLNESRPENKVVWVIGVDRDQEAEGKYTSKDGKESNFVLVSTLKQVGTTVKDISNKA  
ERGEFFPGQVIVYSLKDKGVDLAVTNLSEEGKKAVEDAKAKILDGSKVPEK

**SP008 nucleotide (SEQ ID NO:9)**

TGTGGAATTTGACAGGTAACAGCAAAAAGCTGCTGATTGAGGTGACAAACCTGTTATCAAAATGTAC  
CAAATCGGTGACAAACCAGACAACCTTGGATGAATTGTTAGCAAAATGCCAACAAATCATTGAAGAAAA  
GTTGGTGCCAAATTTGGATATCCAATACCTTGGCTGGGGTGACTATGGTAAGAAAAATGTCAGTTATCACA  
TCATCTGGTGAAAACTATGATATTGCCCTTTCAGATAAATATATTGTAATGCTCAAAAAGGTGCTTAC  
GCTGACTTACAGAAATTTGACAAAAAGAAGGTAAGACCTTTACAAAGCACTTGACCCAGCTTACATC  
AAGGTAATATACCTGTAAGATTTACGCTGTTCCAGTTGACGCCAACGTTGCATCATCTCAAAAC  
TTTGCCCTTCAACGGAACCTCTCCTTGCTAAATATGGTATCGATATTTAGGTGTTACTTCTTACGAACT  
CTTGAGCCAGTCTTGAACAAATCAAGAAAAAGCTCCAGACGTAGTACCATTGCTATTGGTAAAGTT  
TTCATCCCATCTGATAATTTGACTACCCAGTAGCAAAACGGTCTTCCATTGCTTATCGACCTGAAGGC  
GATACTACTAAAGTTGTAACCGTTACGAAGTGCCTCGTTTCAAAGAACACTTGAAGACTCTTCACAAA  
TTCTATGAAGCTGCTACATTTCCAAAAGACGTCGCAACAAGCGATACTTCTTTGACCTTCAACAAGAT  
ACTTGGTTGCTTCTGTAAGAAACAGTAGGACAGCTGACTACGGTAACAGCTTGTCTTACCGTGTGGC  
AACAAAGATATCCAAATCAACCAATTACTAATTCATCAAGNAAAACCAACACACAAGTTGCTAAC  
TTTGTCATCTCAAAACAATCTAAGAACAAGAAAAATCAATGGAAATCTTGAACCTCTTGAATACGAAC  
CCAGAACTCTTGAACGGTCTTGTTCAGGTCCAGAAGGCAAGAACTGGGAAAAAATTGAAGGTAAAGAA  
AACCGTGTTCGCGTCTTGTATGGCTACAAAGGAAACACTCACATGGGTGGATGGAACACTGGTAACAAC  
TGGATCCTTTACATCAACGAAAACGTTACAGACCAACAAATCGAAAATTCTAAGAAAGAATTGCGAGAA  
GCTAAAGAATCTCCAGCGCTTGGATTTATCTTCAATCTGACAATGTGAAATCTGAAATCTCAGCTATT  
GCTAACACAATGCAACAATTTGATACAGCTATCAACACTGGTACTGTAGACCCAGATAAAGCGATTCCA  
GAATTGATGAAAAAATTGAAATCTGAAGGTGCCTACGAAAAAGTATTGAACGAAATGCAAAAACAATAC  
GATGAATTCTTGA AAAACAAAAA

**SP008 amino acid (SEQ ID NO:10)**

CGNLTGNSKKAADSGDKPVIKMYQIGDKPDNLDELLANANKIIEEKVGAKLDIQLGWGDYGGKMSVIT  
SSGENYDIAFADNYIVNAQKAYADLTELYKKEGKDLKALDPAYIKGNTVNGKIYAVPVAANVASSQN  
FAFNGTLLAKYGIDISGVTSYETLEPVLKQIKEKAPDVVFFAIGKVFIPSDNFDYPVANGLPFVIDLEG  
DTTKVVMRYEVPRFKEHLKTLHKFYEAGYIPKDVATSDTSFDLQDQTFVRETEVGPADYGNLSLRVA  
NKDIQIKPITNFIKXNQTTQVANFVINSNKNKEKSMEILNLLNTNPELLNGLVYGEKNWEKIEGKE  
NRVRVLDGYKGNTHMGWNTGNNWILYINENVTDQIENSKKELAEAKESPALGFIFNTDNVKSEISAI  
ANTMQQFDTAINTGTVDPKAIPELMEKLKSEGAYEKL NEMQKQYDEFLKNKK

**SP009 nucleotide (SEQ ID NO:11)**

TGGTCAAGGAACGCTTCTAAAGACAACAAAGAGGCAGAACTTAAGAAGGTTGACTTTATCCTAGACTG  
GACACCAATATCAACACACAGGGCTTTATGTTGCCAAGGAAAAAGGTTATTTCAAAGAAGCTGGAGT  
GGATGTTGATTTGAAATTGCCACCAGAAGAAAGTTCTTCTGACTTGGTTATCAACGGAAGGCACCATT  
TGCAGTGTATTTCCAAGACTACATGGCTAAGAAATTGAAAAAGGAGCAGGAATCACTGCCGTTGCAGC  
TATTGTTGAACACAATACATCAGGAATCATCTCTCGTAAATCTGATAATGTAAGCAGTCCAAAAGACTT  
GGTTGGTAAGAAATATGGGACATGGAATGACCCAACCTGAACTTGCTATGTTGAAAACCTTGGTAGAATC  
TCAAGGTGGAGACTTTGAGAAGGTTGAAAAAGTACCAAATAACGACTCAAACTCAATCACACCGATTGC  
CAATGGCGTCTTTGATACTGCTTGGATTACTACGGTTGGGATGGTATCCTTGCTAAATCTCAAGGTGT  
AGATGCTAACTTATGTAAGACTATGTCAAGGAGTTTGAATACTATTACCAGTTATCATCGC  
AAACAACGACTATCTGAAAGATAACAAAGAAGAGCTCGCAAAGTCATCCAAGCCATCAAAAAGGCTA  
CCAATATGCCATGGAACATCCAGAAGAGCTGCAGATATTCTCATCAAGAATGCACCTGAATCAAGGA  
AAAACGTGACTTTGTCATCGAATCTCAAAAATACTTGTCAAAAAGATACGCAAGCGACAAGGAAAAATG  
GGGTCAATTGACGCGACTCGCTGGAATGCTTTCTACAAATGGGATAAAGAAAATGGTATCCTTAAAGA  
AGACTTGACAGACAAAGGCTTCACCAACGAATTTGTGAAA

**SP009 amino acid (SEQ ID NO:12)**

Table 1

GQGTASKDNKEAELKKVDFILDWTPNTNHTGLYVAKEKGYFKEAGVDVDLKLPPPESSSDLVINGKAPF  
AVYFQDYMAKKLEKAGITAVAAIVEHNTSGIISRKSDNVSSPKDLVGKKYGTWNDPTELAMKLTVES  
QGGDFEKVEKVPNNDSNSITPIANGVFDTAWIYYGWDGILAKSQGVDFANFMYLKDYVKEFDYSPVIIA  
NNDYLKDNKEEARKVIQAIKKGYQYAMEHPPEEAADILIKNAPELKEKRDVIESQKYLKEYASDKERW  
GQFDAARWNAFYKWDKENGILKEDLTDKGFTNEFVK

**SP010 nucleotide (SEQ ID NO:13)**

TAGCTCAGGTGGAACCGTGGTTCATCTCTGGAAAAACAACCTGCCAAAGCTCGCACTATCGATGAAAT  
CAAAAAAGCGGTGAACCTGCGAATCGCCGTGTTTGGAGATAAAAAACCGTTTGGCTACGTTGACAATGA  
TGGTTCACCAAGGTACGCTACGATATTGAACTAGGGAACCAACTAGCTCAAGACCTTGGTGTCAAGGT  
TAAATACATTTACAGTCGATGCTGCCAACCGTGGGAATACCTTGATTTCAAACAAGGTAGATATTACTCT  
TGCTAACTTTACAGTAACTGACGAACGTAAGAAACAAGTTGATTTGCCCTTCCATATATGAAAGTTTC  
TCTGGGTGTCGTATCACCTAAGACTGGTCTCATTACAGACGTCAAACAACCTGAAGGTAAAACCTTAAT  
TGTCACAAAAGGAACGACTGCTGAGACTTATTTGAAAAGAATCATCCAGAAATCAAACCTCCAAAAATA  
CGACCAATACAGTGACTCTTACCAAGCTCTTCTTGACGGACGTGGAGATGCCTTTTCAACTGACAATAC  
GGAAGTTCTAGCTTGGGCGCTTGAAAAATAAAGGATTTGAAGTAGGAATTACTTCCCTCGGTGATCCCGA  
TACCATTGCGGCAGCAGTTCAAAGGCAACCAAGAATTGCTAGACTTCATCAATAAAGATATTGAAAA  
ATTAGGCAAGGAAACCTTCTCCACAAGGCCTATGAAAAGACACTTCAACCAACCTACGGTGACGCTGC  
TAAAGCAGATGACCTGGTTGTTGAAGGTGGAAGTTGAT

**SP010 amino acid (SEQ ID NO:14)**

SSGGNAGSSSGKTTAKARTIDEIKKSGELRIAVFGDKKPGYVDNDGSTKVRYDIELGNQLAQDLGVKV  
KYISVDAANRAEYLI SNKVDITLANFTVTDERKKQVDFALPYMKVSLGVVSPKTLITDVKQLEGKTLI  
VTKGTTAETTFEKNHPEIKLQKYDQYSDSYQALLDGRGDAFSTDNTEVLAWALENKGFVIGITS LGDPD  
TIAAAVQKGNQELLD FINKDIEKLKENFFHKAYEKT LHPTYGDAKADDLVVEGGKVD

**SP011 nucleotide (SEQ ID NO:15)**

CTCCAACCTATGGTAAATCTGCGGATGGCACAGTGACCATCGAGTATTTCAACCAGAAAAAGAAATGAC  
CAAAACCTTGGAAGAAATCACTCGTGATTTTGAAGAGGAAAACCTAAGATCAAGGTCAAAGTCGTCAA  
TGTACCAAAATGCTGGTGAAGTATTGAAGACACGCGTTCTCGCAGGAGATGTGCCTGATGTGGTCAATAT  
TTACCCACAGTCCATCGAAGTGAAGTGGGCAAAAGCAGGTGTTTTTGAAGATTTGAGCAACAAAGA  
CTACCTGAAAACGCGCTGAAAAATGGCTACGCTGAAAAATATGCTGTAAACGAAAAAGTTTACAACGTTCC  
TTTTACAGCTAATGCTTATGGAATTTACTACAACAAAGATAAATTCGAAGAACTGGGCTTGAAGGTTCC  
TGAAACCTGGGATGAATTTGAACAGTTAGTCAAAGATATCGTTGCTAAAGGACAAACACCATTTGGAAT  
TGCAGGTGCAGATGCTTGGACACTCAATGGTTACAATCAATTAGCCTTTGCGACAGCAACAGGTGGAGG  
AAAAGAAGCAAATCAATACCTTCGTTATTCTCAACCAAATGCCATTAAATTTGTCGGATCCGATTATGAA  
AGATGATATCAAGGTCAATGGACATCCTTCGCATCAATGGATCTAAGCAAAAGAACTGGGAAGGTGCTGG  
CTATACCGATGTTATCGGAGCCTTCGCACGTGGGATGTCTCATGACACCAAATGGGTCTTGGGCGAT  
CACAGCGATTAAATGAACAAAAACCGAACTTTAAGATTGGGACCTTCATGATTCCAGGAAAAAGAAAGG  
ACAAAGCTTAACCGTTGGTGGGAGACTTGGCATGGTCTATCTCAGCCACCACCAACATCCAAAAGA  
AGCCAATGCCTTTGTGGAATATATGACCCGTCCAGAAAGTCATGCAAAAATACTACGATGTGGACGGATC  
TCCAACAGCGATCGAAGGGGTCAAACAAGCAGGAGAAGATTACCGCTTGTGGTATGACCGAATATGC  
CTTTACGGATCGTCACTTGGTCTGGTTGCAACAATACTGGACCAAGTGAAGCAGACTTCCATACCTTGAC  
CATGAACTATGTCTTGACCGGTGATAACAAGGCATGGTCAATGATTTGAATGCCTTCTTTAACCCGAT  
GAAAGCGGATGTGGAT

**SP011 amino acid (SEQ ID NO:16)**

SNYKSADGTVTIEYFNQKKEMTKTLEEITRDFEKENPKIKVKVNVNPNAGEVLKTRVLAGDVPDVVNI  
YPQSIELQEWAKAGVFEDLSNKDYLKRVKNGYAEKYAVNEKVYNVPFTANAYGIYNNKDKFEELGLKVP  
ETWDEFEQLVKDIVAKGQTPFGIAGADAWTLNGYNQLAFATATGGGKEANQYLRYSQPNAIKLSDPIMK  
DDIKVMDILRINGSKQKNWEGAGYTDVIGAFARGDVLMTPNGSWAITAINEQKPNFKIGTFMIPGKEKG  
QSLTVGAGDLAWSISATTKHPKEANAFVEYMTREVMQKYVDVGSPTAIEGVKQAGEDSPLAGMTEYA  
FTDRHLVWLQYWTSEADFHTLTMYVLTGDKQGMVNDLNAFFNPMKADVD

**SP012 nucleotide (SEQ ID NO:17)**

TGGGAAAAATCTAGCGAACTAGTGAGATAATTGGTCAAAGTACCAGTCTAAACAAGTCTATTACTAT  
TGGATTTGATAGTACTTTTGTTCCTCAATGGGATTTGCTCAGAAAGATGGTTCTTATGCAGGATTTGATAT  
TGATTTAGCTACAGCTGTTTTTGA AAAATACGGAATCACGGTAAATTGGCAACCGATTGATTGGGATTT

Table 1

GAAAGAAGCTGAATTGACAAAAGGAACGATTGATCTGATTGGAATGGCTATTCGCTACAGACGAACG  
CCGTGAAAAGGTGGCTTTCAGTAACATATATGAAGAATGAGCAGGTATTGGTTACGAAGAAATCATC  
TGGTATCACGACTGCAAAGGATATGACTGGAAAGACATTAGGAGCTCAAGCTGGTTTCATCTGGTTATGC  
GGACTTTGAAGCAAATCCAGAAATTTGAAGAATATTGTCGCTAATAAGGAAGCGAATCAATACCAAAC  
CTTTAATGAAGCCTTGATTGATTGAAAAACGATCGAATTGATGGTCTATTGATTGACCGTGTCTATGC  
AAACTATTATTTAGAAGCAGAAGGTGTTTAAACGATTATAATGTCTTTACAGTTGGACTAGAAACAGA  
AGCTTTTGCGGTTGGAGCCCGTAAGGAAGATACAAACTTGGTTAAGAAGATAAATGAAGCTTTTTCTAG  
TCTTTACAAGGACGGCAAGTTCCAAGAAATCAGCCAAAAATGGTTTGGAGAAGATGTAGCAACCAAAGA  
AGTAAAGAAGGACAG

**SP012 nucleotide (SEQ ID NO:18)**

GKNSSETSGDNWSKYQSNKSITIGFDSTFVPMGFAQKDGSYAGFDIDLATAVFEKYGITVNWQPIDWDL  
KEAELTKGTIDLWNGYSATDERREKVAFSNSYMKNEQVLVTKKSSGITAKDMTGKTLGAQAGSSGYA  
DFEANPEILKNIVANKEANQYQTFNEALIDLKNDRIDGLLIDRVYANYYLEAGVNLNDYNVFTVGLETE  
AFAVGARKEDTNLVKKINEAFSSLYKDGKFQEI SQKWFGEDEVATKEVKEGQ

**SP013 nucleotide (SEQ ID NO:19)**

TGCTAGCGGAAAAAAGATACAACTTCTGGTCAAAAAGTAAAGTTGTTGCTACAAAACATCATCGC  
TGATATTACTAAAAATATTGCTGGTGACAAAATTGACCTTCATAGTATCGTTCCGATTGGGCAAGACCC  
ACACGAATACGAACCACTTCTGAAGACGTTAAGAAAACCTCTGAGGCTAATTTGATTTTCTATAACGG  
TATCAACCTTGAAACAGGTGGCAATGCTTGGTTTACAAAATTGGTAGAAAAATGCCAAGAAAACCTGAAAA  
CAAAGACTACTTCGCAGTCAGCGACGGCGTGTATGTTATCTACCTTGAAGGTCAAAATGAAAAAGGAAA  
AGAAGACCCACACGCTTGGCTTAACCTTGAAAACGGTATTATTTTGGCTAAAAATATCGCCAAACAATT  
GAGCGCCAAAGACCCCTAACAAATAAAGAAATTCATGAAAAAATCTCAAAGAATATACTGATAAGTTAGA  
CAAACCTTGATAAAGAAAGTAAGGATAAATTTAATAAGATCCCTGCTGAAAAGAAACCTCATTTGAACCAG  
CGAAGGAGCATTTCAAATACCTCTCTAAAGCCTATGGTGTCCCAAGTGTCTACATCTGGGAAATCAATAC  
TGAAGAAGAAGGAACTCCTGAACAAATCAAGACCTTGGTTGAAAACCTTCGCCAAACAAAAGTCCCATC  
ACTCTTTGTAGAAATCAAGTGTGGATGACCGTCCAATGAAAACCTGTTCTCAAGACACAAACATCCCAAT  
CTACGCTCAAATCTTTACTGACTCTATCGCAGAACAAGGTAAGAAGGCGACAGCTACTACAGCATGAT  
GAAATACAACCTTGACAAGATTGCTGAAGGATTGGCAAAA

**SP013 amino acid (SEQ ID NO:20)**

ASGKKDTSQGKLVVATNSIIADITKNIAGDKIDLHSIVPIGQDPHEYEPLPEDVKKTSEANLIFYNG  
INLETGGNAWFKLVENAKKTENKDYFAVSDGVDVIYLEGQNEKGKEDPHAWLNLENGIIFAKNIAKQL  
SAKDPNNKEFYENLKEYTDKLDKDKESDKFNKI PAEKKLIVTSEGAFKYFSKAYGVPSAYIWEINT  
EEEGTPEQIKTLVEKLRQTKVPSLFVESSVDDRPMKTVSQDTNIPYIAQIFTDSIAEQGKEGDSYYSMM  
KYNLDKIAEGLAK

**SP014 nucleotide (SEQ ID NO:21)**

TGGCTCAAAAAATACAGCTTCAAGTCCAGATTATAAGTTGGAAGGTGTAACATTCCCCTTCAAGAAAA  
GAAAACATTGAAGTTTATGACAGCCAGTTCACCGTTATCTCTAAAGACCCAAATGAAAAGTTAATTTT  
GCAACGTTTGGAGAAGGAACTGGCGTTTATATTGACTGGACCAACTACCAATCCGACTTTGCAGAAAA  
ACGTAACCTGGATATTTCTAGTGGTGATTTACCAGATGCTATCCACAACGACGGAGCTTCAGATGTGGA  
CTTGATGAACTGGGCTAAAAAAGGTGTTATTATTCCAGTTGAAGATTGATTGATAAATACATGCCAAA  
TCTTAAGAAAATTTGGATGAGAAACAGAGTACAAGGCCTTGATGACAGCACCTGATGGGCACATTTA  
CTCATTTCCATGGATTGAAGAGCTTGGAGATGGTAAGAGTCTATTACAGTGTCACAGATATGGCTTG  
GATTAACAAAGATTGGCTTAAAGAACTTGGTCTTGAAATGCCAAAACTACTGATGATTTGATTAAAGT  
CCTAGAAGCTTTCAAAAACGGGGATCCAAATGGAAATGGAGAGGCTGATGAAATTCCTATTTCATTAT  
TAGTGGTAACGGAAACGAAGATTTTAAATTCCTATTTGCTGCATTTGGTATAGGGGATAACGATGATCA  
TTTAGTAGTAGGAAATGATGGCAAAGTTGACTTCACAGCAGATAACGATAACTATAAAGAAGGTGTCAA  
ATTTATCCGTCAATTGCAAGAAAAAGGCCGTGATTGATAAAGAAGCTTTCGAACATGATTGGAATAGTTA  
CATTTGCTAAAGGTATGATCAGAAATTTGGTGTCTTACTTTACATGGGATAAGAATAATGTTACTTGAAG  
TAACGAAAGTTATGATGTTTTACCAGTACTTGGCTGGACCAAGTGGTCAAAAACACGTAGCTCGTACAAA  
CGGTATGGGATTTGCACGTGACAAGATGGTTATTACCAGTGTAACAAAAACCTAGAATTGACAGCTAA  
ATGGATTGATGCACAATACGCTCCACTCCAATCTGTGCAAAAATAACTGGGGAACCTACGGAGATGACAA  
ACAACAAAACATCTTTGAATTGGATCAAGCGTCAAATAGTCTAAAAACCTTACCACTAAACGGAAGTGC  
ACCAGCAGAACTTCGTCAAAAGACTGAAGTAGGAGGACCTAGCTATCCTAGATTTCATACTATGGTAA  
AGTAAACAACCATGCCTGATGATGCCAAATGGCGTTTGGATCTTATCAAAGAATATTATGTTCTTACAT

Table 1

GAGCAATGTCAATAACTATCCAAGAGTCTTTATGACACAGGAAGATTTGGACAAGATTGCCCATATCGA  
AGCAGATATGAATGACTATATCTACCGTAAACGTGCTGAATGGATTGTAATGGCAATATTGATACTGA  
GTGGGATGATTACAAGAAAGAACTTGAATAATACGGACTTTCTGATTACCTCGCTATTAAACAAAAATA  
CTACGACCAATACCAAGCAACAAAAAC

**SP014 amino acid (SEQ ID NO:22)**

GSKNTASSPDYKLEGVTFPLQEKTKLFMTASSPLSPKDPNEKLILQRLKETGVHIDWTNYQSDFAEK  
RNLDISSGDLDPDAIHNDGASDVLMNWAKKGVIIIPVEDLIDKYMPLNKKILDEKPEYKALMTAPDGHY  
SFPWIEELGDGKESIHSVNDMAWINKDWLKKLGLEMPKTTDDLKIVLEAFKNGDPNGNGEADIIPFSFI  
SGNGNEDFKFLFAAFGIGDNDHLLVVGNDGKVDFTADNDNYKEGVKFIQQLQEKGLIDKEAFEDHNSY  
IAKGHDKQKFGVYFTWDKNNVTGSNESYDVLVLAGPSGQKHVARTNGMGFARDKMVITSVNKNLELTAK  
WIDAQYAPLQSVQNNWGTYGDDKQONI FELDQASNSLKHLPNGTAPAE LRQKTEVGGPLAILDSYYGK  
VTTMPDDAKWRDLDIKEYVYPYMSNVNNYPRVFM TQEDLDKIAHIEADMDNDYIYRKRAEWIVNGNIDTE  
WDDYKKELEKYGLSDYLAIKQKYDQYQANKN

**SP015 nucleotide (SEQ ID NO:23)**

TAGTACAAACTCAAGCACTAGTCAGACAGAGACAGTAGCTCTGCTCCAACAGAGGTAACCATTAAG  
TTCCTGACGAGGTCAAACTTTCCAAAGTTCTGAAAGATTTGTGACCTTTGACCTCGGCGCTGCGGA  
TACTATTCGCGCTTTAGGATTTGAAAAAATATCGTCGGAATGCCACAAAACTGTTCCGACTTATCT  
AAAAGACCTAGTGGGAAGTGTCAAAAAATGTTGGTTCTATGAAAGAACCTGATTTAGAAGCTATCGCCGC  
CCTTGAGCCTGATTTTGATTATCGCTTCGCCACGTACACAAAAATTCGTAGACAAATTCAAAGAAATCGC  
CCCAACCGTTCTCTTCCAAGCAAGCAAGGACGACTACTGGACTTCTACCAAGGCTAATATCGAATCCTT  
AGCAAGTGCCTTCGCGCAAACTGGTACACAGAAAGCCAAAGGAAGATTGACCAAGCTAGACAAGAGCAT  
CCAAGAAAGTCGCTACTAAAAATGAAAGCTCTGACAAAAAGCCCTTGCGATCCTCCTTAATGAAGGAAA  
AATGGCAGCCTTTGGTGCCAAATCTCGTTCTCTTCTTGTACCAAACCTTGAAATTCAAACCAACTGA  
TACAAATTTGAAGACTCACGCCACGGACAAGAAAGTCAGCTTTGAAAGTGTCAAAGAAATCAACCTGA  
CATCCTCTTTGTCTCAACCGTACCCTTGCCATCGGTGGGACAACCTCTAGCAACGACGGTGTCTTAGA  
AAATGCCCTTATCGCTGAAACACCTGCTGCTAAAAATGGTAAGATTATCCAAC TAACACGACCTCTG  
GTATCTAAGCGGAGCGGACTGAATCAACAAAACTCATGATTGAAGACATACAAAAAGCTTTGAAA

**SP015 amino acid (SEQ ID NO:24)**

STNSSTSTETSSAPTEVTIKSSLDEVKLSKVPEKIVTFDLGAADTIRALGFEKNIVGMPTKTVP TYL  
KDLVGT VKNVSGSMKEPDLEIAALEPDLIIASPR TQKFVDKFEIAPT VLFQASKDDYWTSTKANIESL  
ASAFGETGTQKAKEELTKLDSIQEVATKNESD KKA LAILLNEGKMAAFGA KSRFSFLYQTLKFKPTD  
TKFEDSRHQEVESFESVKEINPDILFVINRTLAIGDNSSNDGVLENALIAETPAKNGKIIQLTPDLW  
YLSGGGLESTKLMIEDIQKALK

**SP016 nucleotide (SEQ ID NO:25)**

TGGCAATCTGCGGGAAGTAAAGATGCTGCCAAATCAGGTGGTGACGGTGCCAAAACAGAAATCACTTG  
GTGGGCAATCCCAGTATTTACCCAAGAAAAAAGTGGTGACGGTGTGGAACCTTATGAAAAATCAATCAT  
CGAAGCGTTTGAAAAAGCAAAACCCAGATATAAAAGTGAATTTGGAACCATCGACTTCAAGTCAGGTCC  
TGAAAAAATCACAACAGCCATCGAAGCAGGAACAGCTCCAGACGTACTCTTTGATGCACCAGGACGTAT  
CATCCAATACGGTAAAAACGGTAAATTTGGCTGAGTTGAATGACCTCTTACAGATGAATTTGTTAAAGA  
TGTCACAATGAAAACATCGTACAAGCAAGTAAAGCTGGAGACAAGGCTTATATGTATCCGATTAGTCT  
TGCCCCATTTCTACATGGCAATGAACAAGAAAAATGTTAGAAGATGCTGGAGTAGCAAACTTGTAAAAAG  
AGGTTGGACAAC TGATGATTTGAAAAAGTATTGAAAGCACTTAAAGACAAGGGTTACACACCAGGTTT  
ATTGTTTCAGTTCTGGTCAAGGGGAGACCAAGGAACACGTGCCTTTATCTCTAACCTTTATAGCGGTTT  
TGTAACAGATGAAAAAGTTAGCAAAATATACAACTGATGATCCTAAATTCGTCAAAGGTCTTGAAAAAGC  
AACTAGCTGGATTAAAGACAAATTTGATCAATAATGGTTCAAAATTTGACGGTGGGGCAGATATCCAAAA  
CTTTGCCAACGGTCAAAACATCTTACACAATCCTTTGGGCACAGCTCAAAATGGTATCCAAGCTAAACT  
TTTAGAAGCAAGTAAGGTAGAAGTGGTAGAAGTACCATTTCCATCAGACGAAGGTAAGCCAGCTCTTGA  
GTACCTTGTAACGGGTTTGCAGTATTTCAACAATAAGACGACAAGAAAGTCGCTGCATCTAAGAAATT  
CATCCAGTTTATCGCAGATGACAAGGAGTGGGGACCTAAAGACGTAGTTCTGTACAGGTGCTTTCCAGT  
CCGTACTTCATTTGGAAAACTTTATGAAGACAACCGCATGGAAAAAATCAGCGGCTGGACTCAATACTA  
CTCACCATACTACAACACTATTGATGGATTGCTGAAATGAGAACACTTTGGTTCCCAATGTTGCAATC  
TGTATCAAAATGGTGACGAAAAACAGCAGATGCTTTGAAAGCCTTCACTGAAAAAGCGAACGAAACAAT  
CAAAAAAGCTATGAAACAA

Table 1

**SP016 amino acid (SEQ ID NO:26)**

GNSGGSKDAKSGGDGAKEITWWAFPVFTQEKTDGCVGTYEKSIIEAFEKANPDIKVKLETIDFKSGP  
EKITTAIEAGTAPDVLFDAPGRIIQYGNKGLAELNDLFTDEFVKDVNNENIVQASKAGDKAYMPISS  
APFYMANNKQMLEDAGVANLVKEGWTDDFEKVLKALKDKGYTPGSLFSSGQGGDQGTAFISNLYSGS  
VTDEKVSKEYTTDDPKFVKGLEKATSWIKDNLINNGSQFDGGADIQNFANGQTSYTI LWAPAQNGIQAKL  
LEASKVEVVEVPFSPDEGKPALEYLVNGFAVFNNKDDKKVAASKKFIQFIADDEKWEWPKDVVVRTGAFPV  
RTSFGKLYEDKRMETISGWTQYYSYNTIDGFAEMRTLWF PMLQSVSNGDEKPADALKAFTEKANETI  
KKAMKQ

**SP017 nucleotide (SEQ ID NO:27)**

TTCAACAAGAAAAACAAAAATGAAGATGGAGAACTAAGACAGAACAGACAGCCAAAGCTGATGGAAC  
AGTCGGTAGTAAGTCTCAAGGAGCTGCCCAGAAAGCAGAACTGGTCAATAAAGGTGATTACTACAG  
CATTCGAAGGGAAATACGATGAAATCATCGTAGCCAAACAACTATCCATTGTCTAAAGACTATAATCC  
AGGGGAAAAATCCAACAGCCAAAGGCAGAGTTGGTCAAACCTCATCAAAGCGATGCAAGAGGCAGGTTTCCC  
TATTAGTGATCATTACAGTGGTTTTAGAAAGTTATGAACTCAGACCAAGCTCTATCAAGATTATGTCAA  
CCAAGATGGAAGGCAGCAGCTGACCGTTACTCTGCCCGTCTGGCTATAGCGAACACCAGACAGGCTT  
GGCCTTTGATGTGATTGGGACTGATGGTGATTGGTGACAGAGAAAAAGCAGCCCAATGGCTCTTGGA  
TCATGCAGCTGATTATGGCTTTGTTGTCCGTTATCTCAAAGGCAAGGAAAGGAAACAGGCTATATGGC  
TGAAGAAATGGCACCTGCGTTATGTAGGAAAAGAAGCTAAAGAAATTGCTGCAAGTGGTCTCAGTTTGA  
AGAATACTATGGCTTTGAAGGCGGAGACTACGTCGAT

**SP017 amino acid (SEQ ID NO:28)**

SQEKTKNEDGETKTEQTAKADGTGSKSQGAAQKKAEEVNVKGDYYSIQGKYDEIIVANKHYPLSKDYNP  
GENPTAKAELVKLIKAMQEAGFPISDHYSGFRSYETQTKLYQDYVNQDGKAAADRY SARPGYSEHOTGL  
AFDVIGTDGDLVTEEKAAQWLLDHAADYGFVVRYLKGKEKETGYMAEEWHLRYVVGKEAKEIAASGLSLE  
EYYGFEGGDYVD

**SP019 nucleotide (SEQ ID NO:29)**

GAAAGGTCTGTGTCATAATCTTACCTGCGGTTATGATGAAAAATAATCTTGAAAAATATAAATAT  
AAAAATACCTGAAGAAAAATATCAGTTATTATTGGGTCAAATGGTTGTGGGAAATCAACACTCATTAA  
AACCTTGTCTCGACTTATAAAGCCATTAGAGGGAGAAGTATTGCTTGATAATAATCAATTAATTCTTA  
TAAAGAAAAAGATTAGCAAAACACATAGCTATATTACCTCAATCTCCAATAATCCCTGAATCAATAAC  
AGTAGCTGATCTTGTAAAGCCGTGGTTCGTTTCCCTACAGAAAGCCTTTTAAGAGTCTTGGAAAAAGATGA  
CCTTGAAATAATAAACAGATCAATGGTTAAGGCCAATGTTGAAGATCTAGCAAATAACCTAGTTGAAGA  
ACTTTCTGGGGGTCAAAGGCAAAGAGTATGGATAGCTCTAGCCCTAGCCCAAGATACAAGTATCCTACT  
TTTAGATGAGCCAACTACTTACTTGGATATCTCATATCAAATAGAACTATTAGACCTCTTGACTGATCT  
AAACCAAAAAATATAAGACAACCATTTGCATGATTTTGCACGATATAAATCTAACAGCAAGATACGCTGA  
TTACCTATTTGCAATTAAAGAAGGTAAACTTGTTCAGAGGGAAAGCCTGAAGATATACTAAATGATAA  
ACTAGTTAAAGATATCTTTAATCTTGAAGCAAAATATACGTGACCCCTATTTCCAATTCGCCTCTAAT  
GATTCCTATTGGCAAGCACCATGTTAACTCT

**SP019 amino acid (SEQ ID NO:30)**

KGLWSNNLTGCGYDEKIILENINIKIPEEKISVIIGSNGCGKSTLIKTLRLIKPLEGEVLLDNKSINSY  
KEKDLAKHIAILPQSPIIPESITVADLVSRGRFPYRKPFKSLGKDDLEIINRSMVKANVEDLANNLVEE  
LSGGQRQVRVIALALAQDTSIILLDEPTTYLDISYQIELLDLLTDLNQKYKTTICMILHDINLTARYAD  
YLFAlKEGKLVAEGKPEDILNDKLVDIFNLEAKIIRDPISNSPLMIPIGKHVS

**SP020 nucleotide (SEQ ID NO:31)**

AAACTCAGAAAAGAAAGCAGACAATGCAACAACATATCAAAATCGCAACTGTTAACCCTAGCGGTTCTGA  
AGAAAAACGTTGGGACAAAAATCCAAGAATTGGTTAAAAAAGACGGAATTACCTTGGAATTTACAGAGTT  
CACAGACTACTCACAACCAACAAAGCAACTGCTGATGGCGAAGTAGATTTGAACGCTTTCCAACACTA  
TAACCTTCTTGAACAACCTGGAACAAAGAAAAACGAAAGACCTTGTAGCGATTGCAGATACTTACATCTC  
TCCAATCCGCCTTTACTCAGGTTTGAATGGAAGTGCACCAAGTACACTAAAGTAGAAGACATCCCAGC  
AAACGGAGAAATCGCTGTACCGAATGACGCTACAAACGAAAGCCGTGCGCTTTATTTGCTTCAATCAGC  
TGGCTTGATTAAATTGGATGTTTCTGGAACCTGCTCTTGCAACAGTTGCCAACATCAAAGAAAAATCCAAA  
GAACCTGAAAATCACTGAATTGGACGCTAGCCAAACAGCTCGTTTCATTGTCATCAGTTGACGCTGCCGT  
TGTAACAATACCTTCGTTACAGAAGCAAAATGGACTACAAGAAATCACTTTTCAAAGAACAGCTGA  
TGAAACTCAAAACAAATGGTACAACATCAATTGTGCAAAAAAGATTGGGAAACATCACCTAAGGCTGA



Table 1

TGCTATCAAGAAAGTAATCGCAGCTTACCACACAGATGACGTGAAAAAAGTTATCGAAGAATCATCAGA  
TGGTTTGGATCAACCAGTTTGG

**SP020 amino acid (SEQ ID NO:32)**

NSEKKADNATTIKIATVNRSGSEKRWDKIQELVKKDGITLEFTEFTDYSQPNKATADGEVDLNAFQHY  
NFLNNWNKENGKDLVAIADTYISPIRLYSLNGSANKYTKVEDIPANGEIIVPNDATNESRALYLLQSA  
GLIKLDVSGTALATVANIKENPKNLKITELDASQTARSLSSVDAAVVNNTFVTEAKLDYKKSLEKEQAD  
ENSKQWYNIIVAKKDWETSPKADAIKKVIAAYHTDDVKVIEESSDGLDQPVW

**SP021 nucleotide (SEQ ID NO:33)**

TTCGAAAGGGTCAGAAGGTGCAGACCTTATCAGCATGAAAGGGGATGTCATTACAGAACATCAATTTTA  
TGAGCAAGTGAAAAGCAACCCCTCAGCCCCAACAGTCTTGTAAATATGACCATCCAAAAAGTTTGTGA  
AAAACAATATGGCTCAGAGCTTGATGATAAAGAGGTTGATGATACTATTGCCGAAGAAAAAACAATA  
TGGCGAAAACTACCAACGTGTCTTGTACAAAGCAGGTATGACTCTTGAAACACGTAAAGCTCAAATTCG  
TACAAGTAAATTAGTTGAGTTGGCAGTTAAGAAGGTAGCAGAAGCTGAATTGACAGATGAAGCCTATAA  
GAAAGCCTTTGATGAGTACACTCCAGATGTAACGGCTCAAATCATCCGTCTTAATAATGAAGATAAGGC  
CAAAGAAGTTCTCGAAAAAGCCAAGGCAGAAAGGTGCTGATTTTGCTCAATTAGCCAAAGATAATTCAAC  
TGATGAAAAACAAAAAGAAATGGTGGAGAAATTACCTTTGATTCTGCTTCAACAGAAGTACCTGGAGC  
AAGTCCAAAAAAGCCGCTTTTCGCTTTTAGATGTGGGATGGTGTTCCTGGATGTGGATTACAGCAACTG  
GGGCACACCAAGCCTACAG

**SP021 amino acid (SEQ ID NO:34)**

SKGSEGADLISMKGDVITEHQFYEQVKSNPQAQVLLNMTIQKVFQYQSELDDKEVDDTIAEEKQY  
GENYQRVLSQAGMTLETRKAQIRTSKLVELAVKKVAEAELETDYKKAFFDEYTPDVTAQIIRLNNEKKA  
KEVLEKAKAEGADFAQLAKDNSTDEKTKENGGEITFDSASTEVPGASPKKPLFAFRCGMVFLDQVDSNV  
GTPSLQ

**SP022 nucleotide (SEQ ID NO:35)**

GGGGATGGCAGCTTTTAAAAATCCTAACAAATCAATACAAAGCTATTACAATTGCTCAAACCTCTAGGTGA  
TGATGCTTCTTCAGAGGAATTGGCTGGTAGATATGGTTCTGCTGTTCACTGTACAGAAAGTACTGCCTC  
AAACCTTTCAACAGTTAAAACTAAAGCTACGGTTGTAGAAAAACCACTGAAAGATTTTAGAGCGTCTAC  
GTCTGATCAGTCTGGTTGGGTGGAATCTAATGGTAAATGGTATTTCTATGAGTCTGGTGATGTGAAGAC  
AGGTTGGGTGAAAACAGATGGTAAATGGTACTATTTGAATGACTTAGGTGTCATGCAGACTGGATTGT  
AAAATTTCTCGGTAGCTGGTATTACTTGAGCAATTCAGGTGCTATGTTTACAGGCTGGGGAACAGATGG  
TAGCAGATGGTTCTACTTTGACGGCTCAGGAGCTATGAAGACAGGCTGGTACAAGGAAAATGGCACTTG  
GTATTACCTTGACGAAGCAGGTATCATGAAGACAGGTTGGTTTAAAGTCGGACCACACTGGTACTATGC  
CTACGGTTCAGGAGCTTTGGCTGTGAGCACAACAACACCAGATGGTTACCGTGTAATGGTAATGGTGA  
ATGGGTAAAC

**SP022 amino acid (SEQ ID NO:36)**

GMAAFKNPNNQYKAITIAQTLGDDASSEELAGRYGSAVQCETVTASNLSVTKTKATVVEKPLKDFRAST  
SDQSGWVESNGKWYFYESGDVKTGWVKTGDKWYYLNDLGMQTFVKFSGSWYYLSNSGAMFTGWGTDG  
SRWFYFDGSGAMKTGWYKENGTYWYLDEAGIMKTGWFKVGPWHYYAYGSGALAVSTTTPDGYRVNNGE  
WVN

**SP023 nucleotide (SEQ ID NO:37)**

AGACGAGCAAAAAATTAAAGCAAGCAGAAGCGGAAGTTGAGAGTAAACAAGCTGAGGCTACAAGGTTAAA  
AAAAATCAAGACAGATCGTGAAGAAGCAGAAGAAGAAGCTAAACGAAGAGCAGATGCTAAAGAGCAAGG  
TAAACCAAAGGGCGGGCAAAACGAGGAGTTCCTGGAGAGCTAGCAACACCTGATAAAAAAGAAAAATGA  
TGCGAAGTCTTCAGATTCTAGCGTAGGTGAAGAACTCTTCCAAGCCATCCCTGAAACCAGAAAAAAA  
GGTAGCAGAAGCTGAGAAGAAGTTGAAGAAGCTAAGAAAAAGCCGAGGATCAAAAAGAAGAAGATCG  
CCGTAACCTACCCAACCAATACTTACAAAACGCTTGAACTTGAAATTGCTGAGTCCGATGTGGAAGTTAA  
AAAAGCGGAGCTTGAACTAGTAAAAGAGGAAGCTAAGGAACCTCGAAACGAGGAAAAAGTTAAGCAAGC  
AAAAGCGGAAGTTGAGAGTAAAAAGCTGAGGCTACAAGGTTAGAAAAAATCAAGACAGATCGTAAAAA  
AGCAGAAGAAGAAGCTAAACGAAAAGCAGCAGAAGAAGATAAAGTTAAAGAAAAACCAGCTGAACAACC  
ACAAACCAGCGCCGGCTCCAAAAGCAGAAAAACCAGCTCCAGCTCCAAAACCAGAGAATCCAGCTGAACA  
ACCAAAAAGCAGAAAAACCAGCTGATCAACAAGCTGAAGAAGACTATGCTCGTAGATCAGAAGAAGAATA  
TAATCGCTTGACTCAACAGCAACCGCCAAAAAAGTAAAAACCAGCACAACCATCTACTCCAAAAACAGG

Table 1

CTGGAAACAAGAAACGGTATGTGGTACTTCTACAATACTGATGGTTCAATGGCGACAGGATGGCTCCA  
AAACAATGGCTCATGGTACTACCTCAACAGCAATGGCGCTATGGCGACAGGATGGCTCCTCAAAACAATGG  
TTCATGGTACTATCTAAACGCTAATGGTTCAATGGCAACAGGATGGCTCCTCAAAACAATGGTTTCATGGTA  
CTACCTAAACGCTAATGGTTCAATGGCGACAGGATGGCTCCAATACAATGGCTCATGGTACTACCTAAACGCTAATGG  
CGCTAATGGTTCAATGGCGACAGGATGGCTCCAATACAATGGCTCATGGTACTACCTAAACGCTAATGG  
TGATATGGCGACAGGTTGGGTGAAAGATGGAGATACCTGGTACTATCTTGAAGCATCAGGTGCTATGAA  
AGCAAGCCAATGGTTCAAAGTATCAGATAAATGGTACTATGTCAATGGCTCAGGTGCCCTTGCAGTCAA  
CACAACTGTAGATGGCTATGGAGTCAATGCCAATGGTGAATGGGTAAAC

**SP023 amino acid (SEQ ID NO:38)**

DEQKIQKAEAEVESKQAEATRLKKIKTDREEAEKRRADAKEQKPKGRAKRGVPGELATPDKKEND  
AKSSDSSVGEETLPSPLKPERKVAEAEKKVEEAKKKAEDQKEEDRRNYPTNTYKLELEIAESDVEVK  
KAELELVKEEAKPRNEEKVKQAKAEVESKKAETRLKIKTDREAEKRRADAKEQKPKGRAKRGVPGELATPDKKEND  
QAPAPKAEKPAPAPKPEPAEQPKAEKPADQQAEDYARRSEEEYNRLTQQQPPKTEKPAQPSTPKTG  
WKQENGWYFYNTDGSMTAGWLQNNGSWYYLNSNGAMATGWLQNNGSWYYLNSNGSMATGWLQNNGSWY  
YLNANGSMATGWLQYNGSWYYLNSNGSMATGWLQYNGSWYYLNSNGDMATGWVKDGTWYYLEASGAMK  
ASQWFKVSDKWYYVNGSGALAVNTTVDGYGVNANGWVN

**SP025 nucleotide (SEQ ID NO:39)**

CTGTGGTGAGGAAGAACTAAAAAGACTCAAGCAGCACAAACAGCCAAAACAACAAACGACTGTACAACA  
AATTGCTGTGTGAAAAGATGCTCCAGACTTCACATTGCAATCCATGGATGGCAAAGAAGTTAAGTTATC  
TGATTTTAAAGGTAAGAGGTTTACTTGAAGTTTGGGCTTCATGGTGTGGTCCATGCAAGAAAGTAT  
GCCAGAGTTGATGGAAGTACGCGGCAAGCAACAGATCGTGATTTGCAAAATCTTACTGTCAATTGCACCAGG  
AATTCAAGGTGAAAAAAGTGTGAGCAATCCCAATGGTTCCAGGAACAAGGATATAAGGATATCCC  
AGTTCTTTATGATACCAAGCAACCACTTCCAAGCTTATCAAATTCGAAGCATTCCTACAGAATATTT

**SP025 amino acid (SEQ ID NO:40)**

CGEEETKKTQAAQPKQQTTVQQIAVGKADPDFTLQSMGKEVKLSDFKGGKVVYLKFWASWCGPCKKSM  
PELMELAAKPDREDFEILTVIAPGIQGEKTVEQFPQWFQEQGYKDI PVLYDTKATTSKLIKFEAFQNI

**SP028 nucleotide (SEQ ID NO:41)**

GACTTTTAAACAATAAACTATTGAAGAGTTGCACAATCTCCTTGTCTCTAAGGAAATTTCTGCAACAGA  
ATTGACCCAAGCAACACTTGAAAATATCAAGTCTCGTGAGGAAGCCCTCAATTCATTGTGACCATCGC  
TGAGGAGCAAGCTCTTGTTCAGCTAAAGCCATTGATGAAGCTGGAATTGATGCTGACAATGCTCCTTTC  
AGGAATTCACCTTGCTGTGAAGGATAACATCTCTACAGACCGTATTCTCACAACTGCTGCCTCAAAAAT  
GCTCTACAACATATGAGCCAATCTTTGATGCGACAGCTGTGCAATGCAAAAACCAAGGGCATGATGT  
CGTTGGAAGACCAACATGGACGAATTTGCTATGGGTGGTTCAGGtGAAACTTCACACTACGGAGCAAC  
TAAAAACGCTTGGAACCAAGCAAGGTTCTTGGTGGTTCATCAAGTGGTTCGCGCAGCTGTAGCCTC  
AGGACAAGTTTCGCTTGCTCACTTGGTTCGATACTGGTGGTTCATCCGCCAACCTGCTGCCTTCAACGG  
AATCGTTGGTCTCAAACCAACCTACGGAACAGTTTCACGTTTCGGTCTCATTGCCCTTTGGTAGCTCATT  
AGACCAGATTGGACCTTTTGCTCCTACTGTGAAGGAAATGCCCTCTGCTCAACGCTATTGCCAGCGA  
AGATGCTAAAGACTCTACTTCTGCTCCTGTCCGCATCGCCGACTTTACTTCAAAAATCGGCCAAGACAT  
CAAGGGTATGAAAATCGCTTTGCCCTAAGGAATACCTAGGCGAAGGAATTGATCCAGAGGTTAAGGAAAC  
AATCTTAAACGCGGCCAAACACTTTGAAAATTTGGGTGCTATCGTCGAAGAAGTCAGCCTTCTCACTC  
TAAATACGGTGTGCGGTTTATTACATCATCGCTTCATCAGAAGCTTCATCAAACCTGCAACGCTTCGA  
CGGTATCCGTTACGGCTATCGCGCAGAAGATGCAACCAACCTTGATGAAATCTATGTAAACAGCCGAAG  
CCAAGGTTTGGTGAAGAGGTAAGCAAGCTCGTATCATGCTGGTACTTTTCAGTCTTTTCATCAGGTTACTA  
TGATGCCTACTACAAAAGGCTGGTCAAGTCCGTACCCTCATCATTCAAGATTTGAAAAAGTCTTCGC  
GGATTACGATTGTATTTGGGTCCAACCTGCTCCAAGTGTGCTTATGACTTGGATTCTCTCAACCATGA  
CCCAGTTGCCATGTACTTAGCCGACCTATTGACCATACCTGTAAACTTGGCAGGACTGCCTGGAATTTTC  
GATTCTGCTGGATTCTCTCAAGGCTTACCTGTCCGACTCCAATTGATTGGTCCCAAGTACTCTGAGGA  
AACCATTTACCAAGCTGTGCTGCTTTGAAGCAACAACAGACTACCACAAAACAACCCGATTTT  
TGGAGGTGACAAC

**SP028 amino acid (SEQ ID N :42)**

TFNNTKIEELHNLLVSKEISATELTQATLENIKSREELNSFVTIAEEQALVQAKAIDEAGIDADNVLS  
GIPLAVKDNISTDGLITTAASKMLYNYEPIFDATAVANAKTKGMIVVGKTNMDEFAMGSGSETSHYGAT  
KNAWNHVKVPGSSSSGSAAVASQVRLSLGSDTGGSIQPAAFNGIVGLKPTYGTVSRFGLIAFGSSL

Table 1

DQIGPFAPTVKENALLLNIAISEDADKSTSPVRIADFTSKIGQDIKGMKIALPKEYLGEIDPEVKET  
ILNAKHFEKLGAIVEEVSLPHSKYGVAVYIIASSEASSNLQRFDGIRYGYRAEDATNLDEIYVNSRS  
QGFGEVKKRIMLGTSLSSGYDAYKKAGQVRTLIIQDFEKVFADYDLILGPTAPSVAYDLDSLNDH  
PVAMYLADLLTIPVNLGLPGISIPAGFSQGLPVGLQLIGPKYSEETIYQAAAAFEATTDYHKQPVI  
GGDN

**SP030 nucleotide (SEQ ID NO:43)**

CTTTACAGGTAAACAACTACAAGTCGGCGACAAGGCGCTTGATTTTCTCTTACTACAACAGATCTTTC  
TAAAAATCTCTGGCTGATTTTGATGGCAAGAAAAAGTCTTGAGTGTCTGCTTCTTATCGATACAGG  
CATCTGCTCAACTCAAACACGTCGTTTAAATGAAGAATTGGCTGGACTGGACAACACGGTCGTATTGAC  
TGTTTCAATGGACCTACCTTTTGCTCAAAAACGTTGGTGGCTGCTGAAGGCCTTGACAATGCCATTAT  
GCTTTCAGACTACTTTGACCATCTTTTCGGGCGCGATTATGCCCTCTTGATCAACGAATGGCACCTATT  
AGCACGCGCAGTCTTTGTCTCGATACTGACAATACGATTGCTACGTTGAATACGTGGATAATATCAA  
TTCTGAGCCAACTTCGAA

**SP030 amino acid (SEQ ID NO:44)**

FTGKQLQVGDKALDFSLTTTDLSSKSLADFDGKKVLSVPSIDTGICSTQTRRFNEELAGLDNTVVL  
VSMDLFPAQKRWCAGLEGLDNAIMLSDFDHSFGRDYALLINEWHLLARAVFVLDTDNTIRYVEYVDNIN  
SEPNFE

**SP031 nucleotide (SEQ ID NO:45)**

CCAGGCTGATACAAGTATCGCAGACATTCAAAAAAGAGGCGAACTGGTGTCTGGTGTCAAACAAGACGT  
TCCCAATTTTGGTTACAAGATCCCAAGACCGGTACTTATCTGGTATCGAAACCGACTTGGCCAAGAT  
GGTAGCTGATGAACCTAAGGTCAAGATTGCTATGTGCCGGTTACAGCACAAACCCGCGCCCCCTTCT  
AGACAATGAACAGGTGATATGGATATCGCGACCTTTACCATCACGGACGAACGCAAAAACTCTACAA  
CTTTACCAGTCCCTACTACACAGACGCTTCTGGATTTTGGTCAATAAATCTGCCAAAAATCAAAAAGAT  
TGAGGACCTAAACGGCAAAACCATCGGAGTCGCCCAAGGTTCTATCACCCAACGCCTGATTACTGAACT  
GGGTAAAAAGAAAGGTCTGAAGTTTAAATTCGTCGAACTTGGTTCCTACCCAGAATTGATTACTTCCT  
GCACGCTCATCGTATCGATACCTTTCCGTTGACCGCTCTATCTATCTGGCTACACTAGTAAACGGAC  
AGCACTACTAGATGATGATTTTCAAGCCATCTGACTACGGTATTGTTACCAAGAAATCAAATACAGAGCT  
CAACGACTATCTTGATAACTTGGTTACTAAATGGAGCAAGGATGGTAGTTGCAGAACTTTATGACCG  
TTACAAGCTCAAACCATCTAGCCATACTGCAGAT

**SP031 amino acid (SEQ ID NO:46)**

QADTSIADIQKRGELVVGKQDVPNFGYXDPKGTGYSIETDLAKMVADELKVKIRYVPVTAQTRGPLL  
DNEQVMDMIATFTITDERKKLYNFTSPYYTDASGFLVNKSAKIKKIEDLNGKTIGVAQGSITQRLITEL  
GKKKGLKFKFVELGSYPELITSLHAHRIDTFSVDRSILSGYTSKRTALLDDSFKPSDYGIVTKKSNTL  
NDYLDNLVTKWSKDGSLLQKLYDRYKLPSSHTAD

**SP032 nucleotide (SEQ ID NO:47)**

GTCTGTATCATTTGAAAACAAAGAAACAAACCGTGGTGTCTTgACTTTCACTATCTCTCAAGACCAAAT  
CAAACCAGAAATGGACCGTGTCTTCAAGtCAGTGAAGAAATCTCTTAATGTTCCAGGTTTCCGTAAAGG  
TCACCTTCCACGCCCTATCTTCGACCAAAAAATTTGGTGAAGAAGCTCTTTATCAAGATGCAATGAACGC  
ACTTTTGCCAAACGCTTATGAAGCAGCTGTAAAAGAAGCTGGTCTTGAAGTGGTTGCCCAACCAAAAT  
TGACGTAACCTCAATGGAAAAAGGTCAAGACTGGGTTATCACTGCTGAAGTCGTTACAAAACCTGAAGT  
AAAATTGGGTGACTACAAAAACCTTGAAGTATCAGTTGATGTAGAAAAAGAGTAACAGCGCTGATGT  
CGAAGAGCGTATCGAACGCGAACGCAACAACCTGGCTGAATTGGTTATCAAGGAAGCTGCTGCTGAAAA  
CGGCGACACTGTTGTGATCGACTTCGTTGGTCTATCGACGGTGTGAAATTTGACGGTGGAAAAGGTGA  
AACTTCTCACTTGGACTTGGTTTCAGGTCAATTCATCCCTGGTTTCGAAGACCAATTGGTAGGTCACTC  
AGCTGGCGAAACCGTTGATGTTATCGTAACATTCCAGAGACTACCAAGCAGAAGACCTTGCAGGTAA  
AGAAGCTAAATTCGTGACAACTATCCACGAAGTAAAGCTAAAGAAGTTCCGGCTCTTGACGATGAACT  
TGCAAAAGACATTGATGAAGAAGTTGAAACACTTGTGACTTGAAAGAAAAATACAGCAAGAATTTGGC  
TGCTGCTAAAGAAGAAGCTTACAAAGATGCAGTTGAAGGTGCAGCAATTGATACAGCTGTAGAAAAATGC  
TGAAATCGTAGAACTTCCAGAAGAAATGATCCATGAAGAAGTTACCGTTTCAGTAAATGAATTCCTTGG  
GAATTTGCAACGTCAAGGGATCAACCCTGACATGTACTTCAAATCACTGGAACACTCAAGAAGACCT  
TCACAACCAATACCAAGCAGAAGCTGAGTCACGTACTAAGACTAACCTTGTATCGAAGCAGTTGCCAA  
AGCTGAAGGATTTGATGCTTCAGAAGAAGAAATCCAAAAAGAAGTTGAGCAATTGGCAGCAGACTACAA

Table 1

CATGGAAGTTGCACAAGTTCAAAACCTTGCTTTTCAGCTGACATGTTGAAACATGATATCACTATCAAAAA  
AGCTGTTGAATTGATCACAAGCACAGCAACAGTAAAA

**SP032 amino acid (SEQ ID NO:48)**

SVSFENKETNRGVLTFITISQDIKPELDRVFKSVKSLNVPGRKGLPRPIFDQKFGEEALYQDAMNA  
LLPNAYEAAVKEAGLEVVAQPKIDVTSMEKGQDWVITAEVVTKEVKLGDKNLEVSVDVEKEVTDADV  
EERIERERNNLAEELVIKEAAAENGDTVVVIDFVGSIDGVEFDGGKGENFSLGLSGQFIPGFEDQLVGH  
AGETVDVIVTFPEDYQAEADLAGKEAKFVTTIHEVKAKEVPALDDELAKDIDEEVETLADLKEKYSKELA  
AAKEEAYKDAVEGAIDTAVENAEIVELPEEMIHEEVHRSVNEFLGNLQRQGINPDMYFQITGTTQEDL  
HNQYQAEAESRTKTNLVIEAVAKAEGFDASEEEIQKEVEQLAADYNMEVAQVQNLLSADMLKHDITIKK  
AVELITSTATVK

**SP033 nucleotide (SEQ ID NO:49)**

TGGTCAAAAAGGAAAGTCAGACAGGAAAGGGGATGAAAATTGTGACCAGTTTTATCCTATCTACGCTAT  
GGTTAAGGAAGTATCTGGTGACTTGAATGATGTTCCGGATGATTCAGTCAAGTAGTGGTATTCACCTCTT  
TGAACCTTCGGCAAATGATATCGCAGCCATCTATGATGCAGATGCTTTGTTTACCATCTCATACACT  
CGAATCTTTGGGCAGGAAGTCTGGATCCAAATCTAAAAAAATCCAAAGTGAAGGTCTTAGAGGCTTCTGA  
GGGAATGACCTTGAACCTGTCCCTGGACTAGAGGATGTGGAAGCAGGGGATGGAGTTGATGAAAAAAC  
GCTCTATGACCTTACACATGGCTAGATCCTGAAAAAGCTGGAGAAGAAGCCCAAATTATCGCTGATAA  
ACTTTTCAGAGGTGGATAGTGAGCATAAAGAGACTTATCAAAAAATGCGCAACCTTTATCAAAAAAGCT  
CAGGAAT

**SP033 amino acid (SEQ ID NO:50)**

GQKESQTGKGMKIVTSFYPIYAMVKEVSGDLNDVRMIQSSSGIHSFEPSSANDIAAIYDADVYHSHTL  
ESWAGSLDPNLKSKYKVLSEAGMTLERVPGLEDVEAGDGVDEKTLYPDHTWLDPEKAGEEAQIIADK  
LSEVDSEHKETYQKNAQPLSKKLRLN

**SP034 nucleotide (SEQ ID NO:51)**

GAAGGATAGATATATTTAGCATTTGAGACATCCTGTGATGAGACCAGTGTGCGCGTCTTGAAAAACGA  
CGATGAGCTCTTGTCCAATGTCTATTGCTAGTCAAATGAGAGTCACAAACGTTTTGGTGGCGTAGTGCC  
CGAAGTAGCCAGTCGTCACCATGTGCGAGGTCAATTACAGCCTGTATCGAGGAGGCATTGGCAGAAGCAGG  
GATTACCGAAGAGGACGTGACAGCTGTTGCGGTTACCTACGGACCAGGCTTGGTCCGAGCCTTGCTAGT  
TGGTTTGTGTCAGCTGCCAAGGCCTTTGCTTGGGCTCACGGACTTCCACTGATTCTGTTAATCACATGGC  
TGGGCACCTCATGGCAGCTCAGAGTGTGGAGCCTTTGGAGTTTCCCTTGCTAGCCCTCTTGGTCAGCGG  
CGGACACACAGAGTTGGTTTATGTTTCGGAGGCAGGAGATTATAAGATTGTTGGGGAACCCGTGATGA  
TGCGGTTGGTGAGGCTTATGATAAGGTCCGCCGTGTCATGGGCTTGACCTATCCTGCAGGTCTGTGAGAT  
TGACGAGCTGGCTCATCAGGGCGAGGATATTTATGATTTCCTCCCGTGCCATGATTAAGGAAGATAATCT  
GGAGTTCTCCTTCTCAGGTTTGAAATCTGCCTTTATCAATCTTCATCACAAATGCCGAGCAAAAGGGAGA  
AAGCCTGTCTACAGAAGATTGTGTGCTTCTTCCAAGCAGCAGTTATGGACATTCTCATGGCAAAAAC  
CAAGAAGGCTTTGGAGAAATATCCTGTTAAAATCCTAGTTGTGGCAGGTGGTGTGGCAGCCAATAAAGG  
TCTCAGAGAACGCTTAGCAGCCGAAATCACAGATGTCAAGGTTATCATCCCCCTCTGCGACTCTGCGG  
AGACAATGCAGGTATGATTGCCTATGCCAGCGTCAGCNAGTGGAAACAAAGAAAACCTTCGCAGGCTGGGA  
CCTCAATGCCAAACCAAGTCTTGCCTTTGATACCATGGAA

**SP034 amino acid (SEQ ID NO:52)**

KDRIILAFETSCDETSVAVLKNDDELLSNVIASQIESHKRFGGVVPEVASRHHVEVITACIEEALAEAG  
ITEEDVTA VAVTYGPGLVGALLVGLSAAKFAWAHGLPLIPVNHMAGHLMAAQSVLEPFLALLLVSG  
GHTEL VYVSEAGDYKIVGETRDDAVGEAYDKVGRVMGLTYPAGREIDELAHQODIYDFPRAMIKEDNL  
EFSFSLKLSAFINLHHNAEQKGESLSTEDLCASFQAAVMDILMAKTKKALEKYPVKILVVAGGVAANKG  
LRERLAAEITDVKVIIPPLRLCGDNAGMIAYASVSXWNKENFAGWDLNAKPSLAFDTME

**SP035 nucleotide (SEQ ID NO:53)**

GGTAGTTAAAGTTGGTATTAACCGTTTTCCGACGTATCGGTCGTCTTGCTTTCCGTCGTATCCAAAACGT  
AGAAGGTGTTGAAGTTACACGCATCAACGACCTTACAGATCCAGTTATGCTTGACACTTGTGAAATA  
CGACACAACCTCAAGGTGCTTTCCGACGGTACTGTTGAAGTTAAAGAAGGTGGATTGGAAGTTAACGGTAA  
ATTTCATCAAAGTTTCTGCTGAACGTGATCCAGAACAAATCGACTGGGCTACTGACGGTGTAGAAATCGT  
TCTTGAAGCTACTGGTTTCTTTGCTAAGAAAGAAGCAGCTGAAAAACACCTTAAAGGTGGAGCTAAAAA

Table 1

59

AGTTGTTATCACTGCTCCTGGTGGAAACGACGTTAAAAACAGTTGTATTCAACACTAACCACGACGTTCT  
 TGACGGTACTGAAACAGTTATCTCAGGTGCTTACGTACTACAACTGCTTGGCTCCAATGGCTAAAGC  
 TCTTCAAGACAACTTTGGTGTGTGTTGAAGGATTGATGACTACTATCCACGCTTACACTGGTGACCAAT  
 GATCCTTGACGACCACACCGTGGTGGTACCTTCGCCGTGCTCGCGCTGGTGTGCTGCAACATCGTTCC  
 TAACTCAACTGGTGTGCAAAAGCTATCGGTCTTGTAAATCCCAGAATTGAATGGTAAACTTGACGGATC  
 TGCACAACGCGTTCCAACCCAACGGATCAGTTACTGAATTGGTAGCAGTTCTTGAAAAGAACGTTAC  
 TGTGTGATGAAGTGAACGACGCTATGAAAGCAGCTTCAAACGAATCATACGGTTACACAGAAGATCCAAT  
 CGTATCTTCAGATATCGTAGGTATGTCTTACGGTTCATTGTTTGACGCAACTCAAACATAAGTTCTTGA  
 CGTTGACGGTAAACAATTGGTTAAAGTTGTATCATGGTAGCACAACGAAATGTCATACACTGCACAACCT  
 GTTCGTACTCTTGAATACTTCGCAAAAATTGC

**SP035 amino acid (SEQ ID NO:54)**

VVKVGINGFGRIGRLAFRRIQNVEGVEVTRINDLTPVMLAHLKDYDTTQGRFDGTVEVKEGGFEVNGK  
 FIKVSAERDPEQIDWATDGEIVLEATGFFAKKEAAEKHLKGGAKKVITAPGGNDVKTVFNTNHDVL  
 DGTETVISGASCTTNCLAPMAKALQDNFVVEGLMTTTHAYTGDQMI LDGPHRGDLRRARAGAANIVP  
 NSTGAAKAIGLVIPELNGKLDGSAQRVPTPTGSVTELVAVLEKNVTVDENVNAAMKAASNESYGYTEDPI  
 VSSDIVGMSYGSFLDATQTKVLDVDGKQLVKVVSWDNEMSYTAQLVRTLGILRKNC

**SP036 nucleotide (SEQ ID NO:55)**

TTCTTACGAGTTGGGACTGTATCAAGCTAGAACGGTTAAGGAAAAATAATCGTGTTCCTATATAGATGG  
 AAAACAAGCGACGCAAAAAACGGAGAAATTTGACTCCTGTATGAGGTTAGCAAGCGTGAAGGAATCAATGC  
 TGAGCAAAATCGTCATCAAGATAACAGACCAAGGCTATGTCACTTCACATGGCGACCACTATCATTATTA  
 CAATGGTAAGGTTCTTATGACGCTATCATCAGTGAAGAATTACTCATGAAAGATCCAACTATAAGCT  
 AAAAGATGAGGATATTGTTAATGAGGTCAAGGGTGGATATGTTATCAAGGTAGATGGAAAACTATGT  
 TTACCTTAAGGATGCTGCCACGCGGATAACGTCCGTACAAAAGAGGAAATCAATCGACAAAAACAAGA  
 GCATAGTCAACATCGTGAAGGTGGAACCTCCAAGAAACGATGGTGTCTTGCCTTGGCAGCTTCGCAAGG  
 ACGCTATACATACAGATGATGGTTATATCTTTAATGCTTCTGATATCATAGAGGATACGGTGATGCTTA  
 TATCGTTCTCATGAGATCATTACCATTACATCTCTAAGAATGAGTTATCAGCTAGCGAGTTGGCTGC  
 TGCAGAAGCCTTCCTATCTGGTTCGAGGAAATCTGTCAAATTCAGAACCTATCGCCGACAAAAATAGCGA  
 TAACTTCAAGAACAACTGGGTACCTTCTGTAAAGCAATCCAGGAACCTACAAATACATAACACAAGCAA  
 CAACAGCAACACTAACAGTCAAGCAAGTCAAAGTAATGACATTGATAGTCTCTTGAAACAGCTCTACAA  
 ACTGCCTTTGAGTCAACGACATGTAGAATCTGATGGCCTTGTCTTTGATCCAGCACAAATCACAAGTCG  
 AACAGCTAGAGGTGTTGCAAGTCCACACGGAGATCATTACCACTTCATCCCTTACTCTCAAATGTCTGA  
 ATTGGAAGAACGAATCGCTCGTATTTATTCCTTTCGTTATCGTTCAAACCATTTGGGTACCAGATTCAAG  
 GCCAGAACAACCAAGTCCACAACCGACTCCGGAACCTAGTCCAGGCCCGCAACCTGCACCAAACTTTAA  
 AATAGACTCAAATCTTCTTTGGTTAGTCAGCTGGTACGAAAAGTTGGGGAAGGATATGTATTGGAAGA  
 AAAGGGCATCTCTCGTTATGTCTTTGCGAAAGATTACCATCTGAAACTGTTAAAAATCTTGAAAGCAA  
 GTTATCAAAACAAGAGAGTGTTCACACACTTTAAGTCTGCTAAAAAAGAAAATGTTGCTCCTCGTGACCA  
 AGAATTTTATGATAAAGCATATAATCTGTTAAGTGGGCTCATAAAGCCTTGTGTTGNAAATAAGGGTCG  
 TAATTCTGATTTCGAAGCCTTAGACAAATTATTAGAACGCTTGAATGATGAATCGACTAATAAAGAAAA  
 ATTGGTAGATGATTTATTGGCATTCTAGCACCAATTACCCATCCAGAGCGACTTGGCAAACCAAAATTC  
 TCAAATTGAGTATACTGAAGACGAAGTTCGTATTGCTCAATTAGCTGATAAGTATACACGTCAGATGG  
 TTACATTTTGTATGAACATGATATAATCAGTGATGAAGGAGATGCATATGTAACGCCTCATATGGGCCA  
 TAGTCACTGGATTGGAAGAGATAGCCTTTCTGATAAGGAAAAAGTTGCAGCTCAAGCCTATACTAAAGA  
 AAAAGGTATCTCATCTCATCTCCAGACGCAGATGTTAAAGCAAATCCAACCTGGAGATAGTGCAGCAGC  
 TATTTACAATCGTGTGAAAGGGGAAAAACGAATTCACCTCGTTCGACTTCCATATATGGTTGAGCATAC  
 AGTTGAGGTTAAAAACGGTAATTTGATTATTCCTCATAAGGATCATTACCATAATATTAAATTTGCTTG  
 GTTTGATGATCACACATACAAAGCTCCAAATGGCTATACCTTGAAGATTGTTTGGCAGCATTAAGTA  
 CTACGTAGAACACCTTGACGAACGTCACATTCTAATGATGGATGGGGCAATGCCAGTGAGCATGTGTT  
 AGGCAAGAAAGACCACAGTGAAGATCCAAATAAGAACTTCAAAGCGGATGAAGAGCCAGTAGAGGAAAC  
 ACCTGCTGAGCCAGAAGTCCCTCAAGTAGAGACTGAAAAAGTAGAAGCCCAACTCAAAGAAGCAGAAGT  
 TTTGCTTGGCAAGTAACCGATTCTAGTCTGAAAGCCAATGCAACAGAACTCTAGCTGGTTTACGAAA  
 TAATTTGACTCTTCAAATTATGGATAACAATAGTATCATGGCAGAAGCAGAAAAATTACTTGCCTTGT  
 AAAAGGAAGTAATCTTCATCTGTAAGTAAGGAAAAATAAAC

**SP036 amino acid (SEQ ID NO:56)**

SYELGLYQARTVKENNRVSYIDGKQATQKTENLTPDEVSKREGINAEQIVIKITDQGYVTSBGDHYHY  
 NGKVPYDAII SEELMKDPNYKLKDEDIVNEVKGGYVIKVDGKYVYVLKDAHADNVRTKEEINRQKQE

Table 1

HSQHREGGTPRNDGAVALARSQGRYTTDDGYIFNASDIIEDTGDAYIVPHGDHYHYIPKNELSASELAA  
 AEAFLSGRGNLSNRTYRRQNSDNTSRTNWVPSVSNPGTNTNTNNSNTNSQASQNSNDIDSLLKQLYK  
 LPLSQRHVESDGLVFDPAQITSRTARGVAVPHGDHYHFI PYSQMSELEERIARI I PLRYRSNHVWVPSR  
 PEQSPQPTPEPSPGPQAPNLKIDSNSLSVQLVRKVGEYVFEKGISRYVFAKDL PSETVKNLESK  
 LSKQESVSHTLTAKKENVAPRDQEFYDKAYNLLTEAHKALFXNKGRNSDFQALDKLLERLNDESTNKEK  
 LVDDLLAFLAPITHPERLGKPNISQIEYTEDEVRIAQLADKYTTSDGYIFDEHDIISDEGDAYVTPHMGH  
 SHWIGKDSLSDKEKVAAQAYTKEKGILPPSPDADVKANPTGDSAAAIYNRVKGEKRIPLVRLPYMVEHT  
 VEVKNGNLII PHKDHYHNIKFAWFDHDTYKAPNGYTTLEDLFATIKYYVEHPDERPHSNDGWGNASEHVL  
 GKDKHSEDPNKNFKADEEPVEETPAEPEVPQVETEKVEAQLKEAEVLLAKVTDSSSLKANATETLAGLRN  
 NLTLQIMDNNSIMAEAEKLLALLKGSNPSSVSKEIN

**SP038 nucleotide (SEQ ID NO:57)**

TACTGAGATGCATCATAATCTAGGAGCTGAAAAGCGTTTCAGCAGTGGCTACTACTATCGATAGTTTTAA  
 GGAGCGAAGTCAAAAAGTCAGAGCACTATCTGATCCAAATGTGCGTTTTGTTCCTTCTTTGGCTCTAG  
 TGAATGGCTTCGTTTTGACGGTGCTCATTCTGCGGTATTAGCTGAGAAATACAATCGTTCCTACCGTCC  
 TTATCTTTTAGGACAGGGGGAGCTGCATCGCTTAACCAATATTTTGAATGCAACAGATGTTACCACA  
 GCTGGAGAATAAACAAGTTGTGTATGTTATCTCACCTCAGTGGTTCAGTAAAAATGGCTATGATCCAGC  
 AGCCTTCAGCAGTATTTTTAATGGAGACCAGTTGACTAGTTTTCTGAAACATCAATCTGGGGATCAGGC  
 TAGTCAATATGCAGCGACTCGCTTACTGCAACAGTTCCCAAACGTAGCTATGAAGGACCTGGTTCAGAA  
 GTTGGCAAGTAAAGAAGAAATTGTCGACAGCAGACAATGAAATGATTGAATTTATGGCTCGTTTTAATGA  
 ACGCCAAGCTTCCTTTTTTGGTCAGTTTTCGGTATAGAGGCTATGTTAACTACGATAAGCATGTAGCTAA  
 GTATTTAAAAAATCTTCCAGACCAAGTTTCTTATCAGGCAATAGAAGATGTTGTCAAAGCAGATGCTGA  
 AAAAAAATCTTCCAATAATGAGATGGGAATGGAATAATTTCTATAATGAGCAGATCAAGAAGGATTT  
 GAAGAAATTAAGGATTCTCAGAAAAGCTTTACCTATCTCAAGTCGCCAGAGTATAATGNNTTGCAGTT  
 GGTTTTAACACAGTTTCTTAAATCTAAGGTAAACCCGATTTTTATCATTCCACCTGTTAATAAAAAATG  
 GATGNACTATGCTGGTCTACGAGAGGATATGTACCACAAACGGTGCAGAAAGATTGCTTACCAGTTAGA  
 AAGTCAAGGTTTACCAATATAGCAGATTTTTCTAAGGACGGCGGGAGCCTTTCTTTATGAAGGACAC  
 CATTACCTTGGTTGGTTGGTTGGTTGGCTTTTGACAAGGCAGTTGATCCTTTCTATCCAATCCAC  
 ACCAGCTCCGACTTACCATCTGAATGAGCGCTTTTTCAGCAAAGATTGGGCGACTTATGATGGAGATGT  
 CAAAGAA

**SP038 amino acid (SEQ ID NO:58)**

TEMHHNLGAEKRSVAVATTIDSFKERSQKVRALSDPNVRFVFFGSSEWLRFDGAHSAVLAEKYNRSYRP  
 YLLQGGAASLNQYFGMQMLPQLENKQVYVVISPWFSKNGYDPAAFQYFNGDQLTSFLKHQSGDQA  
 SQYAATRLQLQFPNVAMKDLVQKLASKEELSTADNEMIELLARFNERQASFFGQFSVRGYVNYDKHVAK  
 YLKILPDQFSYQAIEDVVKADAENKTSNNEMGMENYFYNEQIKKDLKKLSDSKSFTYLLKSPEYNXLQL  
 VLTQFSKSKVNPFIIPVNVKWMXYAGLREDMYQTVQKIRYQLESQGFNTIADFSKDGGEFFFMKDT  
 IHLGWLGLAFDKAVDPFLSNPTPAPTYHLNERFFSKDWATYDGDVKE

**SP039 nucleotide (SEQ ID NO:59)**

GGTTTTGAGAAAGTATTTGCAGGGGGCCCTGATTGAGTCGATTGAGCAAGTGGAAATGACCGTATTGT  
 GGAAATTACAGTTTCCAATAAAAACGAGATTGGAGACCATATCCAGGCTACCTTGATTATCGAAATTAT  
 GGGGAAACACAGTAATATTCTACTGGTCGATAAAAGCAGTCATAAAATCCTCGAAGTTATCAAAACAGT  
 CGGCTTTTCACAAAATAGCTACCGCACCTTACTTCCAGGATCGACCTATATCGCTCCGCCAAGTACAAA  
 ATCTCTCAATCCTTTTACTATCAAGGATGAAAAGCTCTTTGAAATCTTGCAAAACCAAGAACTAACAGC  
 AAAAAATCTTCAAAGCCTTTTCAAGGTCTGGGACGCGATACGCAAAATGAATTGGAAAGGATACTGGT  
 TAGTGAAAAAATTTCCGCTTTCCGAAATTTTTTCAATCAAGAAACCAAGCCATGCTTGACTGAGACTTC  
 CTTCACTCCAGTTCTTTTTGCAAAATCAGGTGGGAGAGCCTTTTGCAAAATCTTTCTGATTGTGTGGACAC  
 CTACTATAAGGATAAGGCTGAGCGCGACCGCTCAAACAGCAGGCCAGTGAAGTATTCGTCGTGTTGA  
 AAATGAACCTTCAGAAAAACCGACACAAACTCAAAAAACAGGAAAAAGAGTTACTGGCGACAGACAACGC  
 TGAAGAATTTCTGCAAAAAGGAGAAATTGCTGACAACCTTCTCTCACCAAGTGCCTAACGACCAAGACCA  
 GGTATCTCTAGACAACCTATATACCAACCAACCTATCATGATTGCGCTTGATAAGGCTCTGACTCCCAA  
 CCAGAATGCCCAACGCTATTTTAAACGGTATCAGAAACTCAAAGAAGCTGTCAAATACCTTGACTGATTT  
 GATTGAAGAAACCAAGCCACTATTTCTATCTGGAAAGTGTAGAAACCGTCTCAACCAAGCTGGACT  
 GGAAGAAATCGCTGAAATCCGTGAAGAAATTGATTCAAAACAGGTTTTATCCGCAAGACAAACGGGAGAA  
 AATCCAGAAACCGCAAAAAACTAGAACAAATCTAGCAAGCGATGGCAAAACCATCATCTATGTCCGACG  
 AAACAATCTTCAAAATGAGGAATTGACCTTTAAAAATGGCCCGCAAGGAGGAACCTTTGGTTCCATGCTAA  
 GGACATTCTTGAAGCCATGTTGTCTCTCAGGAAATCTTGACCATCTGATGCAGTCAAGACAGACGC

Table 1

AGCAGAGTTAGCTGCCTACTTCTCTCAAGGGCGCCTGTGCAATCTGGTGCAGGTAGATATGATTGAAGT  
CAAAAACTCAATAAACCACTGGTGGAAAAACCGGCTTTGTCTACCTACACAGGACAAAAGACCCCTCCG  
CGTCACACCAGACTCCAAAAAATTCATCCATGAAAAATCC

**SP039 amino acid (SEQ ID NO:60)**

VLRKYLQGALIESIEQVENDRIVEITVSNKNEIGDHIQATLIIIEIMGKHSNILLVDKSSHKILEVIKHV  
GFSQNSYRTRLPGSTYIAPPSTKSLNPFTIKDEKLFEILQTOELTAKNLQSLFQGLGRDTANELERILV  
SEKLSAFRNFFNQETKPCLTETSFSPVPFANQVGEPPANLSDLLDTYYKDKAERDRVKQQAASELIRRVE  
NELQKNRHKLKKQEKELLATDNAEEFRQKGELLTTFLHQVPNDQDQVILDNYYTNQPIIMIALDKALTPN  
QNAQRYFKRYQKLKEAVKYLTDLIEETKATILYLESVETVLNQAGLEEIAEIREELIQTGFIRRRQREK  
IQKRKKLEQYLASDGKTIIVVGRNNLQNEELTFKMARKEELWFHAKDIPGSHVVISGNLDPDAVKTD  
AELAAYSQGRSLNLVQVDMIEVKKLNKPTGGKPGFVTTYTGQKTLRVTPDSKKIASMKKS

**SP040 nucleotide (SEQ ID NO:61)**

GACAACATTTACTATCCATACAGTAGAGTCAGCACCAGCAGAAGTGAAAGAAATTCCTTGAAACAGTAGA  
AAAAGACAACATGGCTATATTCCCAACCTAATCGGTCTCTTGGCCAATGCCCCGACTGTTTTAGAAGC  
CTACCAAATTTGTCTCATCTATCCACCGTCGCAACAGCCTGACACCCGTTGAGCGTGAAGTGGTGCAAAT  
CACGGCAGCCGTGACCAATGGTTGTGCCTTCTGTGTGCGCAGGTACACAGCCTTTTCCATCAAACAAT  
CCAGATGAATGATGACTTGATTCAAGCTCTTCGCAATCGTACTCCAATTGAAACAGATCCTAAATTGGA  
TACCCTAGCTAAGTTTACCTTGGCAGTTATCAATACCAAGGGTCGTGTAGGAGATGAAGCCTTGTCTGA  
GTTTTTAGAAGCTGGCTACACTCAACAAATGCCTTGATGTGGTTTTTGGTGTGAGCCTAGCAATCCT  
CTGTAACATATGCCAACAACTTAGCTAATACACCAATTAATCCAGAATTGCAACCTTATGCC

**SP040 amino acid (SEQ ID NO:62)**

TTFTIHTVESAPAEVKEILETVEKDNNGYIPNLIGLLANAPTIVLEAYQIVSSIHRNLSLTPVEREVVQI  
TAAVTNGCAFCVAGHTAFSIKQIQMNDLIQALRNRTPIETDPKLDTLAKFTLAVINTKGRVGDALSE  
FLEAGYTQONALDVVFGVSLAILCNVANNLANP INPELQPYA

**SP041 nucleotide (SEQ ID NO:63)**

GGCTAAGGAAAGAGTGGATGTACTAGCTTATAAACAGGGGTGTTTGAAACGAGAGAGCAGGCCAAGCG  
AGGTGTGATGGCTGGCCTAGTCGTAGCAGTCCTTAATGGAGAACGGTTTGACAAGCCAGGAGAGAAAAT  
TCCAGATGACACCGAATTAATACTCAAGGGGGAGAACTCAAGTATGTCAGCCGTGGTGGTTTGAACT  
GGAAAAGGCCTTGCAGGTCTTTGATTGTTCGGTGGATGGCGCGACTACGATTGATATCGGGGCCCTTAC  
TGGAGGTTTTTACCGATGTCATGCTACAGAATAGTGCCAAGTTGGTCTTTGCAGTCGATGTTGGTACCAA  
TCAGTTGGCTTGGAATACGCCAAGACCCACGAGTTGTGAGCATGGAGCAGTTCAATTTCCGCTATGC  
TGAAAAGACTGATTTTCGAGCAGGAGCCGAGCTTTGCCAGTATGATGTGAGTTTCATTTCCCTTAGTCT  
GATTTTGCAGCCTTGCACCGTGTCTTGGCTGATCAAGGTCAGGTGGTAGCACTTGTCAAACCTCAGTT  
TGAGGCAGGACGTGAGCAGATTGGGAAAAATGGAATTATTCGAGATGCTAAGGTTTCATCAGAATGTCCT  
TGAATCTGTAACAGCTATGGCAGTAGAGGTAGGTTTTTTCAGTCCTTGGCTTGGACTTTTCTCCCATCCA  
AGGTGGACATGGAAATATTGAATTTTTAGCGTATTTGAAAAAAGAAAAGTCAGCAAGCAATCAGATTCT  
TGCTGAGATTAAAGAAGCAGTAGAGAGGGCGCATAGTCAATTTAAAAATGAA

**SP041 amino acid (SEQ ID NO:64)**

AKERVDVLAYKQGLFETREQAKRGVMAGLVVAVLNGERFDKPGKEIPDDTELKLGKELKYVSRGGLKL  
EKALQVFDLSVDGATTIDIGASTGGFTDVMLQNSAKLVFAVDVGTNQLAWKLRQDPRVVSMEQFNFRYA  
EKTDFEQEPSFASIDVSFISLSLILPALHRVLADQGVVALVKPQFEAGREQIGKNGIIRDAKVHQNVL  
ESVTAMAVEVGFVGLGLDFSPIQGGHGNIEFLAYLKKEKSASNQILAEIKEAVERAHSQFKNE

**SP042 nucleotide (SEQ ID NO:65)**

TTGTTCTTATGAACCTGGTCTCACCAAGCTGGTCAGGTTAAGAAAGAGTCTAATCGAGTTTCTTATAT  
AGATGGTGATCAGGCTGGTCAAAAGGCAGAAAACCTTGACACCAGATGAAGTCAGTAAGAGGGAGGGGAT  
CAACGCCGAACAAATNGTNATCAAGATTACGGATCAAGGTTATGTGACCTCTCATGGAGACCATTATCA  
TTACTATAATGGCAAGGTTCTCTTATGATGCCATCATCAGTGAAGAGCTCCTCATGAAAGATCCGAATTA  
TCAGTTGAAGGATTCAGACATTGTCAATGAAATCAAGGGTGGTTATGTCAATTAAGGTAAACGGTAAATA  
CTATGTTNACCTTAAGGATGCAGCTCATGCGGATAATATTCCGACAAAAGAAGAGATTAAACGTCAGAA  
GCAGGAACGCAGTCATAATCATACTCAAGAGCAGATAATGCTGTTGCTGCAGCCAGAGCCCAAGGACG  
TTATACAACGGATGATGGGTATATCTTCAATGCATCTGATATCATTTGAGGACACGGGTGATGCTTATAT  
CGTTCTCTACGGCGACCATTACCATTACATTCCTAAGAATGAGTTATCAGCTAGCGAGTTAGCTGCTGC

Table 1

AGAAGCCTATTGGAATGGGAAGCAGGGATCTCGTCTTCTTCAAGTTCTAGTTATAATGCAAATCCAGC  
TCAACCAAGATTGTGTCAGAGAACCACAATCTGACTGTCACTCCAACCTATCATCAAAATCAAGGGGAAAA  
CATTTTCAAGCCTTTTACGTGAATTGTATGCTAAACCCCTTATCAGAACGCCATGTGGAATCTGATGGCCT  
TATTTTCGACCCAGCGCAAATCACAAGTCGAACCGCCAGAGGTGTAGCTGTCCCTCATGGTAACCATTA  
CCACTTTATCCCTTATGAACAAATGCTCTGAATTGGAACCAAGCAATGCTCGTATTTATCCCTTTCGTTA  
TCGTTCAAAACCATTTGGGTACCAGATTCAAGACCAGAACAACCAAGTCCACAATCGACTCCGGAACCTAG  
TCCAAGTCCGCAACCTGCACCAAAATCTCAACCAGCTCCAAGCAATCCAATTGATGAGAAATTTGGTCAA  
AGAAGCTGTTTCGAAAAGTAGGCGATGGTTATGTCTTTGAGGAGAATGGAGTTTCTCGTTATATCCCAGC  
CAAGGATCTTTTTCAGCAGAAACAGCAGCAGGCAATTGATAGCAAACCTGGCCAAGCAGGAAAGTTTATCTCA  
TAAGCTAGGAGCTAAGAAAACGACCTCCCATCTAGTGTGAGCAATTTTACAATAAGGCTTATGACTT  
ACTAGCAAGAATTCACCAAGATTTACTTGATAATAAAGGTGCAAGTTGATTTTGGAGGCTTTGGATAA  
CCTGTTGGAACGACTCAAGGATGTCNCAAGTGATAAAGTCAAGTTAGTGGANGATATTCTTGCCCTTCTT  
AGCTCCGATTTCGTATCCAGAACGTTTAGGAAAACCAATGCGCAAATTACCTACACTGATGATGAGAT  
TCAAGTAGCCCAAGTTGGCAGGCAAGTACACAACAGAAGACGGTTATATCTTTGATCCTCGTGATATAAC  
CAGTGATGAGGGGGATGCCTATGTAACCTCACATATGACCCATAGCCACTGGATTAAAAAAGATAGTTT  
GTCTGAAGCTGAGAGAGCGGCAGCCAGGCTTATGCTAAAGAGAAAGGTTTGACCCCTCCTTCGACAGA  
CCATCAGGATTCAGGAAATACTGAGGCAAAAGGAGCAGAAGCTATCTACAACCGCGTAAAGCAGCTAA  
GAAGTGCCACTTGATCGTATGCCTTACAATCTTCAATATACTGTAGAAGTCAAAACGGTAGTTTAAT  
CATACCTCATTATGACCATTACCATAACATCAAATTTGAGTGGTTTACGGAAGGCTTTATGAGGCACC  
TAAGGGGTATACCTTGAGGATCTTTTGGCGACTGTCAAGTACTATGTCGAACATCCAAACGAACGTC  
GCATTTCAGATAATGGTTTTGGTAACGCTAGCGACCATGTTCAAAGAAAACAAAATGGTCAAGCTGATAC  
CAATCAAACGGAAAAACCAAGCGAGGAGAAACCTCAGACAGAAAAACCTGAGGAAGAAACCCCTCGAGA  
AGAGAAACCGCAAAGCGAGAAACAGAGTCTCAAACCAACAGAGGAACAGAGAATCACCAGAGGA  
ATCAGAAGAACCTCAGGTCGAGACTGAAAAGGTTGAAGAAAACTGAGAGAGGCTGAAGATTTACTTGG  
AAAAATCCAGGAT

**SP042 amino acid (SEQ ID NO:66)**

CSYELGRHQAGQVKESNRVSYIDGDAQQAENLTPDEVSKREGINAEQXVIKITDQGYVTSHGDHYH  
YYNGKVPYDAIIESEELMKDPNYQLKDSDIVNEIKGGYVIKVNKYYVYLKDAHADNIRTKEEIKRQK  
QERSHNHNSRADNAVAARAQGRYTTDDGYIFNASDIIEDTGDYIVPHGDHYHYIPKNELSAELAAA  
EAYWNGKQGSRPSSSSSYNANPAQPRLSNHNLTVTPTYHQNGENISSLLRELYAKPLSERHVESDGL  
IFDPAQITSRTARGVAVPHGNHYHFIPYEQMSELEKRIARIIPLYRSNHWVPDSRPEQSPQSTPEPS  
PSPQPAPNPQPAPSNPIDKLVKEAVRKVG DYVFEENGVSRYIPAKDLSAETAAGIDSKLAKQESLSH  
KLGAKKTDLPSSDREFYNKAYDLLARIHQDLLDNKGRQVDFEALDNLLERLKDVSXDKVKLVXDILAF  
APIRHPERLKGPNQITTYTDDIEQVAKLAGKYTTEDGYIFDPRDITSDEGDAYVTPHMTSHWIKKDSL  
SEAERAAAQAYAKEGLTPPSTDHQDSGNTEAKGAEATYNRVKAARKVPLDRMPYNLQYTVVEKNGSLI  
IPHYDHYHNKIFEFWDEGLYEAPKGYTLEDLLATVKYVVEHPNERPHSDNGFGNASDHVQRNKNQOQDT  
NQTEKPSSEKPKTEKPEEETPREKPKQSEKPEPKPTEPEESPEESEEPQVETEKVEEKLREEDLLG  
KIQD

**SP043 nucleotide (SEQ ID NO:67)**

TTATAAGGGTGAATTAGAAAAAGGATACCAATTTGATGGTTGGGAAATTTCTGGTTTCGAAGGTAAAAA  
AGACGCTGGCTATGTTATTAATCTATCAAAAGATACCTTTATAAAACCTGTATTCAAGAAAATAGAGGA  
GAAAAAGGAGGAAGAAAATAAACCTACTTTTGTATGTATCGAAAAAGAAAGATAACCCACAAGTAAACCA  
TAGTCAATTAATGAAAGTCACAGAAAAGAGGATTTACAAAGAGAAGAGCATTACAAAAATCTGATTC  
AACTAAGGATGTTACAGCTACAGTTCTTGATAAAAACAATATCAGTAGTAATCAACTACTAACAATCC  
TAATAAG

**SP043 amino acid (SEQ ID NO:68)**

YKGELEKGYQFDGWEISGFEGKKDAGYVINLSKDTFIKPVFKKIEEKKEENKPTFDVSKKDNPPQVNH  
SQLNESHKEDLQREEHSQKSDSTKDVATVLDKNNISSKSTNNPNK

**SP044 nucleotide (SEQ ID NO:69)**

GAATGTTTCAGGCTCAAGAAAGTTCAGGAAATAAAATCCACTTTATCAATGTTCAAGAAGGTGGCAGTGA  
TGCGATTATTCTTGAAAGCAATGGACATTTTGCCATGGTGGATACAGGAGAAGATTATGATTTCCAGAG  
TGGAAGTGAATTCCTCGTATCCATGGAGAGAAGGAATTGAAACGCTTTATAAGCATGTTCTAACAGACCG  
TGCTTTTCGTCGTTTGAAGGAATTGGGTGTCCAAAACTTGATTTTATTTTGGTGACCCATACCCACAG  
TGATCATATTGGAATGTTGATGAATTACTGTCTACCTATCCAGTTGACCGAGTCTATCTTAAGAAATA



Table 1

TAGTGATAGTCGTATTACTAATTCTGAACGTCTATGGGATAATCTGTATGGCTATGATAAGGTTTTACA  
GACTGCTGCAGAAAAAGGTGTTTCAGTTATTCAAAATATCACACAAGGGGATGCTCATTTTCAGTTTGG  
GGACATGGATATTCAGCTCTATAATTATGAAAAAGAACTGATTTCATCGGGTGAATTAAAGAAAAATTG  
GGATGACAATTCGAATTCCTTGATTAGCGTGGTGAAAGTCAATGGCAAGAAAAATTACCTTGGGGGCGA  
TTTAGATAATGTTTCATGGAGCAGAAGACAAGTATGGTCTCTCATTTGGAAAAAGTTGATTGATGAAGTT  
TAATCATCACCATGATACCAACAAATCAAATACCAAGGATTTTCATTAATAAATTTGAGTCCGAGTTTGAT  
TGTTCAAACCTTCGGATAGTCTACCTTGGAAAAATGGTGTGATAGTGAGTATGTTAATTGGCTCAAAGA  
ACGAGGAATTGAGAGAATCAACGCAGCCAGCAAAGACTATGATGCAACAGTTTTTGATATTCGAAAAGA  
CGGTTTTGTCAATATTTCAACATCCTACAAGCCGATTCCAAGTTTTCAGCTGGTTGGCATAAGAGTGC  
ATATGGGAAGTGGTGGTATCAAGCGCTGATTCTACAGGAGAGTATGCTGTGCGTTGGAATGAAATCGA  
AGGTGAATGGTATTACTTTAACCACAAACGGGTATCTTGTTACAGAATCAATGAAAAAATGGAACAATCA  
TTGGTTCTATTTGACAGACTCTGGTGTCTTGCTAAAAATGGAAGAAAAATCGCTGGAATCTGGTATTA  
TTTTAACAAAGAAAACAGATGGAATTTGGTTGGATTCAAGATAAGAGCAGTGGTATTATTTGGATGT  
TGATGGTTCTATGAAGACAGGATGGCTTCAATATATGGGGCAATGGTATTACTTTGCTCCATCAGGGGA  
A

**SP044 amino acid (SEQ ID NO:70)**

NVQAQESSGNKIHFINVQEGGSDAIIIESNGHFAMVDTGEDYDFPDGSDSRYPWREGIETSYKHLVLTDR  
VFRRLKELGVQKLDLILVTHTHSDHIGNVDELLSTYPVDRVYLKKYSDSRITNSERLWDNLYGYDKVLQ  
TAAEKGVSVIQNITQGDHAFQFGDMDIQLYNYENETDSSGELKKIWDDNSNLSISVVKVNGKKIYLGSD  
LDNVHGAEDKYGPLIGKVDLMKFNNHHDNTKSNKDFIKNLSPSLIVQTSDSL PWKNGVDSEYVNWLKE  
RGIERINAASKDYDATVFDIRKDGFEVNIISTYKPIPSFQAGWHKSAYGNWWYQAPDSTGEYAVGWNEIE  
GEWYYFNQTGILLQNWKKWNHWFYLTDSGASAKNWKKIAGIWIYYFNKENQMEIGWIQDKEQWYYLDV  
DGSMTGWLQYMGQWYFAPSGE

**SP045 nucleotide (SEQ ID NO:71)**

CTTGGGTGTAACCCATATCCAGCTCCTTCCAGTCTTGTCTTACTACTTTGTCAATGAATTGAAAAACCA  
TGAACGCTTGTCTGACTACGCTTCAAGCAACAGCAACTACAACCTGGGGATATGACCCCTCAAACTACTT  
CTCCTTGACTGGTATGTACTCAAGCGATCCTAAGAATCCAGAAAAACGAATCGCAGAATTTAAAAACCT  
CATCAACGAAATCCACAAACGTGGTATGGGAGCTATCCTAGATGTCGTTTATAACACACAGCCAAAGT  
CGATCTCTTTTGAAGATTTGGAACCAAACTACTACCACCTTTATGGATGCCGATGGCACACCTCGAACTAG  
CTTTGGTGGTGGACGCTTGGGGACAACCCACCATATGACCAAACGGCTCCTAATTGACTCTATCAAATA  
CCTAGTTGATACCTACAAAGTGGATGGCTTCCGTTTCGATATGATGGGAGACCATGACGCCGCTTCTAT  
CGAAGAAGCTTACAAGGCTGCACGCGCCCTCAATCCAAACCTCATCATGCTTGGTGAAGGTTGGAGAAC  
CTATGCCGGTGATGAAAAATGCCTACTAAAGCTGCTGACCAAGATTGGATGAAACATACCGATACTGT  
CGCTGTCTTTTCAGATGACATCCGTAACAACCTCAAATCTGGTTATCCAAACGAAGGTCAACCTGCCTT  
TATCACAGGTGGCAAGCGTGATGTCAACACCATCTTTTAAAAATCTCATTTGCTCAACCAACTAACTTTGA  
AGCTGACAGCCCTGGAGATGTCAATACATCGCAGCCCATGATAACTTGACCTCTTTTGACATCAT  
TGCCCAAGTCTATCAAAAAAGACCCAAGCAAGGCTGAGAACTATGCTGAAATCCACCGTCGTTTACGACT  
TGGAAATCTCATGGTCTTGACAGCTCAAGGAACCTCCATTTATCCACTCCGGTCAGGAATATGGACGTAC  
TAAACAATTCGCTGACCCAGCTTACAAGACTCCAGTAGCAGAGGATAAGGTTCCAAACAAATCTCACTT  
GTTGCGTGATAAGGACGCAACCCATTTGACTATCCTTACTTTCATCCATGACTCTTACGATTCTAGTGA  
TGCAGTCAACAAGTTTGACTGGACTAAGGCTACAGATGGTAAAGCTTATCCTGAAAAATGTCAAGAGCCG  
TGACTATATGAAAGGTTTGATTGCCCTTCGTCAATCTACAGATGCCCTTCCGACTTAAGAGTCTTCAAGA  
TATCAAAGACCGTGTCACCTCATCACTGTCCAGGCCAAAATGGTGTGGAAAAAGAGGATGTAGTGAT  
TGGCTACCAAATCACTGTCTCCAAACGGCGATATCTACGCACTCTTTGTCAATGCGGATGAAAAAGCTCG  
CGAATTTAATTTGGGAAGTGCCTTTGCACATCTAAGAAATGCGGAAGTTTGGCAGATGAAAACCAAGC  
AGGACCACTCGGAATTGCCAACCCGAAAGGACTTGAATGGACTGAAAAAGGCTTGAAATTGAATGCCCT  
TACAGCTACTGTTCTTCGAGTCTCTCAAAATGGAAGTACCATGAGTCAACTGCAGAAAGAGAAACCAGA  
CTCAACCCCTTCCAAGCTGAACATCAAAATGAAGCTTCTCACCCTGCACATCAAGACCCAGCTCCAGA  
AGCTAGACCTGATTCTACTAAACAGATGCCAAAGTAGCTGATGCGGAAAAATAAACCCTAGCCAAGCTAC  
AGCTGATTCAAGCTGAACAACAGCACAAGAAGCACAAGCATCATCTGTAAAAGAAGCGGTTTCGAAA  
CGAATCGGTAGAAAACCTAGCAAGGAAAATATACCTGCAACCCAGATAAACAAGCTGAA

**SP045 nucleotide (SEQ ID NO:72)**

LGVTHIQLLPVLSYFVNLKNHERLSDYASSNSYNWGYDPQNYFSLTGMYSDDPKNPEKRIAEFKNL  
INEIHKRGMGAILDVVYNHTAKVDLFEDLEPNYYHFMADGTPRTSFGGGRLGTHHMTKRLLIDSIKY  
LVDITYKVDGFRFDDMMGDHDAASIEEAYKAARALNPNLIMLGEGWRTYAGDENMPTKAADQDWMKHTDTV

Table 1

AVFSDDIRNNLKSYPNEGQPAFITGGKRDVNTIFKNLIAQPTNFEADSPGDVIOYIAAHDNLTFLDII  
 AQSIKKDPSKAENYAEIHRRLRLGNLMVLTAQGTFFIHSQGEYGRTKQFRDPAYKTPVAEDKVPNKS  
 LRDKIDGNPFDPYFPIHDSYDSSDAVNKFDWTKATDGKAYPENVKSRDYMKGILALRQSTDAFRLKSLQD  
 IKDRVHLITVPGQNGVEKEDVIGYQITAPNGDIYAVFVNADEKAREFNLGTAFAPHLRNAEVLADENQA  
 GPVGIANPKGLEWTEKGLKLNALTATVLRVSQNGTSHESAEKPDSTPSKPEHQNEASHPAHQDPAPE  
 ARPDSTKPDADAKVADAENKPSQATADSQAEQPAQEAQASSVKEAVRNESVENSSKENIPATPDKQAE

**SP046 nucleotide (SEQ ID NO:73)**

TAGTGATGGTACTTGGCAAGGAAAACAGTATCTGAAAGAAGATGGCAGTCAAGCAGCAAAATGAGTGGGT  
 TTTNGATACCTCATTATCAATCTTGGTCTATATAAAAAGCAGATGCTAACTATGCTGAAAATGAATGGCT  
 AAAGCAAGGTGACGACTATTTTTACCTCAAATCTGGTGGCTATATGGCCAAATCAGAAATGGGTAGAAGA  
 CAAGGGAGCCTTTTATTATCTTGACCAAGATGAAAAGATGAAAAGAAATGCTTGGGTAGGAATTCCTA  
 TGTGGTGGCAACAGGTGCCAAAGTAATAGAAGACTGGGTCTATGATTCTCAATACGATGCTTGGTTTATA  
 TATCAAAGCAGATGGACAGCACGCAGAGAAAAGAAATGGCTCCAAATTAAAGGGAAGGACTATTATTTCAA  
 ATCCGGTGGTTATCTACTGACAAGTCAGTGGATTAATCAAGCTTATGTGAATGCTAGTGGTGCCAAAGT  
 ACAGCAAGGTGGCTTTTGGACAAACAATACCAATCTTGGTTTACATCAAAGAAAATGGAACTATGC  
 TGATAAAGAATGGATTTTCGAGAATGGTCACTATTATTATCTAAAATCCGGTGGCTACATGGCAGCCAA  
 TGAATGGATTTGGGATAAGGAATCTTGGTTTTATCTCAAATTTGATGGGAAAATGGCTGAAAAAGAATG  
 GGTCTACGATTCTCATAGTCAAGCTTGGTACTACTTCAAATCCGGTGGTTACATGACAGCCAATGAATG  
 GATTTGGGATAAGGAATCTTGGTTTACCTCAAATCTGATGGGAAAATAGCTGAAAAAGAATGGGTCTA  
 CGATTCTCATAGTCAAGCTTGGTACTACTTCAAATCTGGTGGCTACATGGCGAAAAATGAGACAGTAGA  
 TGGTTATCAGCTTGGAAAGCGATGGTAAATGGCTTGGAGGAAAAACTACAAATGAAAAATGCTGCTTACTA  
 TCAAGTAGTGCTGTTACAGCCAATGTTTATGATTTCAGATGGTGAAGGCTTTCTTATATATCGCAAGG  
 TAGTGTCTGATGGCTAGATAAGGATAGAAAAAGTGATGACAAGCGCTTGGCTATTACTATTTCTGGTTT  
 GTCAGGCTATATGAAAACAGAAGATTTACAAGCGCTAGATGCTAGTAAGGACTTTATCCCTTATTATGA  
 GAGTGATGGCCACCGTTTTATCTATGTGGCTCAGAAATGCTAGTATCCAGTAGCTTCTCATCTTTC  
 TGATATGGAAGTAGGCAAGAAATATTATTCGGCAGATGGCTGCATTTTGATGGTTTAAAGCTTGAGAA  
 TCCCTTCTTTTCAAAGATTTAACAGAGGCTACAACTACAGTCTGAAGAATTGGATAAGGTATTTAG  
 TTTGCTAAACATTAACAATAGCTTTTGGAGAACAGGGCGCTACTTTAAGGAAGCGAAGAACATTA  
 CCATATCAATGCTCTTTATCTCTCTTGGCCATAGTGGCCCTAGAAAGTAACGGGGAAGAAAGTAAATTC  
 CAAAGATAAGAATAATTTCTTTGGCATTACAGCCTATGATACGACCCCTTACCTTTCTGCTAAGACATT  
 TGATGATGTGGATAAGGGAATTTTAGGTGCAACCAAGTGGATTAAGGAAAATTATATCGATAGGGGAAG  
 AACTTTCTTTGAAACAAGGCTTCTGGTATGAATGTGGAATATGCTTCAGACCCCTTATTTGGGGCGAAAA  
 AATTGCTAGTGTGATGATGAAAATCAATGAGAAGCTAGGTGGCAAAGAT

**SP046 amino acid (SEQ ID NO:74)**

SDGTWQGKQYLKEDGSQAANEVXDTHYQSWFYIKADANYAENEWLKQGDYFYLKSGGYMAKSEWVED  
 KGAFYYLDQDGKMKRNWVGTSTYVGATGAKVIEDWVYDSQYDAWFYIKADQGHAEKEWLQIKGKDYFFK  
 SGGYLLTSQWINQAYVNASGAKVQQGWLFDKQYQSWFYIKENGNADKEWIFENGHYYYLKSGGYMAAN  
 EWIWDKESWFFYLFKFDGKMAEKEWVYDSHSQAWYFFKSGGYMTANEWIWDKESWFFYLFKSDGKIAEKEWVY  
 DSHSQAWYFFKSGGYMAKNETVDGYQLGSDGKWLGGKTTNENAAYYQVVPVTANVYDSGKLSYISQG  
 SVVWLDKDRKSDDKRLAITISGLSGYMKTEDLQALDASKDFIPYYESDGHFRFYHYVAQNASIPVASHLS  
 DMEVGKKYYSADGLHFDGFKLENPFLFKDLTEATNYSAEELDKVFSLLNINNSLLENKGATFKAEAEHY  
 HINALYLLAHSALSNWGRSKIAKDKNNFFGITAYDTTPYLSAKTFDDVDKGILGATKWIKENYIDRGR  
 TFLGNKASGMNVEYASDPYWGEEKIASVMMKINEKLGGKD

**SP048 nucleotide (SEQ ID NO:75)**

TGGGATTCAATATGTCAGAGATGATACTAGAGATAAAGAAGAGGGAATAGAGTATGATGACGCTGACAA  
 TGGGGATATTATTGTAAAAGTAGCGACTAAACCTAAGGTAGTAACCAAGAAAATTTCAAGTACGCGAAT  
 TCGTTATGAAAAAGATGAAACAAAAGACCGTAGTGAAAACTCTGTTACAAATTGATGGAGAGGATGGCTA  
 TGTAACCTACGACAAGGACCTACGATGTTAATCCAGAGACTGGTTATGTTACCGAACAGGTTACTGTTGA  
 TAGAAAAGAAGCCACGGATACAGTTATCAAAGTTCCAGCTAAAAGCAAGGTTGAAGAAGTTCTTGTTC  
 ATTTGCTACTAAAATATGAAGCAGACAATGACCTTTCTGCAGGACAGGAGCAAGAGATTACTCTAGGAAA  
 GAATGGGAAAACAGTTACAACGATAACTTATAATGTAGATGGAAGAGTGGACAAGTAAGTACTGAGAGTAC  
 TTTAAGTCAAAAAAAGACTCTCAAACAAGAGTTGTTAAAAAAGaACCArKCCCCAAGTTCTTGTCCA  
 AGAAATTCCAATCGAAACAGAAATATCTCGATGGCCCaACTCTTGATAAAaGTCAAGAAGTAGAAGAAGT  
 AGGAGAAATTGGTAAATTACTCTTACTACAATCTATACTGGTAGATGAACGTGATGGAACAATTGAAGA  
 AACTACTTCTCGTCAAATTTACTAAAGAGATGGTAAAAAGACGTATAAGGAGAGGGACGAGAGAACCTGA

Table 1

65

AAAAGTTGTTGTTCTGAGCAATCATCTATTCTCTCGTATCTGTATCTGTTACATCTAACCAAGGAAC  
AGATGTAGCAGTAGAACCAGCTAAAGCAGTTGCTCCAACAACAGACTGGAAACAAGAAATGGTATGTG  
GTATTTTATAATACTGATGGTTCCATGGCAACAGGTTGGGTACAAGTTAATAGTTCATGGTACTACCT  
CAACAGCAACGGTTCTATGAAAGTCAATCAATGGTTCCAAGTTGGTGGTAAATGGTATTATGTAAATAC  
ATCGGGTGAGTTAGCGGTCAATACAAGTATAGATGGCTATAGAGTCAATGATAATGGTGAATGGGTGCG  
T

**SP048 amino acid (SEQ ID NO:76)**

GIQYVRDDTRDKEEGIEYDDADNGDIIVKVATKPKVVKKISSSTRIRYEKDETKDRSENPTIDGEDGY  
VTTTRTYDVPNETGYVTEQVTVDRKEATDTVIKVPKSKVEEVLVPFATKYEADNDLSAGQEIEITLKG  
NGKTVTTITYNVGDKSGQVTESTLSQKKDSQTRVVKRTPQVLVQEIPIETEYLDGPTLDKSQVEVEV  
GEIGKLLLLQSILVDERDGTIEETTSRQITKEMVKRRIIRRGTRPEKVVVPEQSSIPSYFVSVTSNQGT  
DVAVEPAKAVAPTDDWKQENGWYFYNTDGSMTGWVQVNSSWYYLNSNGSMKVNQWFQVGGKWWYVNT  
SGELAVNTSIDGYRVNDNGEWR

**SP049 nucleotide (SEQ ID NO:77)**

GGATAATAGAGAAGCATTAAAAACCTTTATGACGGGTGAAAAATTTTATCTCCAACATTATCTAGGAGC  
ACATAGGGAAGAACTAAATGGAGAGCATGGCTATACCTTCCGTGTTTGGGCACCTAATGCTCAGGCTGT  
TCACTTGGTTGGTGATTTTACCAACTGGATTGAAAATCAGATTCCAATGGTAAGAAATGATTTTGGGGT  
CTGGGAAGTCTTTACCAATATGGCTCAAGAAGGGCATATTTACAAATATCATGTACACGTCAAAATGG  
TCATCAACTGATGAAGATTGACCTTTTGTCTGTCAGGTATGAGGCTCGTCCAGGAACAGGGGCAATCGT  
AACAGAGCTTCTCTGAGAAGAAATGGAAGGATGGACTTTGGCTGGCACGAAGAAAACGTTGGGGCTTTGA  
AGAGCGTCTGTCAATATTTATGAAGTTCACGCTGGATCATGGAAGAAATCTGATGGCAGTCCCTTA  
TAGTTTGGCCAGCTCAAGGATGAAGTCAATCTCTTATCTCGTTGAAATGAAGTATACTCATATTGAGTT  
TATGCCCTTGATGTCCCATCTTTGGGCTTGAGTTGGGGGTATCAGCTTATGGGTTACTTCGCTTTAGA  
GCATGCTTATGGCCGACCAGAGGAGTTTCAAGATTTTGTCT

**SP049 amino acid (SEQ ID NO:78)**

DNREALKTFMTGENFYLOHYLGAHREELNGEHGYTFRVWAPNAQAVHLVGDFTNWIENQIPMVRNDFGV  
WEVFTNMAQEGHIYKYHVTRQNGHQLMKIDPFAVRYEARPGTGAIIVTELPEKKWKDGLWLARRKRWGFE  
ERPVNIYEVHAGSWKRNSDGSPPYSFAQLKDELIPYLVEMNYTHIEFMPLMSHPLGLSWGYQLMGYFALE  
HAYGRPEEFQDFV

**SP050 nucleotide (SEQ ID NO:79)**

AGATTTTGTGCGAGGAGTGTCATACCCATAATATTGGGGTTATTGTGGACTGGGTACCAGNTCACTTTAC  
CATCAACGATGATGCCCTTAGCCTATTATGATGGGACACCGACTTTTGAATACCAAGACCATAATAAGGC  
TCATAACCATGGTTGGGGTGCCCTTAATTTTGACCTTGGAAAAATGAAGTCCAGTCTCTTCTTAATTTT  
TTGCATTAAAGCATTGGATTGATGTCTATCATTTGGATGGTATTCTGTGGATGCTGTTAGCAACATGCT  
CTATTTGGACTATGATGATGCTCCATGGACACCTAATAAAGATGGCGGAAATCTCAACTATGAAGGTTA  
TTATTTCTCTTCAGCGCTTGAATGAGGTTATTAAAGTTAGAATATCCAGATGTGATGATGATTGCAGAAGA  
AAGTTCGTCTCGCATCAAGATTACGGGAATGAAAGAGATTGGTGGTCTAGGATTTGACTACAAATGGAA  
CATGGGCTGGATGAATGATATCTCCGTTTCTACGAAGAAGATCCGATCTATCGTAAATATGACTTTAA  
CCTGGTGACTTTTCAGCTTTATGTATGTTTNCAGGAGAATTATCTCTTGCCATTCTCGCACGATGAAGT  
GGTTTATGGCAAGAAGAGTATGATGCATAAGATGTGGGGAGATCGTTACAATCAATTCGCAGGCTTGCG  
CAATCTCTATACGTACCAAAATTTGTCACCTGGTAAGAAATGCTCTTCATGGGTAGCGAATACGGTCA  
ATTCTTAGAATGGAAATCTGAAGAACAGTTGGAATGGTCTAACCTAGAAGACCCAATGAATGCTAAGAT  
GAAGTATTTGCTCTTCAGCTAAACAGTTTACAAAGATCATCGCTGTCTGTGGGAAATGATACCAG  
CTATGATGGTATTGAAATCATTGATGCGGATAATCGAGACCAGAGTGTCTTTCTTTATTTCGTAAGGG  
TAAAAAGGGA

**SP050 amino acid (SEQ ID NO:80)**

DFVEECHTHNIGVIVDWPXHFITINDDALAYDGTPTFEYQDHNKAHNHGWGALNFDLGKNEVQSFLIS  
CIKHWIDVYHLDGIRVDAVSNNMLYLDYDDAPWTPNKDGGNLYEGYYFLQRLNEVIKLEYPDVMMIAEE  
SSSAIKITGMKEIGGLGFDYKWNMGWMNDILRFYEEDPIYRKYDFNLVTF SFMYVXKENYLLPF SHDEV  
VHGKKSMMHKMWGDRYNQFAGLRNLTYTYQICHGPKLLFMGSEYGFLEWKSEEQLEWSNLEDPMNAKM  
KYFASQLNQFYKDHRLWEIDTSYDGEIIDADNRDQSVLSFIRKGGK

**SP051 nucleotide (SEQ ID NO:81)**

Table 1

ATCTGTAGTTTATGCGGATGAAACACTTATTACTCATACTGCTGAGAAACCTAAAGAGGAAAAATGAT  
AGTAGAAGAAAAGGCTGATAAAGCTTTGGAACTAAAAATATAGTTGAAAGGACAGAACAAAGTGAAACC  
TAGTTCAACTGAGGCTATTGCATCTGAGNAGAAAAGATGAAGCCGTAACCTCAAAAAGAGGAAAAAGT  
GTCTGCTAAACCGGAAGAAAAAGCTCCAAGGATAGAATCACAAGCTTCAAATCAAGAAAAACCGCTCAA  
GGAAGATGCTAAAGCTGTAACAAATGAAGAAGTGAATCAAATGATTGAAGACAGGAAAGTGGATTTTAA  
TCAAAATTTGGTACTTTAAACTCAATGCAAATTTAAGGAAGCCATTAAACCTGATGCAGACGTATCTAC  
GTGGAAAAAATTAGATTTACCGTATGACTGGAGTATCTTTAACGATTTTCGATCATGAATCTCCTGCACA  
AAATGAAGGTGGACAGCTCAACGGTGGGGAAGCTTGGTATCGCAAGACTTTCAAACCTAGATGAAAAAGA  
CCTCAAGAAAAATGTTGCGCTTACTTTTGATGGCGTCTACATGGATTCTCAAGTTTATGTCAATGGTCA  
GTTAGTGGGGCATTATCCAAATGGTTATAACCACTTCTCATATGATATCACCAAATACCTTCAAAAAGA  
TGGTCGTGAGAATGTGATTGCTGTCCATGCAGTCAACAAACAGCCAAGTAGCCGTTGGTATTACGGAAG  
TGGTATCTATCGTGATGTGACTTTACAAGTGACAGATAAGGTGCATGTTGAGAAAAATGGGCAACTAT  
TTTAAACACCAAACTTGAAGAACAACAACATGGCAAGGTTGAAACTCATGTGACCAGCAAAATCGTCAA  
TACGGACGACAAAGACCATGAACTTGTAGCCGAATATCAAATCGTTGAACGAGGTGGTCATGCTGTAAC  
AGGCTTAGTTCTGTACAGCGAGTCTGACCTTAAAGCACATGAATCAACAAGCCTAGATGCGATTTTAGA  
AGTTGAAAGACCAAACTCTGGACTGTTTTAAATGACAAACCTGCCTTGTACGAATTGATTACGCGTGT  
TTACCGTGACGGTCAATTGGTTGATGCTAAGAAGGATTTGTTTGGTTACCGTTACTATCACTGGACTCC  
AAATGAAGGTTTCTCTTTGAATGGTGAACGTATTAAATTCATGGAGTATCCTTGCACCACGACCATGG  
GGCGCTTGGAGCAGAAGAAAACTATAAAGCAGAATATCGCCGCTCTCAAACAAATGAAGGAGATGGGAGT  
TAACTCCATCCGTACAACCCACAACCTTGCTAGTGAGCAAACTTGCAAATCGCAGCAGAACTAGGTTT  
ACTCGTTTCAAGAAAGGCCCTTTGATACGTGGTATGGTGGCAAGAAACCTTATGACTATGGACGTTTCTT  
TGAAAAAGATGCCACTCACCCAGAAGCTCGAAAAAGGTGAAAAATGGTCTGATTTTGACCTACGTACCAT  
GGTCGAAAGAGGCAAAAAACAACCTTGCTATCTTCATGTGGTCAATTGGTAATGAAATAGGTGAAGCTAA  
TGGTGATGCCCCACTCTTTAGCAACTGTTAAACGTTTGGTTAAGGTTATCAAGGATGTTGATAAGACTCG  
CTATGTTACCATGGGAGCAGATAAAATCCGTTTCGGTAATGGTAGCGGAGGGCATGAGAAAAATGCTGA  
TGAACCTCGATGCTGTTGGATTAACTATTCTGAAGATAATTACAAAGCCCTTAGAGCTAAGCATCCAAA  
ATGGTTGATTTATGGATCAGAAACATCTTCAGCTACCCGTACACGTGGAAGTTACTATCGCCCTGAACG  
TGAATTGAAACATAGCAATGGACCTGAGCGTAATTATGAACAGTCAGATTATGGAATGATCGTGTGGG  
TTGGGGGAAAAACAGCAACCGCTTCATGGACTTTTGACCGTGACAACGCTGGCTATGCTGGACAGTTTAT  
CTGGACAGGTACGGACTATATTGGTGAACCTACACCATGGCACAACCAAAATCAAACCTCTGTTAAGAG  
CTCTTACTTTGGTATCGTAGATACAGCCGGCATTCCAAAACATGACTTCTATCTCTACCAAAGC

**SP051 amino acid (SEQ ID NO:82)**

SVVYADETLITHAEKPKEEKMIVEEKADKALETKNIVERTEQSEPSSTEAIASEXKEDEAVTPKEEKV  
SAKPEEKAPRIESQASNQEKPLKEDAKAVTNEEVNQMIEDRKVDNFQNWYFKLNANSKEAIKPDADVST  
WKKLDLPYDWSIFNDFDHESPAQNEGGQLNGGEAWYRKTFKLDEKDLKKNVRLTFDGVYMDSQVYVNGQ  
LVGHYPNGYNQFSYDITKYLQKDGRENVIHVAVNKPSSRWYSGSGIYRDVTLQVTDKVVHVEKNGTTI  
LTPKLEEQQHKGKVVETHVTSKIVNTDDKDHELVAEYQIVERGGHAVTGLVRTASRTLKAHESTSLDAILE  
VERPKLWTVLNDKPALYELITRVYRDGQLVDAKKDLFGYRYHWTNPEGFSLNGERIKFHGVSLLHHDHG  
ALGAEENYKAEYRRLKQMKEMGVNSIRTTNHPASEQTLQIAAELGLLVQEEAFDTWYGGKKPYDYGRFF  
EKDATHPEARKEKWSDFDLRTMVERGKNNPAIFMWSIGNEIGEANGDAHSLATVKRLVKVIKDVOKTR  
YVTMGADKFRFGNGSGGHEKIADELDAVGFNYSEDNYKALRAKHPKWLIIYGSETSSATRTRGSYYRPER  
ELKHSNGPERNYEQSDYGNDRVGWGTATASWTFDRDNAGYAGQFIWTGTDYIGEPTPWHNQNPVKS  
SYFGIVDTAGIPKHDFLYQS

**SP052 nucleotide (SEQ ID NO:83)**

TTACTTTGGTATCGTAGATACAGCCGGCATTCCAAAACATGACTTCTATCTCTACCAAAGCCAATGGGT  
TTCTGTTAAGAAGAAACCGATGGTACACCTTCTTCTCACTGGAACCTGGGAAAAACAAAGAATTAGCATC  
CAAAGTAGCTGACTCAGAAGGTAAGATTCCAGTTCGTGCTTATTCGAATGCTTCTAGTGTAGAATTGTT  
CTTGAATGGAAAACTCTCTGGTCTTAAGACTTTCAATAAAAAACAAACCAGCGATGGGCGGACTTACCA  
AGAAGGTGCAAATGCTAATGAACCTTATCTTGAATGGAAAGTTGCCTATCAACCAGGTACCTTGGAAAGC  
AATTGCTCGTGATGAATCTGGCAAGGAAATTTGCTCGAGATAAGATTACGACTGCTGGTAAGCCAGCGGC  
AGTTCTGCTTTATTAAGGAAGACCATGCGATTGCAGCAGATGGAAAAGACTTGACTTACATCTACTATGA  
AATTGTTGACAGCCAGGGGAATGTGGTTCCAACCTGCTAATAATCTGGTTTCGCTTCCAATTGCATGGCCA  
AGGTCAAGTGGTGGTGTAGATAACCGAGAGAACAAGCCAGCCGTGAACGCTATAAGGCGCAAGCAGATGG  
TTCTTTGGATTCTGTAAGCATTTAATGGTAAAGGTGTTGCCATTGTCAAATCAAATGAACAAGCAGGGAA  
ATTACCCCTGACTGCCCCTCTGATCTCTTGAATCGAACCAAGTCAGTGTCTTTACTGGTAAGAAAGA  
AGGACAAGAGAAGACTGTTTTGGGGACAGAAGTGCCAAAAGTACAGACCATTATTGGAGAGGCACCTGA

Table 1

AATGCCTACCACTGTTCCGTTTGTATACAGTGATGGTAGCCGTGCAGAACGTCTGTAACTGGTCTTC  
AGTAGATGTGAGCAAGCCTGGTATTGTAACGGTGAAAGGTATGGCTGACGGACGAGAAGTAGAAGCTCG  
TGTAAGAGTGATTGCTCTTAAATCAGAGCTACCAGTTGTGAAACGTATTGCTCCAAATACTGACTTGAA  
TTCTGTAGACAAATCTGTTTCCCTATGTTTGGATTGATGGAGTGTTGAAGAGTATGAAGTGGACAAGTG  
GGAGATTGCCGAAGAAGATAAAGCTAAGTTAGCAATTCCAGGTTCTCGTATTCAAGCGACCGGTTATTT  
AGAAGGTCAACCAATTTCATGCAACCCCTTGTGGTAGAAGAAGGCAATCTGCGGCACCTGCAGTACCAAC  
TGTAACGGTTGGTGGTGAGGCGAGTAACAGGTCTTACTAGTCAAAAACCAATGCAATACCGCACTCTTGC  
TTATGGAGCTAAGTTGCCAGAAGTCACAGCAAGTGCTAAAAATGCAGCTGTTACAGTTCTTCAAGCAAG  
CGCAGCAAAACGGCATGCGTGCAGCATCTTTATTTCAGCCTAAAGATGGTGGCCCTCTTCAAACCTATGC  
AATTCAATTCTTGAAGAAGCGCCAAAAATGCTCATTGAGCTTGCAAGTGGAAAAAGCTGACAGTCT  
CAAAGAAGACCAAACCTGTCAAATTGTCGGTTCGAGCTCACTATCAAGATGGAACGCAAGCTGTATTACC  
AGCTGATAAAGTAACCTTCTCTACAAGTGGTGAAGGGGAAGTCGCAATTCGTAAAGGAATGCTTGAGTT  
GCATAAGCCAGGAGCAGTCACTCTGAACGCTGAATATGAGGGAGCTAAAGACCAAGTTGAACCTCATAT  
CCAAGCCAATACTGAGAAGAAGATTGCGCAATCCATCCGTCCTGTAAATGTAGTGACAGATTGTCATCA  
GGAACCAAGTCTTCCAGCAACAGTAACAGTTGAGTATGACAAAGGTTTCCCTAAAACCTATAAAGTCAC  
TTGGCAAGCTATTCCGAAAGAAAACTAGACTCCTATCAAAACATTTGAAGTACTAGGTAAAGTTGAAGG  
AATTGACCTTGAAGCGCGTGCAAAAGTCTCTGTAGAAGGTATCGTTTCAGTTGAAGAAGTCAGTGTGAC  
AACTCCAATCGCAGAAGCACCACAATTACCAGAAAGTGTTCGGACATATGATTCAAATGGTCACGTTTC  
ATCAGCTAAGGTTGCATGGGATGCGATTTCGTCCAGAGCAATACGCTAAGGAAGGTGTCTTTACAGTTAA  
TGGTCGCTTAGAAGGTACGCAATTAAACA

**SP052 amino acid (SEQ ID NO:84)**

YFGIVDTAGIPKHDFFLYQSQWVSVKKPMVHLLPHWNWENKELASKVADSEGKIPVRAYSNAASSVELF  
LNGKSLGLKTFNKKQTSIDGRTYQEGANANELYLEWKVAYQPGTLEAIARDESGKEIARDKITTAGKPAA  
VRLIKEDHAIADGKDLTYIYYEIVDSQGNVPTANNLVRFLHGGQQLVGVNDGEQASRERYKAQADG  
SWIRKAFNGKGVAIKSTEQAGKFTLTAHSDLLKSNQVTVFTGKKEGQEKTVLGEVTPKVQTIIGEAPE  
MPTTVPFVYSDGSRAERPVTWSSVDVSKPGIVTVKMGADGREVEARVEVIALKSELVVKRIAPNTDLN  
SVDKSVSYVLIDGSVEEYEVDKWEIAEEDKAKLAIPGSRIQATGYLEGQPIHATLVVEEGNPAAPAVPT  
VTVGGEAVTGLTSQKPMQYRTLAYGAKLPEVTASAKNAAVTVLQASAANGMRASIFIQPKDGGPLQTYA  
IQFLEEAPKIAHLSLQVEKADSLKEDQTVKLSVRAHYQDGTQAVLPADKVTFSTSGEGEVAIRKGMLEL  
HKPGAVTLNAEYEGAKDQVELTIQANTEKKIAQSIRPVNVVTDLHQEPSLPATVTVVEYDKGFPKTHKVT  
WQAIPEKLDLSYQTFEVLGKVEGIDLEARAKVSVEGIVSVEEVSVTTPIAEAPQLPESVRTYDSNGHVS  
SAKVAWDAIRPEQYAKEGVFTVNGRLEGTQLT

**SP053 nucleotide (SEQ ID NO:85)**

AGCTAAGGTTGCATGGGATGCGATTTCGTCCAGAGCAATACGCTAAGGAAGGTGCTTTTACAGTTAATGG  
TCGCTTAGAAGGTACGCAATTAACAACCTAACCTTCATGTTTCGCGTATCTGCTCAAACCTGAGCAAGGTGC  
AAACATTTCTGACCAATGGACCGGTTCAGAATTGCCACTTGCCCTTTGCTTCAGACTCAAATCCAAGCGA  
CCCAGTTTCAAATGTTAATGACAAGCTCATTTCCTACAATAACCAACCAGCCAATCGTTGGACAACTG  
GAATCGTACTAATCCAGAAGCTTCAGTCGGTGTCTGTTTGGAGATTCAAGGTATCTTGAGCAAAACGCTC  
CGTTGATAATCTAAGTGTGCGATTCCATGAAGACCATGGAGTTGGTGTACCGAAGTCTTATGTGATTGA  
GTATTATGTTGGTAAGACTGTCCCAACAGCTCCTAAAAACCTAGTTTGTGTTGGTAATGAGGACCATGT  
CTTTAATGATTCTGCCAACTGGAAACAGTTACTAATCTAAAAGCCCCCTGCTCAACTCAAGGCTGGAGA  
AATGAACCACTTTAGCTTTGATAAAGTTGAAACCTATGCTGTTTCGTATTTCGCATGGTTAAAGCAGATAA  
CAAGCGTGGAAACGTCTATCACAGAGGTACAAATCTTTGCGAAACAAGTTGCGGCAGCCAAGCAAGGACA  
AACAAGAATCCAAGTTGACGGCAAAGACTTAGCAAACTTCAACCTGATTTGACAGACTACTACCTTGA  
GTCTGTAGATGGAAAAAGTTCCGGCAGTCACAGCAAGTGTTAGCAACAATGGTCTCGCTACCGTCGTTC  
AAGCGTTCGTGAAGGTGAGCCAGTTCTGTGTCATCGCGAAAGCTGAAAATGGCGACATCTTAGGAGAATA  
CCGTCTGCACTTCACTAAGGATAAGAGCTTACTTTCTCATAAACAGTTGCTGCGGTTAAACAAGCTCG  
CTTGCTACAAGTAGGTCAAGCACTTGAATTGCCGACTAAGGTTCCAGTTTACTTTCACAGGTAAAGACGG  
CTACGAAACAAAAGACCTGACAGTTGAATGGGAAGAAGTTCCAGCGGAAATCTGACAAAAGCAGGTCA  
ATTTACTGTTTCGAGGCGGTGTCTTGTGTAGTAACCTTGTGCTGAGATCACTGTACGAGTGACAGACAA  
ACTTGGTGAGACTCTTTCAGATAACCCTAACCTATGATGAAAACAGTAACCAGGCCTTTGCTTCAGCAAC  
CAATGATATTGACAAAACTCTCATGACCGCGTTGACTATCTCAATGACGGAGATCATTGACAAAAATCG  
TCGTTGGACAAACTGGTCACCAACCATCTTCTAATCCAGAAGTATCAGCGGTTGTGATTTTCCGTGA  
AAATGGCTAAGATTGTAGAACGGACTGTTACACAAGGAAAAAGTTCAAGTTCTTTGCGAGATAGTGGTACGGA  
TGACCATCTAAACTCGTTTGAACGCTATGTCGGTCCAGAGTTTGAAGTGCCAACCTACTATTCAA  
CTACCAAGCCTACGACGAGACCATCCATTCAACAATCCAGAAAAATTGGGAAGCTGTTCTTATCGTGCT

Table 1

GGATAAAGACATTGCAGCTGGTGATGAAATCAACGTAACATTTAAAGCTATCAAAGCCAAAGCTATGAG  
ATGGCGTATGGAGCGTAAAGCAGATAAGAGCGGTGTTGCGATGATTGAGATGACCTTCCTTGCACCAAG  
TGAATTGCCTCAAGAAAGCACTCAATCAAAGATTCTTGTAGATGGAAAAGAACTTGCTGATTTCGCTGA  
AAATCGTCAAGACTATCAAAATTACCTATAAAGGTCAACGCGCCAAAAGTCTCAGTTGAAGAAAACAATCA  
AGTAGCTTCAACTGTGGTAGATAGTGGAGAAGATAGCTTTCCAGTACTTGTTCGCCTCGTTTCAGAAAAG  
TGGAAAACAAGTCAAGGAATACCGTATCCACTTGACTAAGGAAAAACCAGTTTCTGAGAAGACAGTTGC  
TGCTGTACAAGAAGATCTTCCAAAATCGAATTTGTTGAAAAAGATTTGGCATAACAAGACAGTTGAGAA  
AAAAGATTCAACACTGTATCTAGGTGAAACTCGTGTAGAACAAGAAGGAAAAGTTGGAAGAAGACGTAT  
CTTTACAGCGATTAACTCTGATGGAAGTAAGGAAGAAAACTCCGTGAAGTGGTAGAAGTTCCGACAGA  
CCGCATCGTCTTGGTTGGAACCAAAACAGTAGCTCAAGAAGCTAAAAAACCAAGTGTGAGAAAAAGC  
AGATACAAAACCAATTGATTCAACTGAAGCTAGTCAAACTAATAAAGCCCAG

**SP053 amino acid (SEQ ID NO:86)**

AKVAWDAIRPEQYAKEGVFTVNGRLEGTQLTKLHVRVSAQTEQGANISDQWTGSELPLAFASDSNPSP  
PVSNNVDKLISYNNQPANRWTNNRNTNPEASVGVLFGDSGILSKRSVDNLSVGFHEDHGVGVPSYVIE  
YYVGKTVPTAPKNPSFVGNEDHVFNDSANWKPVNTLKAQKAGEMNHFSFDKVETAVRIRMVKADN  
KRGTSITEVQIFAKQVAAAKQGQTRIQVDGKDLANFNPDLDYYLESDGKVPVAVTASVSNNGLATVVP  
SVREGEPVRVIAKAENGDI LGEYRLHFTKDKSLLSHKPVAAVKQARLLQVQALELPTKVVPVYFTGKDG  
YETKDLTVEEVPAENLTAKAGFTVRGRVLGSNLVAEITVRVTDKLGETLSDNPNYDENSNOAFASAT  
NDIDKNSHDRVLDYLDGDHSENNRWTNWSPTSSNPEVSAGVIFRENGKIVERTVTQGVQFFADSGTD  
APSKLVLERVYVGEFVPTYYSNYQAYDADHPFNNPENWEAVPYRADKDIAAGDEINVTFAIKAKAMR  
WRMERKADKSGVAMIEMTFLAPSELPQESTQSKILVDGKELADFAENRQDYQITYKGQRPKVSVEENNO  
VASTVVDSGEDSFVPLVRLVSESGKQVKEYRIHLTKKEKPVSEKTVAQVQEDLPKIEFVEKDLAYKTVEK  
KDSTLYLGETRVEQEGKVGERIFTAINPDGSKEEKLREVVEVPTDRIVLVGTPVAQEAQKQVSEKA  
DTKPIDSSSEASQTNKAQ

**SP054 nucleotide (SEQ ID NO:87)**

CTATCACTATGTAAATAAAGAGATTATTTACAAGAAGCTAAAGATTTAATTCAGACAGGAAAGCCTGA  
CAGGAATGAAGTTGTATATGGTTTGGTGTATCAAAAAGATCAGTTGCCTCAAACAGGGACAGAA

**SP054 amino acid (SEQ ID NO:88)**

YHYVNKEIISQEAQDLIQTKPDRNEVVYGLVYQKDQLPQTGTE

**SP055 nucleotide (SEQ ID NO:89)**

TGAGACTCCTCAATCAATAACAAATCAGGAGCAAGCTAGGACAGAAAACCAAGTAGTAGAGACAGAGGA  
AGCTCCAAAAGAAGAACCTAAAACAGAAAGTCCAAAGGAAGAACCAAAATCGGAGGTAAAACC  
TACTGACGACACCCCTTCTAAAGTAGAAGAGGGGAAAGAAGATTACGACAGAACAGCTCCAGTTGAAGA  
AGTAGGTGGAGAAGTTGAGTCAAAACAGAGGAAAAAGTAGCAGTTAAGCCAGAAAAGTCAACCATCAGA  
CAAACCAAGCTGAGGAATCAAAAGTTGAACAAGCAGGTGAACCAAGTCCGCCAAGAGAAGACGAAAAGGC  
ACCAGTCGAGCCAGAAAAGCAACCAAGAGCTCCTGAAGAAGAGAAGGCTGTAGAGGAAAACCCGAAACA  
AGAAGAGTCAACTCCAGATACCAAGGCTGAAGAACTGTAGAACCAAAAGAGGAGACTGTTAATCAATC  
TATTGAACAACCAAAAGTTGAAACGCTGTGTAGAAAAACAAACAGAACCAACAGAGGAACCAAAAGT  
TGAACAAGCAGGTGAACCAAGTCCGCCAAGAGAAGACGAACAGGCACCAACCGCACCAAGTTGAGCCAGA  
AAAGCAACCAAGATTCTGAAGAAGAGAAGGCTGTAGAGGAAACACCGAAACAGAGATAAAATAAA  
GGGTATTGGTACTAAAGAACCAGTTGATAAAAGTGAAGTTAAATAATCAAAATTGATAAAGCTAGTTCAAGT  
TTCTCCTACTGATTAT

**SP055 amino acid (SEQ ID NO:90)**

ETPQSITNQEARTENQVVEETEEAPKEEAPKTEESPKEPKSEVKPTDDTLPKVEEGKEDSAEPAPVEE  
VGGEVESKPEEKVAVKPESQPSDKPAEESKVEQAGEPVAPREDEKAPVEPEKQPEAPEEEKAVEETPKQ  
EESTPDTKAETVEPREETVNQSIQPKVETPAVEKQTEPTEEPKVEQAGEPVAPREDEQAPTAPVEPE  
KQPEVPEEEKAVEETPKPEDKIKGIGTKPEVVDKSELNNQIDKASSVSPTDY

**SP056 nucleotide (SEQ ID NO:91)**

GGATGCTCAAGAACTGCGGGAGTTCACTATAAATATGTGGCAGATTACAGAGCTATCATCAGAAGAAAA  
GAAGCAGCTTGTCTATGATATTCGACATACGTGGAGAATGATGATGAAACTTATTATCTTGTATTATAA  
GTTAAATTTCTCAAAATCAACTGGCGGAATTGCCAAATCTGGAAGCAAGAATGAGAGGCAA

Table 1

**SP056 amino acid (SEQ ID NO:92)**

DAQETAGVHYKYVADSELSSEKKQLVYDIPTYVENDDETYLVYKLNSQNQLAELPNTGSKNERQ

**SP057 nucleotide (SEQ ID NO:93)**

CGACAAAGGTGAGACTGAGGTTCAACCAGAGTCGCCAGATACTGTGGTAAGTGATAAAGGTGAACCAGA  
GCAGGTAGCACCGCTTCCAGAATATAAGGGTAATATTGAGCAAGTAAACCTGAAACTCCGGTTGAGAA  
GACCAAAGAACAAGGTCCAGAAAAAACTGAAGAAGTTCAGTAAACCAACAGAAGAAACACCAGTAAA  
TCCAAATGAAGGTACTACAGAAGGAACCTCAATTCAAGAAGCAGAAAAATCCAGTTCAACCTGCAGAAGA  
ATCAACAACGAATTCAGAGAAAGTATCACCAGATACATCTAGCAAAAATCTGCGGGAAGTGTCCAGTAA  
TCCTAGTGATTCGACAACCTCAGTTGGAGAATCAAATAAACCCAGAACATAATGACTCTAAAAATGAAAA  
TTCAGAAAAAACTGTAGAAGAAGTTCAGTAAATCCAAATGAAGGCACAGTAGAAGGTACCTCAAATCA  
AGAAACAGAAAAACCAGTTCAACCTGCAGAAGAAACACAAACAACTCTGGGAAAAATAGCTAACGAAAA  
TACTGGAGAAGTATCCAATAAACCTAGTGATTCAAACACCAGTTGAAGAATCAAATCAACCAGAAAA  
AAACCGAAGTGCACAAAAACCAGAAAAATTCAGGTAATACAACATCAGAGAATGGACAAACAGAACGAGA  
ACCATCAAACCGGAAATTCAACTGAGGATGTTTCAACCGAATCAAACACATCCAATTCAAATGGAAACGA  
AGAAATTAAACAAGAAATGAAGTAGACCCTGATAAAAAGGTAGAAGAACCAGAGAAAACACTTGAATT  
AAGAAAT

**SP057 amino acid (SEQ ID NO:94)**

DKGETEVQPESPDVTVSDKGEPEQVAPLPEYKGNIEQVKPETPVEKTKEQGPEKTEEVVVKPTEETPVN  
PNEGTTGETSIQEAENPVQPAEESTTNSEKVSPTSSKNTGEVSSNPSTSTSVGESNKPENHNSKNEN  
SEKTVEEVPVNPNEGTVEGTSNQETEKFPVQPAEETQTN SGKIANENTGEVSNKPSDSKPPVEESNQPEK  
NGTATKPENSGNTTSENGQTEPEPSNGNSTEDVSTESNTSNSNGNEEIKQENELDPDKKVEPEKTLEL  
RN

**SP058 nucleotide (SEQ ID NO:95)**

AAATCAATTGGTAGCACAGATCCAAAAGCACAAGATAGCACTAAACTGACTGCTGAAAAATCAACTGT  
TAAAGCACCTGCTCAAAGAGTAGATGTAAAAGATATAACTCATTTAACAGATGAAGAAAAAGTTAAGGT  
TGCTATTTTACAAGCAAATGGTTCAGCATTAGACGGAGCGACAATCAATGTAGCTGGAGATGGTACAGC  
AACAAATCACATTCCTCAGATGGTTCAGTAGTGACGATTCTAGGAAAAGATACAGTTCAACAATCTGCGAA  
AGGTGAATCTGTAACCTCAAGAAGCTACACCAGAGTATAAGCTAGAAAATACACCAGGTGGAGATAAGGG  
AGGCAATACTGGAAGCTCAGATGCTAATGCGAATGAAGGCGGTGGTAGCCAGGCGGTGGATCAGCTCA  
CACAGGTTACAAAACTCAGCTCAATCACAAGCTTCTAAGCAATTAGCTACTGAAAAAGAATCAGCTAA  
AAATGCCATTGAAAAAGCAGCCAAGGACAAGCAGGATGAAATCAAAGGCGCACCGCTTCTTGATAAAGA  
AAAAGCAGAATCTTTAGCAAGAGTGGAAGCAGAAAAACAAGCAGCTCTCAAAGAGATTGAAAAATGCGAA  
AACTATGGAAGATGTGAAGGAAGCAGAAACGATTGGAGTGCAAGCCATTGCCATGTTACAGTTCCTAA  
GAGACCAGTGGCTCCTAAT

**SP058 amino acid (SEQ ID NO:96)**

NQLVAQDPKAQDSTKLTAEKSTVKAPAQRVDVKDITHLTDEEKVKVAILQANGSALDGATINVAGDGT  
TITFPDGSVVTILGKDTVQSAKGESVTQEATPEYKLENTPGGDKGNTGSSDANANEGGGSQAGGSAH  
TGSQNSAQSQASKQLATEKESAKNAIEKAAKDKQDEIKGAPLSDKEKAELLARVEAEKQALKEIENAK  
TMEDVKEAETIGVQAIAMVTVPKRPVAPN

**SP059 nucleotide (SEQ ID NO:97)**

CAAACAGTCAGTTTCAGGAACGATTGAGGTGATTTACGAGAAAAATGGCTCTGGGACACGGGGTGCCTT  
CACAGAAATCACAGGGATTCTCAAAAAAGACGGTGATAAAAAAATTGACAACACTGCCAAAAACAGCTGT  
GATTCAAAAATAGTACAGAAGGTGTTCTCTCAGCAGTTCAAGGGAATGCTAATGCTATCGGCTACATCTC  
CTTGGGATCTTTAACGAAATCTGTCAAGGCTTTAGAGATTGATGGTGTCAAGGCTAGTCGAGACACAGT  
TTTAGATGGTGAAATACCTCTTCAACGTCCTTCAACATTGTTTGGTCTTCTAATCTTTCCAAGCTAGG  
TCAAGATTTTATCAGCTTTATCCACTCCAAACAAGGTCAACAAGTGGTCACAGATAATAAATTTATTGA  
AGCTAAAACCGAAACCACGGAATATACAAGCCAACACTTATCAGGCAAGTTGTCTGTTGTAGGTTCCAC  
TTCAGTATCTTCTTAAATGGAAAAATTAGCAGAAGCTTATAAAAAAGAAAAATCCAGAAGTTACGATTGA  
TATTACCTCTAATGGGTCTTACGAGGTATTACCGCTGTAAAGGAGAAAACCGCTGATATTGGTATGGT  
TTCTAGGGAATTAACCTCTGAAGAAGGTAAGAGTCTACCCATGATGCTATTGCTTTAGACGGTATTGC  
TGTTGTGGTCAATAATGACAATAAGGCAAGCCAAGTCAGTATGGCTGAACCTTCGACAGCTTTTATAGTGG  
CAAAATTAACCACCTGGGACAAGATTAA

Table 1

**SP059 amino acid (SEQ ID NO:98)**

KQSASGTIEVISRENGSGTRGAFTEITGILKKDGDKKIDNTAKTAVIQNSTEGVLSAVQGNANAIGYIS  
LGS�TKSVKALEIDGVKASRDITVLDGEYPLQRPFNIVWSSNLSKLGQDFISFIHSKQGGQVVTDNKFIE  
AKTETTEYTSQHLSGKLSVVGSTSVSSLMKLAELAEYKKENPEVTIDITSNGSSAGITAVKEKTADIGMV  
SRELTPEEGKSLTHDAIALDGIADVNNNDNKASQVSMALADVFSGLKLTWTDKIK

**SP060 nucleotide (SEQ ID NO:99)**

ATTCGATGATGCGGATGAAAAGATGACCCGTGATGAAATTGCCTATATGCTGACAAATAGTGAAGAAAC  
ATTGGATGCTGATGAGATTGAGATGCTACAAGGTGTCTTTTCGCTCGATGAAGTATGACGACGAGAGGT  
TATGGTTCCTCGAACGGATGCCTTTATGGTGGATATTCAGGATGATAGTCAAGCCATTATCCAAAGTAT  
TTTAAACAAAATTATCTCGTATCCCGGTTTATGATGGGGATAAGGACAATGTAATTGGAATCATTCAC  
CACCAAGAGTCTCTTAAGGCAGGCTTTGTGGACGGTTTTGACAATATTGTTTGAAGAGAATTTTACA  
AGATCCACTTTTGTACCTGAAACTATTTTGTGGATGACTTGCTAAAAGAACTGCGAAATACCCAAAG  
ACAAATG

**SP060 amino acid (SEQ ID NO:100)**

FDDADEKMTREIAYMLTNSEETLDADEIEMLQGVFSLDELMAREVMVPRTDAMVVDIQDDSQAI IQSI  
LKQNSRIPVYDGKDNVIGIHTKSLKAGFVDGFDNIVWKRIQDPLFVPETIFVDDLLKELRNTQR  
QM

**SP062 nucleotide (SEQ ID NO:101)**

GGAGAGTCGATCAAAAGTAGATGAAGCTGTGTCTAAGTTTGAAGGACTCATCTTCTTCGTCAAGTTC  
AGACTCTTCCACTAAACCGGAAGCTTCAGATACAGCGAAGCCAAACAAGCCGACAGAACCCAGGAGAAAA  
GGTAGCAGAAGCTAAGAAAGAGTTGAAGAAGCTGAGAAAAAGCCAAAGGATCAAAAAGAAGAAGATCG  
TCGTAACCTACCAACCACTTACTTACAAAACGCTTGAAGTTGAAATTGCTGAGTCCGATGTGGAAGTTAA  
AAAAGCGGAGCTTGAAGTAGTAAAAGTGAAAGCTAACGAACCTCGAGACGAGCAA

**SP062 amino acid (SEQ ID NO:102)**

ESRSKVDEAVSKFEKDSSTSSSTKPEASDTAKPNKPTPEGKVAEAKKKVEEAEEKAKDQKEEDR  
RNYPTITYKTLELEIAESDVEVKAELELVKVKANEPRDEQ

**SP063 nucleotide (SEQ ID NO:103)**

ATGGACAACAGGAAACTGGGACGAGGTTATATCTGGTAAGATTGACAAGTACAAAGATCCAGATATTCC  
AACAGTTGAATCACAAGAAGTTACGTCAGACTCTAGTGATAAAGAAATAACGGTAAGGTATGACCGTTT  
ATCAACACCAGAAAAACCAATCCCAACCAATCCAGAGCATCCAAGTGTTCGACACCAAAACCCAGA  
ACTACCAAAATCAAGAGACTCCAACACCAGATAAACCAACTCCAGAACCAGGTACTCCAAAACTGAAAC  
TCCAGTGAATCCAGACCCAGAAGTTCCGACTTATGAGACAGGTAAGAGAGAGGAATTGCCAAACACAGG  
TACAGAAGCTAAT

**SP063 amino acid (SEQ ID NO:104)**

WTTGNWDEVISGKIDKYKDPDIPTVESQEVTSDDSDKEITVRYDRLSTPEKPI PQPNPEHPSVPTPNPE  
LPNQETPTPDKPTPEPGTPKTETPVNPDPEVPTYETGKREELPNTGTEAN

**SP064 nucleotide (SEQ ID NO:105)**

CGATGGGCTCAATCCAACCCAGGTCAAGTCTTACCTGAAGAGACATCGGGAACGAAAGAGGGTGACTT  
ATCAGAAAAACCAGGAGACACCGTTCTCACTCAAGCGAAACCTGAGGGCGTTACTGGAATACGAATTC  
ACTTCCGACACCTACAGAAAGAACTGAAGTGAGCGAGGAAACAAGCCCTTCTAGTCTGGATACACTTTT  
TGAAAAAGATGAAGAAGCTCAAAAAAATCCAGAGCTAACAGATGCTTAAAGAAACTGTAGATACAGC  
TGATGTGGATGGGACACAAGCAAGTCCAGCAGAACTACTCCTGAACAAGTAAAAGGTGGAGTGAAAGA  
AAATACAAAAGACAGCATCGATGTTCTGCTGCTTATCTTGAAAAAGCTGAAGGGAAAGGTCTTTTCAC  
TGCCGGTGTAACCAAGTAATTCCTTATGAACTATTGCTGGTGATGGTATGTTAACTCGTCTATTACT  
AAAAGCTTCGGATAATGCTCCTTGGTCTGACAATGGTACTGCTAAAAATCCTGCTTTACCTCCTCTTGA  
AGGATTAACAAAAGGGAAATACTTCTATGAAGTAGACTTAAATGGCAATACTGTTGGTAAACAAGGTCA  
AGCTTTAATTGATCAACTTCGCGCTAATGGTACTCAAACCTATAAAGCTACTGTTAAAGTTTACGGAAA  
TAAAGACGGTAAAGCTGACTTGACTAATCTAGTTGCTACTAAAAATGTAGACATCAACATCAATGGATT  
AGTTGCTAAAGAAACAGTTCAAAAAGCCGTTGCAGACAACGTTAAAGACAGTATCGATGTTCCAGCAGC  
CTACCTAGAAAAAGCCAAGGGTGAAGTCCATTACAGCAGGTGTCACCATGTGATTCCATACGAACT  
CTTCGCAGGTGATGGCATGTTGACTCGTCTCTTGCTCAAGGCATCTGACAAGGCACCATGGTCAGATAA



Table 1

CGGCGACGCTAAAAACCCAGCCCTATCTCCACTAGGCGAAAAACGTGAAGACCAAAGGTCAATACTTCTA  
TCAANTAGCCTTGGACGGAAATGTAGCTGGCAAAGAAAAACAAGCGCTCATTGACCAAGTTCCGAGCAA  
NGGTACTCAAACCTTACAGCGCTACAGTCAATGTCTATGGTAACAAAGACGGTAAACAGACTTGGACAA  
CATCGTAGCAACTAAAAAAGTCACTATTAAACATAAACCGGTTTAAATTTCTAAAGAAACAGTTCAAAAAGC  
CGTTGCAGACAACGTTAANGACAGTATCGATGTTCCAGCAGCCTACCTAGAAAAAGCCAAGGGTGAAGG  
TCCATTACAGCAGGTGTCAACCATGTGATTCCATACGAACCTCTTCGAGGTGATGGTATGTTGACTCG  
TCTCTTGCTCAAGGCATCTGACAAGGCACCATGGTCAGATAACGGNGACGCTAAAAACCCAGCNCTATC  
TCCACTAGGTGAAAACGTGAAGACCAAAGGTCAATACTTCTATCAANTAGCCTTGGACGGAAATGTAGC  
TGGCAAAGAAAAACAAGCGCTCATTGACCAAGTTCCGAGCAAACGGTACTCAAACCTTACAGCGCTACAGT  
CAATGCTATGGTAACAAAGACGGTAAACCAGACTTGGACAACATCGTAGCAACTAAAAAAGTCACTAT  
TAAGATAAATGTTAAAGAAACATCAGACACAGCAAATGGTTTATTATCACCTTCTAACTCTGGTTCTGG  
CGTGAATCCGATGAATCACAATCATGCTACAGGTACTACAGATAGCATGCCTGCTGACACCATGACAAG  
TTCTACCAACACGATGGCAGGTGAAAAACATGGCTGCTTCTGCTAACAAGATGTCTGATACGATGATGTC  
AGAGGATAAAGCTATG

**SP064 amino acid (SEQ ID NO:106)**

DGLNPTPGQVLPEETSGTKEGDLSEKPGDTVLTOAKPEGVTGNTNSLPTPTERTVSEETSPSSLDTLF  
EKDEEAQKNPELTDVLKETVDADVDGTQASPAETTPQVKGGVKENTKDSIDVPAAYLEKAEGKGPFT  
AGVNQVIPIYELFAGDGMRLRLLLKASDNAPWSDNGTAKNPALPLEGLTKGKYFYEVDLNGNTVKGQGG  
ALIDQLRANGTQTYKATVKVYGNKDGKADLTNLVATKNVDININGLVAKETVQKAVADNVKDSIDVPA  
YLEKAKGEGFPTAGVNHVPIYELFAGDGMRLRLLLKASDKAPWSDNGDAKNPALSPGENVTKGQYFY  
QXALDGNVAGKEKQALIDQFRAXGTQTYSATVNVYGNKDGKPDLDNIVATKKVTININGLISKETVQKA  
VADNVKDSIDVPAAYLEKAKGEGFPTAGVNHVPIYELFAGDGMRLRLLLKASDKAPWSDNGDAKNPAL  
SPGENVTKGQYFYQXALDGNVAGKEKQALIDQFRANGTQTYSATVNVYGNKDGKPDLDNIVATKKVTI  
KINVKETSDTANGSLSPSNSGSGVTMNHNHATGTTDSMPADTMTSSTNTMAGENMAASANKMSDTMMS  
EDKAM

**SP065 nucleotide (SEQ ID NO:107)**

TTCCAATCAAAAACAGGCAGATGGTAAACTCAATATCGTGACAACCTTTTACCCTGTCTATGAATTAC  
CAAGCAAGTCGCAGGAGATACGGCTAATGTAGAACTCCTAATCGGTGCTGGGACAGAACCTCATGAATA  
CGAACCATCTGCCAAGGCAGTTGCCAAAATCCAAGATGCAGATACCTTCGTTTATGAAAATGAAAACAT  
GGAAACATGGGTACCTAAATTGCTAGATACCTTTGGATAAGAAAAAAGTGAAAACCATCAAGGCGACAGG  
CGATATGTTGCTCTTGCCAGGTGGCGAGGAAGAAGAGGGAGACCATGACCATGGAGAAGAAGGTCATCA  
CCATGAGTTTGACCCCATGTTTGGTTATCACCAGTTTCGTGCCATTAACTAGTAGAGCACCATCCGGC  
ACACTTGTGAGCAGATTATCCTGATAAAAAAGAGACCTTTGAGAAGAAATGCAGCTGCCTATATCGAAAA  
ATTGCAAGCCTTGAGATAAGGCTTACGCAGAAGGTTTGTCTCAAGCAAAACAAAAGAGCTTTGTGACTCA  
ACACGCAGCCTTTAACTATCTTGCCTTGACTATGGGACTC

**SP065 amino acid (SEQ ID NO:108)**

SNQKQADGKLNIVTTFYPVYEFTKQVAGDTANVELLIGAGTEPHEYEPSAKAVAKIQDADTFVYENENM  
ETWVPKLLDLDKKVKVTIKATGDMLLLPGGEEEEGDHHDHGEEGHHHEFDPHVWLSPVRAIKLVEHHP  
HLSADYPDKKETFEKNAAAYIEKLQALDKAYAEGLSQAKQKSFVTQHAAFNYLALDYGT

**SP067 nucleotide (SEQ ID NO:109)**

TATCACAGGATCGAACGGTAAGACAACCAACGACTATGATTGGGGAAGTTTGTACTGCTGCTGGCCA  
ACATGGTCTTTTATCAGGGAATATCGGCTATCCAGCTAGTCAGGTGCTCAAATAGCATCAGATAAGGA  
CACGCTTGTATGGAACCTTCTTCTTTTCCAACCTCATGGGTGTTCAAGAATTCATCCAGAGATTGCGGT  
TATTACCAACCTCATGCCAACTCATATCGACTACCATGGGTCAATTTTCGGAATATGTAGCAGCCAAGTG  
GAATATCCAGAACAAGATGACAGCAGCTGATTTCCTTGTCTTGAACCTTTAATCAAGACTTGGCAAAAGA  
CTTGACTTCCAAGACAGAAGCCACTGTTGTACCATTTTCAACACTTGAAAAGGTTGATGGAGCTTATCT  
GGAAGATGGTCAACTCTACTTCCGTGGTGAAGTAGTCATGGCAGCGAATGAAATCGGTGTTCCAGGTAG  
CCACAATGTGGAAAATGCCCTTGCGACTATTGCTGTAGCCAAGCTTCGTGATGTGGACAATCAAAACCAT  
CAAGGAAACTCTTTCAGCCTTCGGTGGTGTCAAACACCGTCTCCAGTTTGTGGATGACATCAAGGGTGT  
TAAATTTCTATAACGACAGTAAATCAACTAATATCTTGGCTACTCAAAAAGCCTTGTGAGGATTTGACAA  
CAGCAAGGTGCTTGTATTGCAGGTGGTTTGGACCGTGGCAATGAGTTTGACGAATTGGTGCCAGACAT  
TACTGGACTCAAGAAGATGGTCATCTGGGTCAATCTGCAGAACGTGTCAAACGGGCAGCAGACAAGGC  
TGGTGTGCTTATGTGGAGGCGACAGATATTGCAGATGCGACCCGCAAGGCTATGAGCTTGCAGCTCA

Table 1

AGGAGATGTGGTTCTTCTTAGTCCTGCCAATGCTAGCTGGGATATGTATGCTAACTTTGAAGTACGTGG  
CGACCTCTTTATCGACACAGTAGCGGAGTTAAAGAA

**SP067 amino acid (SEQ ID NO:110)**

GITGSNGKTTTTTMMIGEVLTAAGQHGLLSGNIGYPASQVAQIASDKDTLVMELSSFQLMGVQEFHPEIA  
VITNLMPTHIDYHGSFSEYVAAKWNIONKMTAADFLVLNFNQDLAKDLTSKTEATVVPFSTLEKVDGAY  
LEDGQLYFRGEVVMMAANEIGVPGSHNVENALATIIVAKLRDQVNDQTIKETLSAFGGVKHRLQFVDDIKG  
VKFYNDKSTNIIATQKALSGFDNSKVLIAGGLDRGNEFDELVPDITGLKMMVILGQSAERVKRAADK  
AGVAYVEATDIADATRKAYELATQGDVLLSPANASWDMYANFEVRGDLFIDTVaelKE

**SP068 nucleotide (SEQ ID NO:111)**

AAGTTTCATCGAAGATGGTTGGGAAGTCCACTATATCGGGGACAAGTGTGGTATCGAACACCAAGAAATC  
CTTAAGTCAGGTTTGGATGTCACTTCCATTCTATTGCGACTGGAAAATTGCGTCTGCTATTTCTCTTGG  
CAAAATATGCTGGACGCTCTTCAAAGTTGGTTGGGGAATTGTCCAATCGCTCTTTATCATGTTGCGACTG  
CGTCCACAGACCCCTTTTTTCAAAGGGGGGCTTTGTCTCAGTACCGCTGTATCGCTGCGCGTGTGTCA  
GGAGTGCCTGTCTTTATTCAGCAATCTGACCTGTCTATGGGCTTGGCCAATAAAATCGCCTATAAAATTT  
GCGACTAAGATGTATTCAACCTTTGAACAAGCTTCGAGTTTGGCTAAGGTTGAGCATGTGGGAGCGG

**SP068 amino acid (SEQ ID NO:112)**

SSSKMVGKSTISGTSVVSNTKKSLSQVWMSPIILLRLENCVAISLGKICWTSSKLVGELSNRSLSCDDC  
VHRPFFQRGALSQYRLLSLRVCQECLSLFTNLTLCLWAWPIKSPINLRLRCIQPLNKLRLVWLRSLSMWER

**SP069 nucleotide (SEQ ID NO:113)**

ATCGCTAGCTAGTGAAATGCAAGAAAGTACACGTAAATTCAAGGTTACTGCTGACCTAACAGATGCCGG  
TGTTGGAACGATTGAAGTTCTTTGAGCATTGAAGATTTACCCAATGGGCTGACCGCTGTGGCGACTCC  
GCAAAAAATTACAGTCAAGATTGGTAAGAAGGCTCAGAAGGATAAGGTAAAGATTGTACCAGAGATTGA  
CCCTAGTCAAATTGATAGTCCGGTACAAATTGAAATGTATGGTGTCTAGATAAAGAAGTGTCTATTAC  
GAGTGACCAAGAGACATTGGATAGAATTGATAAGATTATCGCTGTTTTGCCAACTAGCGAACGTATAAC  
AGGTAATTACAGTGGTTCAATACCTTTGCGAGGCAATCGACCGCAATGGTGTGTCTTACCGGCAGTTAT  
CACTCCGTTTGTATACAAATAATGAAGGTGACTACAAAACCAAGTAGCACCAAGTTCAAGCACATCAAATTC  
AAGTACAAGCAGTTTATCGGAGACATCTTCGTCAACGAAAGCAACTAGTTCAAAAACGAAT

**SP069 amino acid (SEQ ID NO:114)**

SLASEMQESTRKFKVTADLTDAVGVTIEVPLSIEDLPNGLTAVATPQKITVKIGKKAQKDKVKIVPEID  
PSQIDSRVQIENVMSVDEKVSITSDQETLDRIDKIIAVLPTSERITGNYSGSVPLQAI DRNGVVLPAVI  
TPFDTIMKVTTKPVAPSSSTSNSSSTSSSETSSSTKATSSKTN

**SP070 nucleotide (SEQ ID NO:115)**

GCACCAGATGGGGCACAAGGTTTCAGGGATCAGATGTTGAAAAGTACTACTTTACCCAACGCGGTCTTGA  
GCAGGCAGGAATTACCATCTTCTCTTTGATGAAAAAATCTAGACGGTGATATGGAAATTATCGCTGG  
AAATGCCTTTTCGTCCAGATAACAACGTCGAAATTGCCTATGCGGACCAAAATGGTATCAGCTACAAACG  
TTACCATGAGTTTCTAGGTAGCTTTATGCGTGACTTTGTTAGCATGGGAGTAGCAGGAGCACATGGAAA  
AACTTCAACGACAGGTATGTTGTCTCATGTCTTGTCTCACATTACAGATACCAGCTTCTTGATTGGAGA  
TGGGACAGGTTCGTGGTTTCGGCCAATGCCAAATATTTGTCTTTGAATCTGACGAATATGAGCGTCACTT  
CATGCTCTTACCACCCAGAACTACTCTATTATCACCAACATTGACTTTGACCATCCAGATTATTTACAAG  
TCTCGAGGATGTTTTTAATGCCTTTAACGACTATGCCAAACAAATCACCAGGGTCTTTTTGTCTATGG  
TGAAGATGCTGAATTGCGTAAGATTACGTCTGATGCACCAATTTATTATTATGGTTTTGAAGCTGAAGG  
CAATGACTTTGTAGCTAGTGATCTTCTTCGTTCAATAACTGGTTCAACCTTCACCGTTCATTTCCGTGG  
ACAAAACCTTGGGGCAATTCCACATTCCAACCTTTGGTTCGTACAATATCATGAATGCGACAGCCGTTAT  
TGGTCTTCTTTACACAGCAGGATTTGATTTGAACTTGGTTCGTGAGCACTTGAAAACATTTGCCGGTGT  
TAAACGTCGTTTCACTGAGAAAATTGTCAATGATACAGTGATTATCGATGACTTTGCCCACCATCCAAC  
AGAAATTATTGCGACCTTGGATGCGGCTCGTCAGAAATACCCAAGCAAGGAAATTGTAGCAGTCTTTCA  
ACCGCATACCTTTACAAGAACCATTGCCTTGTGGACGACTTTGCCCATGCTTTAAACCAAGCAGATGC  
TGTTTATCTAGCGCAAAATTATGGCTCGGCTCGTGAAGTAGATCATGGTGACGTTAAGGTAGAAGACCT  
AGCCAACAAAAATCAACAAAAAACCAAGTGATTACTGTTGAAAATGTTTCTCCACTCCTAGACCATGA  
CAATGCTGTTTACGTCTTTATGGGAGCAGGAGACATCCAAACCTATGAATACTCATTTGAGCGTCTCTT  
GTCTAACTTGACAAGCAATGTTCAA

Table 1

**SP070 amino acid (SEQ ID NO:116)**

HQMGHKVQGS DVEKYFTQ RGLAQAGITILPFDEKNLDGMEIIAGNAFRPDNNVEIAYADQNGISYKR  
YHEFLGSFMRDFVSMGVAGAHGKTSITGMLSHVLSHITDTSFLIGDGTGRGSANAKYFVFESDEYERHF  
MPYHPEYSIIITNIDFDHPDYFTSLEDVFNAFNDYAKQITKGLFVYGEDAELRKITSDAPIIYYGFEEAG  
NDFVASDLLRSITGSTFTVHFRGQNLGQFHIPTFGRHNIMNATAVIGLLYTAGFDLNLVREHLKTFAGV  
KRRFTEKIVNDTVIIDFAHHPTEI IATLDAARQKYP SK EIVAVFQPHTFTRTIALLDDFAHALNQADA  
VYLAQIYGSAREVDHGDVKVEDLANKINKKHQVITVENVSPLLDHDNAVYVFMGAGDIQTYEYSFERLL  
SNLTSNVQ

**SP071 nucleotide (SEQ ID NO:117)**

TTTAAACCAACTGTTGGTACTTTCCTTTTACTGCAGGATTGAGCTTGTAGTTTTATTGGTTTCTAA  
AAGGGAATAATGGAAAGAACGACTTGTTCATTTTCTGCTGTGACTAGCATGGGAGTTCAATTGTTGCC  
GGCCAGTGCCTTTGGGTTGACCAGCCAGATTTTATCTGCCCTATAATAGTCAGCTTCTATCGGAGTCGG  
GGAACATTTACCAGAGCCTCTGAAAATCGAAGGTTATCAATATATTGGTTATATCAAACTAAGAAACA  
GGATAATACAGAGCTTTCAAGGACAGTTGATGGGAAATACTCTGCTCAAAGAGATAGTCAACCAAACCTC  
TACAAAAACATCAGATGTAGTTCATTAGCTGATTTAGAATGGAACCAAGGACAGGGGAAGGTTAGTTT  
ACAAGGTGAAGCATCAGGGGATGATGGAAGCTTTCAGAAAAATCTTCTATAGCAGCAGACAATCTATCTTC  
TAATGATTTCATTCGAAGTCAAGTTGAGCAGAATCCGGATCACAAAGGAGAATCTGTAGTTCGACCAAC  
AGTGCCAGAACAAAGAAATCCTGTGTCTGCTACAACGGTGCAGAGTGCGGAAGAGGAAGTATTGGCGAC  
GACAAATGATCGACAGAGTATAAACTTCCATTGGAAACCAAAGGCACGCAAGAACCCTGTCATGAGGG  
TGAAAGCCGCGAGTCCGTGAAGACTTACCAGTCTACACTAAGCCACTAGAAACCAAAGGTACACAAGGACC  
CGGACATGAAGGTGAAGCTGCAGTTTCGCGAGGAAGAACCAGCTTACACAGAACCGTTAGCAACGAAAGG  
CACGCAAGAGCCAGGTCATGAGGGCAAAGCTACAGTCCGCGAAGAGACTCTAGAGTACACGGAACCGGT  
AGCGACAAAAGGCACACAAGAACCAGCAATGAGGGCGAaCGGsCAGTAGAAGAAGAACTTCCGGCTTT  
AGAGGTCACTACACGAAATAGAACGGAAATCCAGAAATATTCCTTATACACAGAAGAAATTCAGGATCC  
AACACTTCTGAAAAATCGTCGTAAGATTGAACGACAAGGGCAAGCAGGGACACGTACAATTCATATGA  
AGACTACATCGTAAATGGTAATGTCGTAGAACTTAAAGAAGTGTACGAACTGAAGTAGCTCCGGTCAA  
CGAAGTCGTTAAAGTAGGAACACTTGTGAAAGTTAAACCTACAGTAGAAATTACAACTTAAACAAAGT  
TGAGAAACAAAAATCTATAACTGTAAGTTATAACTTAATAGACACTACCTCAGCATATGTTTCTGCAAA  
AACGCAAGTTTTCATGAGAGACAAGCTAGTTAAAGAGGTGGATATAGAAAATCCTGCCAAAGAGCAAGT  
AATATCAGGTTTATAGATTACTACACACCGTATACAGTTAAAACACACCTAATCTATAATTTGGGTGAAAA  
TAATGAGGAAAAATCTGAAACATCAACTCAAGATTTCCTAATTAGAGTATAAGAAAAATAGAGATTAAAGA  
TATTGATTTCAGTAGAATTATACGGTAAAGAAAAATGATCGTTATCGTAGATATTTAAGTCTAAGTGAAGC  
GCCGACTGATACGGCTAAATACTTTGTAAAAGTGAAATCAGATCGCTTCAAAGAAATGTACCTACCTGT  
AAAATCTATTACAGAAAATACGGATGGAAACGTATAAAGTGACGGTAGCCGTTGATCAACTTGTGCGAAGA  
AGGTACAGACGGTTACAAAGATGATTACACATTTACTGTAGCTAAATCTAAAGCAGAGCAACCAGGAGT  
TTACACATCCTTTAAACAGCTGGTAACAGCCATGCAAGCAATCTGTCTGGTGTCTATACATTGGCTTC  
AGATATGACCGCAGATGAGGTGAGCTTAGGCGATAAGCAGACAAGTTATCTACAGGTGCATTTACAGG  
GAGCTTGATCGGTTCTGATGGAACAAAATCGTATGCCATTTATGATTTGAAGAAACCATTTATTTGATAC  
ATTAATAGGTGCTACAGTTAGAGATTTGGATATTAAAACTGTTTCTGCTGATAGTAAAGAAAAATGTCCG  
AGCGCTGGCGAAGGCAGCGAATAGCGCGAATATTAATAATGTTGCAGTAGAAGGAAAAATCTCAGGTGC  
GAAATCTGTTGCGGGATTAGTAGCGAGCGCAACAAATACAGTGATAGAAAACAGCTCGTTTACAGGGAA  
ACTTATCGCAAATCACCAGGACAGTAATAAAATGATACTGGAGGAATAGTAGGTAATATAACAGGAAA  
TAGTTCCGAGAGTTAATAAAGTTAGGGTAGATGCCCTTAATCTCTACTAATGCACGCAATAATAACCAAC  
AGCTGGAGGGATAGTAGGTAGATTAGAAAATGGTGCATTGATATCTAATTCGGTTGCTACTGGAGAAAT  
ACGAAATGGTCAAGGATATTCTAGAGTCGGAGGAATAGTAGGATCTACGTGGCAAAACGGTCGAGTAAA  
TAATGTTGTGAGTAACGTAGATGTTGGAGATGGTTATGTTATCACCGGTGATCAATACGCAGCAGCAGA  
TGTGAAAAATGCAAGTACATCAGTTGATAATAGAAAAGCAGACAGATTTCGCTACAAAATTTATCAAAAGA  
CCAAATAGACGCGAAAGTTGCTGATTATGGAATCACAGTAACCTTTGATGATACTGGGCAAGATTTAAA  
ACGTAATCTAAGAGAAGTTGATTATACAAGACTAAATAAAGCAGAAGCTGAAAGAAAAGTAGCTTATAG  
CAACATAGAAAAACTGATGCCATTTCTACAATAAAGACCTAGTAGTTCACTATGGTAACAAAGTAGCCGAC  
AACAGATAAACTTTACACTACAGAAATGTTAGATGTTGTGCGGATGAAAGATGATGAAGTAGTAACGGA  
TATTAATAATAAGAAAAATTCATAAAATAAAGTTATGTTACATTTCAAAGATAATACAGTAGAATACCT  
AGATGTAACATTTCAAAGAAAACTTCATAAACAGTCAAGTAATCGAATACAATGTTACAGGAAAAGAATA  
TATATTACACACCAGAAGCATTTGTTTCAGACTATACAGCGATAACGAATAACGTACTAAGCGACTTGCA  
AAATGTAACACTTAAC

**SP071 amino acid (SEQ ID NO:118)**

Table 1

FNPTVGTFLFTAGLSLLVLLVSKRENGKKRLVHFLLLTSMGVQLLPASAFGLTSQILSAYNSQLSIGVG  
 EHLPEPLKIEGYQYIGYIKTKKQDNTELSRTVDGKYSQORDSQPNSTKTSDDVHSADLEWNQGGKVS  
 QGEASGDDGLSEKSSIAADNLSSNDSFASQVEQNPDKGESVVRPTVPEQGNPVSATTVQSAEEV  
 LAT TNDREYKLPLETKGTQEPGHEGEAAVREDLPVYTKPLETKGTQPGHEGEAAVREEEPAYTEPLATKG  
 TQEPGHEGKATVREETLEYTEPVATKGTQEPHEGERXVEEELPALEVTTNRNTEIQNIPYTTEEIQDP  
 TLLKNRRKIERQGGAGTRTIQYEDYIVNGNVVETKEVSRTVAPVNEVVKVGTLVKVKPTVEITNLTKV  
 ENKKSITVSYNLIDTTSAYVSAKTQVFHGDKLVEVDIENPAKEQVISGLDYTPYTVKTHLTYNLGEN  
 NEENTETSTQDFQLEYKKIEIKDIDSVELYKGENDRYRRYLSLSEAPDTAKYFVKVKSDFRKFEMYL  
 PV KSENTENDGTGYKTVAVDQVVEEGTDGYKDDYFTFAKSKAEQPGVYTSFKQLVTAMQSNLSGVYTLAS  
 DMTADEVSLGDKQTSYLTGAFTGSLIGSDGTSYAIYDLKKPLFDTLNGATVRDLDIKTVSADSKENVA  
 ALAKAANSANINNVAVEGKISGAKSVAGLVASATNTVIENSSFTGKLIANHQDSNKNNDTGGIVGNITGN  
 SSRVNVKVRVDALISTNARNNNQTAGGIVGRLENGALISNSVATGEIRNGQYSRVGGIVGSTWQNGRVN  
 NVVSNVDVGDGYVITGDQYAAADVKNASTSVDNRKADRFATKLSKDQIDAKVADYGITVTLDDTGQDLK  
 RNLREVDTYTRLNKAEAEKVAYSNIEKLMFPYKNDLVHYGNKVATTDKLYTTELLDVVPMKDDEVTD  
 INNKKNSINKVMLHFKDNTVEYLDVTFKENFINSQVIEYNVTGKEYIFTPEAFVSDYTAITNNVLSDLQ  
 NVTLLN

**SP072 nucleotide (SEQ ID NO:119)**

TTTTAACCCAACTGTTGGTACTTTCCTTTTACTGTCAGGATTGAGCTTGTAGTTTTATTGGTTTCTAA  
 AAGGGAAAATGGAAGAAACGACTTGTTCATTTCTGCTGTTGACTAGCATGGGAGTTCAATTGTTGCC  
 GGCCAGTGCTTTTGGGTTGACCAGCCAGATTATCTGCTTATAATAGTCAGCTTCTATCGGAGTCGG  
 GGAACATTTACCAGAGCCTCTGAAAATCGAAGGTTATCAATATATTGGTTATATCAAACTAAGAAACA  
 GGATAATACAGAGCTTCAAGGACAGTTGATGGGAAATACTCTGCTCAAAGAGATAGTCAACCAAACCTC  
 TACAAAACATCAGATGTAGTTCATTCAGCTGATTTAGAATGGAACCAAGGACAGGGGAAGGTTAGTTT  
 ACAAGGTGAAGCATCAGGGGATGATGGACTTTCAGAAAAATCTTCTATAGCAGCAGACAATCTATCTTC  
 TAATGATTCATTTCGCAAGTCAAGTTGAGCAGAATCCGGATCACAAAGGAGAATCTGTAGTTTCGACCAAC  
 AGTGCCAGAACAAAGGAAATCCTGTGTCTGCTACAACGGTGCAGAGTGCAGGAAGAGGAAGTATGGCGAC  
 GACAAATGATCGACCAGAGTATAAACTTCCATTGGAACCAAGGACGCAAGAACCCGGTCATGAGGG  
 TGAAGCCGCGAGTCGGTGAAGACTTACCAGTCTACACTAAGCCACTAGAAACCAAGGTACACAAGGACC  
 CGGACATGAAGGTGAAGCTGCAGTTCCGCGAGGAAGAACCAGCTTACACAGAACCCTAGCAACGAAAGG  
 CACGCAAGAGCCAGGTATGAGGGCAAAGCTACAGTCCGCGAAGAGACTCTAGAGTACACGGAACCCGGT  
 AGCGACAAAAGGCACACAAGAACCAGCAATGAGGGCGAaCGGsCAGTAGAAGAAGAACTTCCGGCTTT  
 AGAGGTCACTACACGAAATAGAACGGAATCCAGAATATTCCTTATACAACAGAAGAAATTCAGGATCC  
 AACACTTCTGAAAAATCGTCGTAAGATTGAACGACAAGGGCAAGCAGGGACACGTACAATTCAATATGA  
 AGACTACATCGTAAATGGTAATGTCTGTAGAACTAAAGAAGTGTACGAACTGAAGTAGCTCCGGTCAA  
 CGAAGTCGTTAAAGTAGGAACACTTGTGAAAGTTAAACCTACAGTAGAAATTACAACTTAACAAAAGT  
 TGAGACAAAAGAAATCTATAACTGTAAAGTTATAACTTAATAGACACTACCTCAGCATATGTTTCTGCAA  
 AAGCAAGTTTTCCATGGAGACAAGCTAGTTAAAGAGGTGGATATAGAAAATCTGCAAGAGCAAGT  
 AATATCAGGTTTAGATTACTACACACCGTATACAGTTAAACACACCTAACTTATAATTTGGGTGAAAA  
 TAATGAGGAAAATACTGAAACATCAACTCAAGATTTCATTAAGATATAAGAAAATAGAGATTAAAGA  
 TATTGATTCAGTAGAATTATACGTTAAAGAAAATGATCGTTATCGTAGA

**SP072 amino acid (SEQ ID NO:120)**

FNPTVGTFLFTAGLSLLVLLVSKRENGKKRLVHFLLLTSMGVQLLPASAFGLTSQILSAYNSQLSIGVG  
 EHLPEPLKIEGYQYIGYIKTKKQDNTELSRTVDGKYSQORDSQPNSTKTSDDVHSADLEWNQGGKVS  
 QGEASGDDGLSEKSSIAADNLSSNDSFASQVEQNPDKGESVVRPTVPEQGNPVSATTVQSAEEV  
 LAT TNDREYKLPLETKGTQEPGHEGEAAVREDLPVYTKPLETKGTQPGHEGEAAVREEEPAYTEPLATKG  
 TQEPGHEGKATVREETLEYTEPVATKGTQEPHEGERXVEEELPALEVTTNRNTEIQNIPYTTEEIQDP  
 TLLKNRRKIERQGGAGTRTIQYEDYIVNGNVVETKEVSRTVAPVNEVVKVGTLVKVKPTVEITNLTKV  
 ENKKSITVSYNLIDTTSAYVSAKTQVFHGDKLVEVDIENPAKEQVISGLDYTPYTVKTHLTYNLGEN  
 NEENTETSTQDFQLEYKKIEIKDIDSVELYKGENDRYRR

**SP073 nucleotide (SEQ ID NO:121)**

TCGTAGATATTTAAGTCTAAGTGAAGCGCCGACTGATACGGCTAAATACTTTGTAAAAGTGAAATCAGA  
 TCGCTTCAAAGAAATGTACCTACCTGTAAATCTATTACAGAAAATACGGATGGAACGTATAAAGTGAC  
 GGTAGCCGTTGATCAACTTGTGCAAGAAGGTACAGACGGTTACAAAGATGATTACACATTTACTGTAGC  
 TAAATCTAAAGCAGAGCAACCAGGAGTTACACATCTTTAAACAGCTGGTAACAGCCATGCAAAGCAA  
 TCTGTCTGGTGTCTATACATTGGCTTCAGATATGACCGCAGATGAGGTGAGCTTAGGCGATAAGCAGAC

Table 1

AAGTTATCTCACAGGTGCATTTACAGGGAGCTTGATCGGTTCTGATGGAACAAAATCGTATGCCATTTA  
TGATTTGAAGAAACCATTATTTGATACATTAAATGGTGCTACAGTTAGAGATTTGGATATTAAAACGTG  
TTCTGCTGATAGTAAAGAAAATGTCGACGCGCTGGCGAAGGCAGCGAATAGCGCGAATATTAATAATGT  
TGCAGTAGAAGGAAAAATCTCAGGTGCGAAAATCTGTTGCGGGATTAGTAGCGAGCGCAACAAATACAGT  
GATAGAAAACAGCTCGTTTACAGGGAACTTATCGCAAATCACCAGGACAGTAATAAAAATGATACTGG  
AGGAATAGTAGGTAATATAACAGGAAATAGTTCGAGAGTTAATAAAGTTAGGGTAGATGCCTTAATCTC  
TACTAATGCACGCAATAATAACCAAACAGCTGGAGGGATAGTAGGTAGATTAGAAAATGGTGCATTGAT  
ATCTAATTCCGTTGCTACTGAGAGAAATACGAAATGGTCAAGGATATTCTAGAGTCGGAGGAATAGTAGG  
ATCTACGTGGCAAAACGGTCGAGTAAATAATGTTGTGAGTAACGTAGATGTTGGAGATGGTTATGTTAT  
CACCAGGTGATCAATACGCAGCAGCAGATGTGAAAAATGCAAGTACATCAGTTGATAATAGAAAAGCAGA  
CAGATTCCGTACAAAATTTACAAAAGACCAAATAGACGCGAAAGTTGCTGATTATGGAATCAGTAAC  
TCTTGATGATACTGGGCAAGATTTAAACGTAATCTAAGAGAAGTTGATTATACAAGACTAAATAAAGC  
AGAAGCTGAAAGAAAAGTAGCTTATAGCAACATAGAAAAACTGATGCCATTCTACAATAAAGACCTAGT  
AGTTCACTATGGTAACAAAGTAGCGACAACAGATAAACTTTACACTACAGAATTGTTAGATGTTGTGCC  
GATGAAAGATGATGAAGTAGTAACGGATATTAATAATAAGAAAAATTCAATAAATAAAGTTATGTTACA  
TTTCAAAGATAATACAGTAGAATACCTAGATGTAACATTCAAAGAAAACCTTCATAACAGTCAAGTAAT  
CGAATACAATGTACAGGAAAAGAATATATATTACACCAGAAGCATTGTTTCAGACTATACAGCGAT  
AACGAATAACGTACTAAGCGACTTGCAAAATGTAACACTTAAC

**SP073 amino acid (SEQ ID NO:122)**

RRYLSLSEAPDITAKYFVKVKSDFKEMYLPVKSITENTDGTYKVTVAVDQLVEEGTDGYKDDYTFVTA  
KSKAEQPGVYTSFKQLVTAMQSNLSGVYTLASDMTAEVSLGDKQTSYLTGAFGLIGSDGTSYAIY  
DLKKPLFDLTNGATVRDLDIKTVSADSKENVAALAKAANSANINNVAVEGKISGAKSVAGLVASATNTV  
IENSSTFKGLIANHQDSNKNDTGIVGNITGNSSRVNKRVDALISTNARNNNQTAGGIVGRLENGALI  
SNSVATGEIRNGQGYSRVGGIVGSTWQNGRVNNVSNVDVGDGYVITGDQYAAADVKNASTSVDNRKAD  
RFATKLSKDQIDAKVADYGITVTLDDTGQDLKRNLEVDYTRLNKAERKVAYSNIEKLMFPYFNKDLV  
VHYGNKVATTDKLYTTELLDVVPMKDDVVDINNNKNSINKVMLHFKDNTVEYLDVTFKENFINSQVI  
EYNVTGKEYIFTPEAFVSDYTAITNNVLSDLQNVTLN

**SP074 nucleotide (SEQ ID NO:123)**

CTTTGGTTTTGAAGGAAGTAAGCGTGGACAATTTGCTGTAGAAGGAATCAATCAACTTCGTGAGCATGT  
AGACACTCTATTGATTATCTCAAACAACAATTTGCTTGAAATTTGTGATAAGAAAACACCGCTTTTGGGA  
GGCTCTTAGCGAAGCGGATAACGTTCTTCGTCAAGGTGTTCAAGGGATTACCGATTTGATTACCAATCC  
AGGATTGATTAACTTTGACTTTGCCGATGTGAAAACCGTAATGGCAAACAAAGGGAATGCCTTATGGG  
TATTGGTATCGGTAGTGGAGAAGAACGTGTGGTAGAAGCGGCACGTAAGGCAATCTATTACCACTTCT  
TGAAACAACATATTGACGGTGCTGAGGATGTTATCGTCAACGTTACTGGTGGTCTTGACTTAACCTTGAT  
TGAGGCAGAAAGAGGCTTCACAAATTGTGAACGAGCAGGTCAGGAGTGAACATCTGGCTCGGTAC  
TTCAATTGATGAAAGTATGCGTGATGAAATTCGTGTAACAGTTGTTGCAACGGGTGTTTCGTCAGACCG  
CGTAGAAAAGGTTGTGGCTCCACAAGCTAGATCTGCTACTAACTACCGTGAGACAGTGAACACAGCTCA  
TTCACATGGCTTTGATCGTCATTTTGATATGGCAGAAACAGTTGAATTGCCAAAACAAAATCCACGTCTG  
TTTGGAAACCAACTCAGGCATCTGCTTTTGGTGATTGGGATCTTCGCCGTGAATCGATTGTTTCGTACAAC  
AGATTTCAGTCGTTTCTCCAGTCGAGCGCTTTGAAGCCCCAATTTCAACAAGATGAAGATGAATTGGATAC  
ACCTCCATTTTCAAAAATCGT

**SP074 amino acid (SEQ ID NO:124)**

FGFEGSKRGQFAVEGINQLREHVDLLIISNNLLEIVDKKTPLEALSEADNVLRQGVQGITDLITNP  
GLINLDFADVKTVMANKGNALMGIGIGSGEERVVEARKAIYSPLETTIDGAEDVIVNVTGGDLTLI  
EAEASQIVNQAGQGVNIWLGTSIDESMRDEIRVTVVATGVRQDRVEKVVAPQARSATNYRETVKPAH  
SHGFDRHFDMAETVELPKQNPRLLEPTQASAFGDWDLRRESIVRTTDSVVSVERFEAPISQDEDELDT  
PPFFKNR

**SP075 nucleotide (SEQ ID NO:125)**

CTACTACCTCTCGAGAGAAAGTGACCTAGAGGTGACCGTTTTTTGACCATGAGCAAGGTCAAGCCACCAA  
GGCCGCAGCAGGAATTATCAGTCCTTGGTTTTTCCAAACGCCGTAATAAAGCCTGGTACAAGATGGCGCG  
CTTGGGGGCTGATTTTTATGTGGATTTATAGCTGATTTAGAGAAATCAGGACAAGAAATCGACTTTTA  
CCAGCGTTCCGGGAGTCTTTCTCTGAAAAAGGATGAATCCAATTTGGAAGAACTTTATCAACTGGCCCT  
CCAGCGCAGAGAAGAAATCTCCCTTGATAGGGCAATTAGCCATTCTGAACCAAGCCTCAGCTAATGAATT  
ATTCCCTGGTTTGCAGGGATTGACCGCTGCTCTATGCTTCTGGTGGAGCGAGAGTAGATGGCCAACT

Table 1

TTTAGTGACTCGTTTGTCTGGAAGTCAGTCATGTCAAGCTGGTCAAAGAAAAAGTGA CTCTGACACCGTT  
AGCATCAGGCTACCAGATTGGTGAAGAGGAGTTTGTAGCAGGTTATTTTGGCGACGGGAGCTTGGTTGGG  
GGACATGTTAGAGCCTTTAGGTTATGAAGTGGATGTCCGTCCTCAAAAAGGACAAC TACGAGATTATCA  
GCTTGCCCAAGACATGGAAGATTACCTGTGTGTCATGCCAGAAGGGGAGTGGGATTGATTCCCTTTGTC  
AGGTGGGAAATTATCCTTAGGCGCTACCCACGAAAATGACATGGGATTGATTGACCGTAGATGAAAC  
CTTGCTCCAACAAATGGAGGAGGCCACCTTGACTCACTATCTGATTTTGGCTGAAGCTACTTCAAAATC  
TGAGCGTGTGGAATCCGTGCCTACACCAGTGATTTCTCTCCTTTCTTTGGGCAGGTGCCTGACTTAAC  
TGGTGTCTATGCAGCCAGTGGACTAGGTTTCATCAGGCCTCACAACTGGTCTTATCATTTGGTTACCATCT  
AGCCCAACTGATCCAAGACAAGGAGTTGACCTTGGACCCTCTAAATTACCCAATTGAAAAC TATGTCAA  
ACGAGTAAAAAGCGAA

**SP075 amino acid (SEQ ID NO:126)**

YYLSRES DLEVTVFDHEQQQATKAAAGIISPWF SKRRNKAWYKMARLGADFYVDLLADLEKSGQEIDFY  
QRSGVFLKKKDESNLEELYQLALQRREESPLIGQLAILNQASANELFPGLQGFDRLLYASGGARVDGQL  
LVTRLLEVSHVKLVKEKVTLTPLASGYQIGEEFEQVILATGAWLGDMLEPLGYEVDVRPQKGQLRDYQ  
LAQDMEDYPVVMPEGEWDLIPFAGGKLSLGATHENDMGFDLTVDETLLQME EATLTHYLILAEATSKS  
ERVGIRAYTSDFSPPFFGQVPDLTG VYAASGLSSGLTTGPIIGYHLAQLIQDKELTLDPLNYP IENYVK  
RVKSE

**SP076 nucleotide (SEQ ID NO:127)**

TAAGGTCAAAAGTCAGACCGCTAAGAAAGTGCTAGAAAAGATTGGAGCTGACTCGGTTATCTCGCCAGA  
GTATGAAATGGGGCAGTCTCTAGCACAGACCATTCTTTCCATAATAGTGTGATGTCTTTCAGTTGGA  
TAAAAATGTGTCTATCGTGGAGATGAAAATTCCTCAGTCTTGGGCAGGTCAAAGCTGAGTAAATTAGA  
CCTCCGTGGCAAATACAATCTGAATATTTTGGGTTTCCGAGAGCAGGAAAATTC CCCCATTGGATGTTGA  
ATTTGGACCAGATGACCTCTTGAAAGCAGATACCTATATTTTGGCAGTCATCAACAACCAGTATTTGGA  
TACCCTA

**SP076 amino acid (SEQ ID NO:128)**

KVKSQTAKKVLEKIGADSVISPEYEMQSLAQ TILFHNSVDV FQLDKNVSI VEMKIPQSWAGQSLSKLD  
LRGKYNLNLGFRQENSPLDVEFGPDLLKADTYILAVINNQYLDTL

**SP077 nucleotide (SEQ ID NO:129)**

TGACGGGTCTCAGGATCAGACTCAGGAAATCGCTGAGTGT TTAGCTAGCAAGTATCCTAATATCGTTAG  
AGCCATCTATCAGGAAAATAAATGCCATGGCGGTGCGGTCAATCGTGGCTTGGTAGAGGCTTCTGGGCG  
CTATTTTAAAGTACTTGACAGTGATGACTGGGTGGATCCTCGTGCCTACTTGAAAATTC TTGAAACTTG  
CAGGAACCTTGAGAGCAAAGGTCAAGAGGTGGATGTCTTTG

**SP077 amino acid (SEQ ID NO:130)**

DGSQDQTQEIACLASKYPNIVRAIYQENKCHG GAVNRGLVEASGRYFKVVDSDDWVDPRAYLKILETC  
RNLRAKVKRWMSL

**SP078 nucleotide (SEQ ID NO:131)**

TAGAGGCTTTGCCAAATGGTGGGAAGGGCACGAGCGTCGAAAAGAGGAACGCTTTGTCAAACAAGAAGA  
AAAAGCTCGCCAAAAGGCTGAGAAAGAGGCTAGATTAGAACAAGAAGAGACTGAAAAAGCCTTACTCGA  
TTTGCCCTCCTGTTGATATGGAACGGGTGAAATTCTGACAGAGGAAGCTGTTCAAAATCTTCCACCTAT  
TCCAGAAGAAAAGTGGGTGGAAC CAGAAATCATCCTGCCTCAAGCTGAAC TAAATTCCTGAAACAGGA  
AGATGACTCAGATGACGAAGATGTT CAGGTGATTTTTCAGCCAAAGAAGCCCTTGAATACAAACTTCC  
AAGCTTACAACCTTTTGCAACCAGATAAACCAAAGATCAGTCTAAAGAGAAGAAAATTGTCAGAGAAAA  
TATCAAAATCTTAGAAGCAACCTTTGCTAGCTTTGGTATTAAAGGTAACAGTTGAACGGGCCGAAATTGG  
GCCATCAGTGACCAAGTATGAAGTCAAGCCGGCTGTTGGTGTAAGGGTCAACCCGATTTCCAATCTATC  
AGATGACCTCGCTCTAGCCTTGGCTGCCAAAGATGTCCGGATTGAAGCACC AATCCCTGGGAAATCCCT  
AATCGGAATTGAAGTGCCCAACTCCGATATTGCCACTGTATCTTTCCGAGAACTATGGGAACAATCGCA  
AACGAAAGCAGAAAAATTTCTTGGAATTCCTTTAGGGAAGGCTGTTAATGGAACCGCAAGAGCTTTTGA  
CCTTTCTAAAATGCCCACTTGCTAGTTGCAGGTTCAACGGGTT CAGGGAAGTCAGTAGCAGTTAACGG  
CATTATTGCTAGCATCTCTCATGAAGCGAGACCAGATCAAGTTAAATTTATGATGGTGCATCCCAAGAT  
GGTTGAGTTATCTGTTTACAATGATATTC CCCCACCTCTTGATTCCAGTCGTGACCAATCCACGCAAAGC  
CAGCAAGGCTCTGCAAAGGTTGTGGATGAAATGGA AAAACCGTTATGAAC TCTTTGCCAAGGTGGGAGT  
TCGGAATATTGCAGGTTTAAATGCCAAGGTAGAAGAGTTCAATTCC CAGTCTGAGTACAAGCAAATTC

Table 1

GCTACCATTTCATTGTCGTGATTGTGGATGAGTTGGCTGACCTCATGATGGTGGCCAGCAAGGAAGTGGGA  
 AGATGCTATCATCCGCTCTGGGCAGAAAGGCGCGTGCAGGTATCCACATGATTCTTGCAACTCAGCG  
 TCCATCTGTTGATGTCATCTCTGGTTTGATTAAAGGCCAATGTTCCATCTCGTGTAGCATTTGCGGTTTC  
 ATCAGGAACAGACTCCCGTACGATTTTGGATGAAAAATGGAGCAGAAAAAATCTTGGTCGAGGAGACAT  
 GCTCTTTAAACCGATTGATGAAAAATCATCCAGTTCGTCTCCAAGGCTCCTTTATCTCGGATGACGATGT  
 TGAGCGCATTGTGAACCTCATCAAGACTCAGGCAGATGCAGACTACGATGAGAGTTTGTATCCAGGTGA  
 GGTTCCTGAAAAATGAAGGAGAAATTTTCGGATGGAGATGCTGGTGGTGTATCCGCTTTTGAAGAAGCTAA  
 GTCTTTGGTTATCGAAACACAGAAAGCCAGTGCCTCTATGATTACGCGTCGTTTATCAGTTGGATTAA  
 CCGTGCGACCCGCTCTCATGGAAGAACTGGAGATAGCAGGTGTCATCGGTCCAGCTGAAGGTACCAAACC  
 TCGAAAAAGTGTTACAACAA

**SP078 amino acid (SEQ ID NO:132)**

RGFAKWEGHERRKEERFVKQEEKARQKAEKEARLEQEETKALLDLPPVDMETGEILTEEAVQNLPPI  
 PEEKWVEPEIILPQAEKLFPEQEDDSDDDEVQVDFSAKEALEYKLPSLQLFAPDKPKDQSKEKKIVREN  
 IKILEATFASFGIKVTVRAEIGPSVTKYEVKPAVGVRVNRISNLSDDLALALAAKDVRIEAPIPGKSL  
 IGIEVPSNDIATVSFRELWEQSQTAEENFLEIPLGKAVNGTARAFDLSKMPHLLVAGSTGSGKSVAVNG  
 IIASILMKARPDPQVKFMMVDPKMWELSVYNDI PHLLIPVVTNPRKASKALQKVVDENRYELFAKGVV  
 RNIAGFNAKVEEFNSQSEYKQIPLPFIVVIVDELADLMMVASKEVEDAIIRLGQKARAAGIHMILATQR  
 PSVDVISGLIKANVPSRFAVAVSSGTSRITLDENGAEKLLGRGDMFLFKPIDENHPVRLQGSFISDDDV  
 ERIVNFIKTQADADYDESFDPEVSENEGEFSDGDAGGDPLEFEAKSLVIETQKASASMIQRRLSVGFN  
 RATRLMEELEIAGVIGPAEGTKPRKVLQQ

**SP079 nucleotide (SEQ ID NO:133)**

TCAAAAAGAGAAGGAAAACTTGGTTATTGCTGGGAAAATAGGTCCAGAACCAGAAATTTTGGCCAATAT  
 GTATAAGTTGCTGATGTAAGAAAAATACCAGCATGACTGCGACTGTTAAACCGAATTTTGGGAAGACAAG  
 CTTCTCTTATGAAGCTCTGAAAAAAGGCGATATTGACATCTATCCTGAATTTACTGGTACGGTGACTGA  
 AAGTTTGCTTCAACCATCACCCAAGGTGAGTCATGAACCAGAACAGGTTTATCAGGTGGCGCGTGATGG  
 CATTGCTAAGCAGGATCATCTAGCCTATCTCAAACCCATGTCTTATCAAAACACCTATGCTGTAGCTGT  
 TCCGAAAAAGATTGCTCAAGAATATGGCTTGAAGACCATTTAGACTTGAAAAAAGTGAAGGGCAGTT  
 GAAGGCAGGTTTTACACTCGAGTTTAACGACCGTGAAGATGGAATAAGGGCTTGCAATCAATGTATGG  
 TCTCAATCTCAATGTAGCGACCATTTAGCCAGCCCTTCGCTATCAGGCTATTCAGTCAGGGGATATTCA  
 AATCACGGATGCCTATTGCTGATGCGGAATTGGAGCGTTATGATTTACAGGCTTTGGAAGATGACAA  
 GCAACTCTCCACCTTATCAAGGGGCTCCACTCATGAAAGAAGCTCTTCTCAAGAAACACCCAGAGTT  
 GGAAAGAGTTCTTAATACATTGGCTGGTAAGATTACAGAAAGCCAGATGAGCCAGCTCAACTACCAAGT  
 CGGTGTTGAAGGCAAGTCAGCAAAGCAAGTAGCCAAGGAGTTTCTCCAAGAACAGGTTTGTGTAAGAA  
 A

**SP079 amino acid (SEQ ID NO:134)**

QKEKENLVIAGKIGPEPEILANMYKLLIEENTSMTATVKNPFGKTSFLYEALKKGDIDIDYPEFTGTVTE  
 SLLQPSPKVSHEPEQVYQVARDGIAQDHLAYLKPMYQNTYAVAVPKKIAQEYGLKTI SDLKKEVEQL  
 KAGFTLEFNDREDGNKGLQSMYGLNLNVATIEPALRYQAIQSGDIQITDAYSTDAELERYDLQVLEDDK  
 QLFPYQGAAPLMKEALLKKHPELRLVNTLAGKITESQMSQLNYQVGVGKSAKQVAKEFLQEQLLKK

**SP080 nucleotide (SEQ ID NO:135)**

ACGTCTTATGAGGACCACTTTGATTCAAACCTCGAATTGGAATATAACCTCAAAGAAAAAGGGAAAAAC  
 AGATCTTTTGAAGCTAGTTGATAAAACAACTGACATGCGTCTGCATTTTATCCGCCAAACTCATCCACG  
 CGGTCTCGGAGATGCTGTTTTGCAAGCCAAGGCTTTCGTCGGAATGAACCTTTTGTGCTTATGCTTGG  
 TGATGACTTGATGGATATCACAGACGAAAAGGCTGTTCCACTTACCAAACAACTCATGGATGACTACGA  
 GCGTACCCACGCGTCTACTATCGCTGTCTATGCCAGTCCCTCATGACGAAGTATCTGCTTACGGGGTTAT  
 TGCTCCGCAAGGCGAAGGAAAAAGATGGTCTTTACAGTGTGAAACCTTTGTTGAAAAACCAGCTCCAGA  
 GGACGCTCCTAGCGACCTTGCTATTATCGGACGCTACCTCCTCACGCCGAAATTTTGTGAGATTCTCGA  
 AAAGCAAGCTCCAGGTGCAGGAAATGAAATTCAGCTGACAGATGCAATCGACACCTCAATAAAACACA  
 ACGTGTATTTGCTCGTGAGTTCAAAGGGGCTCGTTACGATGTCGGAGACAAGTTTGGCTTCATGAAAAC  
 ATCCATCGACTACGCCCTCAAACACCCACAAGTCAAAGATGATTTGAAGAATTACCTCATCCAACCTTGG  
 AAAAGAAATTGACTGAGAAGGAA

Table 1

**SP080 amino acid (SEQ ID NO:136)**

RSIEDHFDNSFELEYNLKEKGKTDLLKLVDKTTDMRLHFIRQTHPRGLGDAVLQAKAFVGNPFVVMILG  
DDLMDITDEKAVPLTKQLMDDYERTHASTIAVMPVPHDEVSAVGVIAPQGEKDGLYSVETFVEKPAPE  
DAPSDLAIIGRYLLTPEIFEILEKQAPGAGNEIQLTDAIDTLNKTRVFAREFKGARYDVGDKFGFMKT  
SIDYALKHPQVKDDLKNYLIQLGKELTEKE

**SP081 nucleotide (SEQ ID NO:137)**

CGCTCAAAATACCAGAGGTGTTTCAGCTAATCGAGCACGTTTCTCCTCAAATGTTGAAAGCCCAATTGGA  
GAGTGTCTTTTCTGATATTCACCTCAGGCTGTAAGAACTGGAATGTTGGCTACTACTGAAATCATGGA  
AATCATCCAACCTATCTTAAAAAACTGGATTGTCCCTATGTCCTTGATCCTGTTATGGTTGCTACAAG  
TGGAGATGCCCTTGATTGACTCAAAATGCTAGAGACTATCTCAAAACAAACTTACTACCTCTAGCAACTAT  
TATTACGCCAAATCTTCTGGAAGCAGAAGAGATTGTTGGTTTTCATCCATGACCCCGAAGACATGCA  
GCGTGTGGTGCCTGATTTTAAAGAATTGGTCTCAGTCTGTGGTTATCAAAGGCGGACATCTCAA  
AGGTGGTGTAAAGATTTCTCTTTACCAAGAATGAACAATTGTCTGGGAAAGCCACGAATTCAAAC  
CTGTCACACCCATGGTACT

**SP081 amino acid (SEQ ID NO:138)**

AQNTRGVQLIEHVSPQMLKAQLESVFS DIPPOAVKTGMLATTEIMEIIQPYLKKLDCPYVLDPVMVATS  
GDALIDSNARDYLKTNLLPLATIIIPNLPEAEEIVGFSIHDPEDMQRAGRLLILKEFGPQSVVIKGGHLK  
GGAKDFLFTKNEQFVWESPRIQTCHTHGT

**SP082 nucleotide (SEQ ID NO:139)**

AATTGTACAATTAGAAAAAGATAGCAAATCAGACAAAGAACAAGTTGATAAACTATTTGAATCATTGA  
TGCATCTTCAGATGAATCTATTTCTAAATTAAAAAGAACTATCTGAAACTTCACTTAAACCGATGCAGG  
TAAAGACTATCTTAATAACAAAGTCAAAGAATCATCTAAAGCAATTGTAGATTTTCATTTGCAAAAAGG  
TTTGGCTTATGATGTTAAAGATTGAGATGACAAATTTAAAGATAAAGCAACTCTTGAACAAATGTAAA  
AGAAATTACAAAACAAATTGATTTTATCAAAAAAGTTGATGAACTTTTAAACAAGAGAATTTGGAAGA  
AACTCTTAAATCTCTAAATGATCTTGTGTGATAAATATCAAAAACAAATCGAACTTTTGAAAGAAAGA  
AGAAAAAGCTGCTGAAAAAGCTGCTGAAAAAGCAAAGGAATCTTCTAGTCAAAGTAATCTTCTGGTAG  
TGCTTCTAATGAGTCTTATAATGGATCTTCCAATTCAAATGTAGATTATAGTTTATCTGAACAACTAA  
TGGATATTCAAATAATTATGGCGGTCAAGATTATCTGGTTCAGGAGATAGTTCAACAAATGGTGGATC  
ATCAGAACAATATTATCTAGCAATTCAAACAGCGGAGCAAATAATGTCTACAGATATAAAGGCACTGG  
TGCTGACGGCTATCAAAGATACTACTACAAAGATCATAATAATGGAGATGTGTATGATGACGATGGAAA  
TTACCTTGGGAACCTTTGGTGGCGGCATTGCAGAACCTAGTCAACGC

**SP082 amino acid (SEQ ID NO:140)**

IVQLEKDSKSDKEQVDKLFESFDASSDESISKLELSETSLKTDAGKDYLNKVKESSKAIVDFHLQKG  
LAYDVKDSDDKFKDKATLETNVKEITKQIDFIKKVDETFFKQENLEETLKS LNDLVDRYQKQIELLKKEE  
EKAAEKAAEKAKESSQSNSGSASNESYNGSSNSNVDSSEQTNGYSNNYGGQDYSGSGDSSTNGGS  
SEQYSSSNSNSGANNVRYKGTGADGYQRYYYKDHNNGDVYDDGNYLGNFGGGIAEPSQR

**SP083 nucleotide (SEQ ID NO:141)**

TCTGACCAAGCAAAAAGAAGCAGTCAATGACAAAGGAAAAGCAGCTGTTGTTAAGGTGGTGAAAGCCA  
GGCAGAACCTTTATAGCTTAGAAAAGAAATGAAGATGCTAGCCTAAGAAAGTTACAAGCAGATGGACGCAT  
CACGGAAGAAGCAGGCTAAAGCTTATAAAGAATACAATGATAAAAAATGGAGGAGCAAATCGTAAAGTCAA  
TGAT

**SP083 amino acid (SEQ ID NO:142)**

LTKQKEAVNDKGKAAVVKVVSQAELYSLEKNEDASLRKLQADGRITEEQAKAYKEYNDKNGGANRKNV  
D

**SP084 nucleotide (SEQ ID NO:143)**

GTCCGGCTCTGTCCAGTCCACTTTTTCAGCGGTAGAGGAACAGATTTTCTTTATGGAGTTTGAAGAACT  
CTATCGGGAAACCCAAAAACGCAAGTGTAGCCAGTCAGCAAAAGACTAGTCTGAACCTTAGATGGGCAGAC  
GCTTAGCAATGGCAGTCAAAAGTTGCCAGTCCCTAAAGGAATTCAGGCCCCATCAGGCCAAAGTATTAC  
ATTTGACCGAGCTGGGGGCAATTCGTCCCTGGCTAAGGTTGAATTTTTCAGACCAAGTAAAGGAGCGATTCG  
CTATCAATTATATCTAGGAAATGAAAAATTAAACGCATTAAGGAAACAAAAAT



Table 1

**SP084 amino acid (SEQ ID NO:144)**

SGSVQSTFSAVEEQIFFMEFEELYRETQKRSVASQOKTSLNLDGQTLNNGSQKLVPVKGIQAPSGQSIT  
FDRAGGNSSLAKVEFQTSKGAIRYQLYLGNGKIKRIKETKN

**SP085 nucleotide (SEQ ID NO:145)**

GGGACAAATTCAAAAAATAGGCAAGAGGAAGCAAAATCTTGCAAAAGGAAGAAGTCTTGAGGGTAGC  
TAAGATGGCCCTGCAGACGGGGCAAAATCAGGTAAGCATCAACGGAGTTGAGATTAGGTATTTCTAG  
TGAAAAGGATTGGAGGTCTACCATGGTTCAGAACAGTTGTTGGCAATCAAAGAGCCA

**SP085 amino acid (SEQ ID NO:146)**

GQIQKNRQEEAKILOKEEVLRLVAKMALQGTQGNQVSINGVEIQVFSSEKGLEVYHGSEQLLAIKEP

**SP086 nucleotide (SEQ ID NO:147)**

TGCTACCAGCAACAAAGCGAGCAAAAGGAGTGGCTCTTGTGTTGTTGGACCAACTTGAGGTAGAATTAGA  
CCGTTTCGAGTTTCGAAAAAGTAGAAGGCAATCGCCTATACATGAAGCAAGATGGCAAGGACATCGCCAT  
CGGTAAGTCAAAGTCAGATGATTTCCGTAAAACGAATGCTCGTGGTCGAGGTATCAGCCTATGGTTTA  
TGGACTCAAACTCTGTACGATTACAGAGGACAATCAACTGGTTCGCTTTCATTTCAGTTCAAAAAGG  
CTTAGAAAGGAGTTCATCTATCGTGTGGAAAAAGAAAAAGT

**SP086 amino acid (SEQ ID NO:148)**

RYQQQSEQKEWLLFVDQLEVELDRSQFEKVEGNRLYMKQDGKDIAIGKSKSDDFRKTNARGRGYQPMVY  
GLKSVRITEDNQLVRHFQFQKGLEREFYRVEKEKS

**SP087 nucleotide (SEQ ID NO:149)**

GAACCGACAAGTCGCCACTATCAAGACTATGCTTTGAATAAGAAAAATGGTTGCTTTTGCTATGGC  
TAAACGAACCAAAGATAAGGTTGAGCAAGAAAGTGGGGAACAGTTTTTTAATCTAGGTCAGGTAAGCTA  
TCAAAACAAGAAAACCTGGCTTAGTGACGAGGGTTCGTACGGATAAGAGCCAATATGAGTTTCTGTTTCC  
TTCAGTCAAAATCAAAGAAGAGAAAAAGAGATAAAAAGGAAGAGGTAGCGACCGATTCAAGCGAAAAAGT  
GGAGAAGAAAAATCAGAAGAGAAGCCTGAAAAGAAAGAGAATTCA

**SP087 amino acid (SEQ ID NO:150)**

NRQVAHYQDYALNKEKLVAFAMAKRTKDKVEQESGEQFFNLGQVSYQNKKTGLVTRVRTDKSQYEFLEFP  
SVKIKEEKRDKKEEVATDSSEKVEKKKSEEKPEKKENS

**SP088 nucleotide (SEQ ID NO:151)**

GGTTGTCCGCTGGCAATATATCCCGTTTCCATCTAAAGGTAGTACAATTGGTCCTTACCCAAATGGTAT  
CAGATTAGAAGGTTTTCCAAAGTCAGAGTGGTACTACTTCGATAAAAAATGGAGTGCTACAAGAGTTTGT  
TGGTTGGAAAACATTAGAGATTAAACTAAAGACAGTGTGGAAGAAAGTACGGGAAAAACGTGAAGA  
TTCAGAAGATAAAGAAGAGAAGCGTTATTATACGAACCTATTACTTTAATCAAATCATTCTTTAGAGAC  
AGGTTGGCTTTATGATCAGTCTAACTGGTATTATCTAGCTAAGACGGAAATTAATGGAGAAAACTACCT  
TGGTGGTGAAAGACGTGCGGGGTGGATAAACGATGATTCGACTTGGTACTACCTAGATCCAACTGG  
TATTATGCAAAACAGTTGGCAATATCTAGGTAATAAGTGGTACTACCTCCGTTCCCTCAGGAGCAATGGC  
CACTGGCTGGTATCAGGAAGGTACCCTTGGTATTATTTAGACCACCCAAATGGCGATATGAAAACAGG  
TTGGCAAAACCTTGGGAACAAATGGTACTATCTCCGTTTCATCAGGAGCTATGCAACTGGTTGGTATCA  
AGATGGTTCAACTTGGTACTACCTAAATGCAGGTAATGGAGACATGAAGACAGGTTGGTTCCAGGTCAA  
TGGCAACTGGTACTATGCTTATAGCTCAGGTGCTTTGGCAGTGAATACGACCGTAGATGGCTATTCTGT  
CAACTATAATGGCGAATGGGTTCCG

**SP088 amino acid (SEQ ID NO:152)**

VVGWQYIPFPSKGSTIGPYPNGIRLEGFPKSEWYFDKNGVLQEFVWGKTLKTKDSVGRKYGEKRED  
SEDKEEKRYTNYFYNQNHSLGTWLYDQSNWYLLAKTEINGENYLGGERAGWINDSTWYLDPTTG  
IMQTGWQYLGKWWYLRSSGAMATGWYQEGTTWYLLDHPNGDMKTGWQNLGNKWYLLRSSGAMATGWYQ  
DGSTWYLLNAGNGDMKTGWFGVNGNWYYAYSSGALAVNTTVDGYSVNYNGEWR

**SP089 nucleotide (SEQ ID NO:153)**

GGCCAAATCAGAATGGGTAGAAGACAAGGGAGCCTTTTATTATCTTGACCAAGATGGAAGATGAAAAG  
AAATGCTTGGGTAGGAACCTTCCTATGTTGGTGCAACAGGTGCCAAAGTAATAGAAGACTGGGTCTATGA  
TTCTCAATACGATGCTTGGTTTATATCAAAGCAGATGGACAGCACGCAGAGAAAGAATGGCTCCAAAT

Table 1

TAAAGGGAAGGACTATTATTTCAAATCCGGTGGTTATCTACTGACAAGTCAGTGGATTAATCAAGCTTAT  
TGTGAATGCTAGTGGTCCCAAAGTACAGCAAGGTTGGCTTTTTCACAAACAATACCAATCTTGGTTTAT  
CATCAAAGAAAATGGAAACTATGCTGATAAAGAATGGATTTCGAGAAATGGTCACTATTATTATCTAAA  
ATCCGGTGGCTACATGGCAGCCAATGAATGGATTGGGATAAGGAATCTTGGTTTATCTCAAATTTGA  
TGGGAAAATGGCTGAAAAAGAATGGGTCTACGATTCTCATAGTCAAGCTTGGTACTACTTCAAATCCGG  
TGGTTACATGACAGCCAATGAATGGATTGGGATAAGGAATCTTGGTTTATCTCAAATCTGATGGGAA  
AATAGCTGAAAAAGAATGGGTCTACGATTCTCATAGTCAAGCTTGGTACTACTTCAAATCCGGTGGTTA  
CATGACAGCCAATGAATGGATTGGGATAAGGAATCTTGGTTTACCTCAAATCTGATGGGAAAATAGC  
TGAAAAAGAATGGGTCTACGATTCTCATAGTCAAGCTTGGTACTACTTCAAATCTGGTGGCTACATGGC  
GAAAAATGAGACAGTAGATGGTTATCAGCTTGAAGCGATGGTAAATGGCTTGGAGGAAAACTACAAA  
TGAAAAATGCTGCTTACTATCAAGTAGTGCCTGTTACAGCCAATGTTTATGATTAGATGGTGAAAAGCT  
TTCCTATATATCGCAAGGTAGTGTCTGATGGCTAGATAAGGATAGAAAAAGTGATGACAAGCGCTTGGC  
TATTACTATTCTGGTTGTGTCAGGCTATATGAAAAAGAGATTACAAAGCGCTAGATGCTAGTAAGGA  
CTTTATCCCTTATTATGAGAGTGATGGCCACCGTTTTTATCACTATGTGGCTCAGAAATGCTAGTATCCC  
AGTAGCTTCTCATCTTTCTGATATGGAAGTAGGCAAGAAATATTATTCGGCAGATGGCTGCATTTTGA  
TGGTTTTAAGCTTGAGAATCCCCTCCTTTTCAAAGATTTAACAGAGGCTACAAACTACAGTGCATGAAGA  
ATTGGATAAGGTATTTAGTTTGCTAAACATTAAACAATAGCCTTTTGGAGAACAAGGGCGCTACTTTTAA  
GGAAGCCGAAGAACATTACCATATCAATGCTCTTTATCTCCTTGCCCCATAGTGCCCTAGAAAGTAACTG  
GGGAAGAAGTAAATTTGCCAAAGATAAGAATAATTTCTTTGGCATTACAGCCTATGATACGACCCCTTA  
CCTTTCTGCTAAGACATTTGATGATGTGGATAAGGGAATTTTAGGTGCAACCAAGTGGATTAAGGAAAA  
TTATATCGATAGGGGAAGAACTTCTCTTGGAAACAAGGCTTCTGGTATGAATGTGGAATATGCTTCAGA  
CCCTTATTGGGGCGAAAAAATTGCTAGTGTGATGATGAAAAATCAATGAGAAG

**SP089 amino acid (SEQ ID NO:154)**

AKSEWVEDKGAFYYLDQDGKMKRNAWVGTSYVGATGAKVIEDWVYDSQYDAWFYIKADGQHAKEWLQI  
KKGDIYFYKSGGYLLTSQWINQAYVNASGAKVQQGWLFQKQYQSWFYIKENGNYADKEWIFENGHYIYK  
SGGYMAANEWIWDKESWFYLFKFDGKMAEKWVYDSHSQAWYFYKSGGYMTANEWIWDKESWFYLFKSDGK  
IAEKWVYDSHSQAWYFYKSGGYMTANEWIWDKESWFYLFKSDGKIAEKWVYDSHSQAWYFYKSGGYMA  
KNETVDGYQLGSDGKWLGGKTTNENAAYYQVVPVTANVYDSGKLSYISQGSVVWLDKDRKSDDKRLA  
ITISGLSGYMKTEDLQALDASKDFIPYYESDGRHFYHYVAQNASIPVASHLSDMEVGKKYYSADGLHFD  
GFKLENPFLFKDLTEATNYSAEELDKVFSLLNINNSLLENKGATFKEAEHYHINALYLLAHSALSNW  
GRSKIAKDKNNFFGITAYDTPYLSAKTFDDVDKGILGATKWIKENYIDRGRTFLGNKASGMNVEYASD  
PYWGEKIASVMMKINEK

**SP090 nucleotide (SEQ ID NO:155)**

ATTTGCAGATGATTCTGAAGGATGGCAGTTTGTCCAAGAAAATGGTAGAACCTACTACAAAAAGGGGGA  
TCTAAAAGAAACCTACTGGAGAGTGATAGATGGGAAGTACTATTATTTTATCCTTTATCCGGAGAGAT  
GGTTGTCCGGCTGGCAATATATACCTGCTCCACACAAGGGGGTTACGATTGGTCTTCTCCAAGAATAGA  
GATTGCTCTTAGACCAGATTGGTTTTATTTTGGTCAAGATGGTGTATTACAAGAATTTGTTGGCAAGCA  
AGTTTTAGAAAGCAAAACTGCTACGAATACCAACAAACATCATGGGGAAGAAATATGATAGCCAAGCAGA  
GAAACGAGTCTATTATTTTGAAGATCAGCGTAGTTATCATACTTTAAAAACTGGTTGGATTATGAAGA  
GGGTCAATTGGTATTATTTACAGAAGGATGGTGGCTTTGATTCGCGCATCAACAGATTGACGGTTGGAGA  
GCTAGCACGTGGTTGGGTTAAGGATTACCTCTTACGTATGATGAAGAGAAGCTAAAAGCAGCTCCATG  
GTACTATCTAAATCCAGCAACTGGCATTATGCAACAGGTTGGCAATATCTAGGTAATAGATGGTACTA  
CCTCCATTCTGTCAGGAGCTATGGCAACTGGCTGGTATAAGGAAGGCTCAACTGGTACTATCTAGATGC  
TGAAAAATGGTGATATGAGAACTGGCTGGCAAAACCTTGGGAACAAATGGTACTATCTCCGTTTATCAGG  
AGCTATGGCAACTGGTTGGTATCAGGAAAGTTCGACTTGGTACTATCTAAATGCAAGTAATGGAGATAT  
GAAAACAGGCTGGTTCCAAGTCAATGGTAAGTGGTACTATGCCTATGATTAGGTCGTTTAGCTGTTAA  
TACCACAGTAGGTGGTTACTACTTAACTATAATGGTGAATGGGTTAAG

**SP090 amino acid (SEQ ID NO:156)**

VFADDSEGWFQENGRYYKKGDLKETYWRVIDGKYYYFDPLSGEMVVGWQYIIPAPHKGVITIGSPRI  
EIALRPDWFYFQDGVLFQFVGKQVLEAKTATNTNKHHEEYDSQAEKRVYFEDQRSYHTLKTGWLYE  
EGHWYLYQKDGDFSRINRLTVGELARGWVKDYPLTYDEEKLKAAPWYYLNPATGIMQTGWQYLGNRWY  
YLHSSGAMATGWYKEGSTWYYLDAENGDMRTGWQNLGNKYYLRSSGAMATGWYQESSTWYYLNASNGD  
MKTGWQVNGNWYYAYDSGALAVNTTVGGYYLNYNGEWVK

Table 1

**SP091 nucleotide (SEQ ID NO:157)**

TGTCGCTGCAAAATGAACTGAAGTAGCAAAAACCTTCGCAGGATACAACGACAGCTTCAAGTAGTTTCAAG  
GCAAAATCAGTCTTCTAATAAAACGCAACGAGCGCAGAACTACAGACTAATGCTGCTGCCCACTGGGA  
TGGGGATTATATGTAAAGGATGATGGTTCTAAAGCTCAAAGTGAATGGATTTTGGACAACACTATATAA  
GGCTTGGTTTATATTAATTAGATGGTCTGTTACTCGCAGAAATGAATGGCATGGAAATTACTACCTGAA  
ATCAGGTGGATATATGGCCCAACGAGTGGATCTATGACAGTAATTACAAGAGTTGGTTTATCTCAA  
GTCAGATGGGGCTTATGCTCATCAAGAATGGCAATTGATTGGAAATAAGTGGTACTACTTCAAGAAAGTG  
GGGTTACATGGCTAAAAGCCAATGGCAAGGAAGTTATTTCTTGAATGGTCAAGGAGCTATGATGCAAAA  
TGAATGGCTSCTATGATCCAGCCTATCTGCTTATTTTTATCTAAAATCCGATGGAACCTATGCTAACC  
AAGAGTGGCAAAAAGTGGCGGCAATGGTACTATTTCAAGAAGTGGGGCTATATGGCTCGGAATGAGT  
GGCAAGGCAACTACTATTTGACTGGAAGTGGTGCCATGGCGACTGACGAAGTGATTATGGATGGTACTC  
GCTATATCTTTGCGGCCCTCTGGTGAGCTCAAAGAAAAAAGATTTGAATGTCGGCTGGGTTACAGAG  
ATGGTAAGCGCTATTTCTTTAATAATAGAGAAGAACAAGTGGGAACCGAACATGCTAAGAAAAGTCATTG  
ATATTAGTGAGCACAATGGTCTGATCAATGATTGGAAAAAGGTTATTGATGAGAACGAAGTGGATGGTG  
TCATTGTTCTGCTAGGTTATAGCGGTAAAGAAGACAAGGAATTGGCGCATAAACATTAAGGAGTTAAACC  
GTCTGGGAATTCCTTATGGTGTCTATCTCTATACCTATGCTGAAAAATGAGACCGATGCTGAGAGTGACG  
CTAAACAGACCATTGAACTTATAAAGAAATACAATATGAACCTGTCTTACCCTATCTATATGATGTTG  
AGAATTGGGAATATGTAAATAAGAGCAAGAGAGCTCCAAGTGATACAGGCACTTGGGTTAAAATCATCA  
ACAAGTACATGGACACGATGAAGCAGGCGGGTTATCAAAATGTGTATGTCATATAGCTATCGTAGTTTAT  
TACAGACGCGTTTAAAACACCCAGATATTTTAAAACATGTAACTGGGTAGCGGCCTATACGAATGCTT  
TAGAATGGGAAAACCCCTATTATTCAGGAAAAAAGGTTGGCAATATACCTCTTCTGAATACATGAAAG  
GAATCCAAGGGCGCGTAGATGTCAGCGTTTGGTAT

**SP091 amino acid (SEQ ID NO:158)**

VAANETEVAKTSQDTTASSSEQNQSSNKTQTSAEVQTNAAAHWDGDYVVKDDGSKAQSEWIFDNYK  
AWFYINSDGRYSQNEWHGNYLKGSGYMAQNEWIYDSNYKSWFYLKSDGAYAHQEWQLIGNKWYFFKKW  
GYMAKSQWQGSYFLNGQGAMQNEWLDPAYSAYFYLKSDGTYANQEWQKVGKWWYFFKKWGYMARNEW  
QGNYYLTGSGAMATDEVIMDGTRYIFAASGELKEKKDLNVGWVHRDGKRYFFNNREEQVTEHAKKVID  
ISEHNIRINDWKVIDENEVDGVIVRLGYSGKEDKELAHNLIKELNRLGIPYGVLYTYAENETDAESDA  
KQTEILIKKYNMNLSPYIYDVENWEYVNSKRAPSDTGTWVKIINKYMDTMKQAGYQNVVYSYRSL  
QTRLKHPDILKHVNWVAAYTNALEWENPHYSKKGWQYTSSEYMKGIQGRVDVSVWY

**SP092 nucleotide (SEQ ID NO:159)**

TACGCTCAGCCTACTTTTGTAAAGAGCAGAAGAATCTCCACAAGTTGTGCAAAAATCTTCATTAGAGAA  
GAAATATGAGGAAGCAAAAGCAAAAGCTGATACTGCCAAGAAAGATTACGAAACGGCTAAAAAGAAAGC  
AGAAGACGCTCAGAAAAAGTATGAAGATGATCAGAAGAGAAGTGAAGGAGAAAGCTCGAAAAGAAGCAGA  
AGCATCTCAAAAATGAATGATGTGGCGCTTGTTGTTCAAAAATGCATATAAAGAGTACCGAGAAAGTTCA  
AAATCAACGTAGTAAATATAAATCTGACGCTGAATATCAGAAAAAATTAACAGAGGTGCACTCTAAAAT  
AGAGAAGGCTAGGAAAGAGCAACAGGACTTGCAAAATAAATTTAATGAAGTAAGAGCAGTTGTAGTTCC  
TGAACCAAATGCGTTGGCTGAGACTAAGAAAAAAGCAGAAGAAGCTAAAGCAGAAGAAAAAGTAGCTAA  
GAGAAAATATGATTATGCAACTCTAAAGGTAGCACTAGCGAAGAAAGAAGTAGAGGCTAAGGAACTTGA  
AATTGAAAAACTTCAATATGAAATTTCTACTTTGGAACAAGAAGTTGCTACTGCTCAACATCAAGTAGA  
TAATTTGAAAAAATCTTCTGCTGGTGCGATCCTGATGATGGCACAGAAGTTATAGAAGCTAAATTTAA  
AAAAGGAGAAGCTGAGCTAAACGCTAAACAAGCTGAGTTAGCAAAAAAACAACAGAAGCTTGAAAAACT  
TCTTGACAGCCTTGATCCTGAAGTAAGACTCAGGATGAATTAGATAAAGAAGCAGAAGAAGCTGAGTT  
GGATAAAAAAGCTGATGAACCTTCAAAATAAAGTTGCTGATTAGAAAAAGAAATTAGTAACCTTGAAAT  
ATTACTTGGAGGGGCTGATNCTGAAGATGATACTGCTGCTCTTCAAAATAAATTAGCTACTAAAAAGC  
TGAATTGAAAAAATCTAAAAAGAATTAGATGCAGCTCTTAATGAGTTAGGCCCTGATGGAGATGAAGA  
AGAACTCCAGCGCCGGCTCTCAACCAGAGCAACCAGCTCCTGCACCAAAACCAGAGCAACCAGCTCC  
AGCTCCAAAACCAGAGCAACCAGCTCCTGCACCAAAACCAGAGCAACCAGCTCCAGCTCCAAAACCAGA  
GCAACCAGCTCCAGCTCCAAAACCAGAGCAACCAGCTAAGCCGGAGAAACCAGCTGAAGAGCCTACTCA  
ACCAGAAAAACCAGCCTCCAAAACAGGCTGGAACAAGAAACGGTATGTGGTATTTCTACAATAC  
TGATGGTTCAATGGCAATAGGTTGGCTCCAAAACAACGGTTTATGGTACTACCTAAACGCTAACGGGC  
TATGGCAACAGGTTGGGTGAAAGATGAGATACCTGGTACTATCTTGAAGCATCAGGTGCTATGAAAGC  
AAGCCAAATGGTTCAAGATATCAGATAAATGGTACTATGTCAACAGCAATGGCGCTATGGCGACAGGCTG  
GCTCCAATACAATGGCTCATGGTACTACCTCAACGCTAATGGTGATATGGCGACAGGATGGCTCCAATA  
CAACGGTTTATGGTATTACCTCAACGCTAATGGTGATATGGCGACAGGATGGGTAAAGTCAACGGTTT  
ATGGTACTACCTAAACGCTAACGGTGCTATGGCTACAGGTTGGGTAAAGTCAACGGTTTATGGTACTA

Table 1

CCTAAACGCTAACGGTTCAATGGCAACAGGTTGGGTGAAAGATGGAGATACCTGGTACTATCTTGAAGC  
ATCAGGTGCTATGAAAGCAAGCCAATGGTTCAAAGTATCAGATAAATGGTACTATGTCAATGGCTTAGG  
TGCCCTTGACAGTCAACACAACCTGTAGATGGCTATAAAGTCAATGCCAATGGTGAATGGGTT

**SP092 amino acid (SEQ ID NO:160)**

TSQPTFVRAEESPOVVEKSSLEKKYEEAKAKADTAKKDYETAKKKAEDAQKKYEDDQKRTEEKARKEAE  
ASQKLNVDVALVVQNAVKEYREVQNQRSKYKSDAEYQKKLTEVDSKIEKARKEQQDLQNKFNVRVAVVP  
EPNALAETKKKAAEEAKAEKVAKRKYDYATLKVALAKKEVEAKELEIEKLQYEISTLEQEVATAQHQVD  
NLKKLLAGADPDDGTEVIEAKLKKGEAELNAKQAEAKKQTELEKLLDSLDPGKTQDELKEAEEAEEL  
DKKADELQNKVADLEKEISNLEILLGGADXEDDTAALQNKLATKKAEELEKTQKELDAALNELGPDGDEE  
ETPAPAPQPEQPAPAPKPEQPAPAPKPEQPAPAPKPEQPAPAPKPEQPAPAPKPEQPAKPEKPAEEPTQ  
PEKPATPKTGWKQENGWYFYNTDGSMAIGWLQNNGSWYYLNANGAMATGWVKDGDWYYLEASGAMKA  
SQWFKVSDKWYVNSNGAMATGWLQYNGSWYYLNANGDMATGWLQYNGSWYYLNANGDMATGWAKVNGS  
WYYLNANGAMATGWAKVNGSWYYLNANGSMATGWVKDGDWYYLEASGAMKASQWFKVSDKWYVYVNGLG  
ALAVNTTVDGYKVNANGEW

**P093 nucleotide (SEQ ID NO:161)**

TGGACAGGTGAAAGGTCATGCTACATTTGTGAAATCCATGACAACGTAAATGTACCAAGAACAACAGAA  
CCATTCTCTCGCCTACAATCAACGCTTGGNTTCGCAAAATCGCATTGTAGATCCTTTTTTGGCGGAGGG  
ATATGAGGTCAATTACCAAGTGTCTGACGACCCTGATGCAGTCTATGGTTACTTGTCTATTCCAAGTTT  
GGAAATCATGGAGCCGGTTTATTTGGGAGCAGATTATCATCATTTAGGGATGGGCTTGGCTCATGTGGA  
TGGTACACCGCTGCCCTCTGGATGGTACAGGGATTGCTCAGTGATTGCTGGGCACCGTGCAGAGCCAAG  
CCATGCTCTTTTCCGCCATTGGATCAGCTAAAAGTTGGAGATGCTCTTTATTATGATAATGGCCAGGA  
AATTGTAGAATATCAGATGATGGACACAGAGATTATTTTACCGTCGGAATGGGAAAAATTAGAATCGGT  
TAGCTCTAAAAATATCATGACCTTGATAACCTGCGATCCGATTCTTACCTTTAATAAACGCTTATTAGT  
GAATTTTGAACGAGTCGCTGTTTATCAAAAATCAGATCCACAAACAGCTGCAGTTGCGAGGGTTGCTTT  
TACGAAAGAAGGACAACTCTGTATCGCGTGTGCAACCTCTCAATGGTTG

**SP093 amino acid (SEQ ID NO:162)**

GQVKGHATFVKSMTEMYQEQQNHSLAYNQRLXSQNRIVDPFLAEGYEVNYQVSDDPDAVYGYLSIPSL  
EIMEPVYLGADYHHLGMLAHVDGTPPLDGTGIRSVIAGHRAEPSHVFRHLDQLKVGDALYDNGQE  
IVEYQMMDEIILPSEWEKLESVSSKNIMTLITCDPIPTFNKRLLVNFERVAVYQKSDPQTAARVAVF  
TKEGQSVSRVATSQWL

**SP094 nucleotide (SEQ ID NO:163)**

GATTGCTCCTTTGAAGGATTTGAGAGAAACCATGTTGGAAATTGCTTCTGGTGCCTCAAAATCTTCGTGC  
CAAGGAAGTTGGTGCCATGAACCTGAGAGAAGTAACCTCGCCAATTTAATGCTATGTTGGATCAGATTGA  
TCAGTTGATGGTAGCTATTTCGTAGCCAGGAAGAAACGACCCGTCAGTACCAACTTCAAGCCCTTTTCGAG  
CCAGATTAAATCCACATTTCTCTATAACACTTTGGACACCATCATCTGGATGGCTGAATTTTCATGATAG  
TCAGCGAGTGGTGCAGGTGACCAAGTCCTTGGCAACCTATTTCCGCTTGGCGCTCAATCAAGGCAAGGA  
CTTGATTTGTCTCTCTGACGAAATCAATCATGTCCGCCAGTATCTCTTTATCCAGAAACAACGCTATGG  
AGATAAGCTGGAATACGAAATTAATGAAAATGTTGCCTTTGATAATTTAGTCTTACCCAAGCTGGTCTCT  
ACAACCCCTTTGTAGAAAATGCTCTTTACCATGGCATTAAAGGAAAAGGAAGGTCAAGGCCATATTTAACT  
TTCTGTCCAGAAACAGGATTTCGGGATTGGTCAATCCGTATTGAGGATGATGGCGTTGGCTTCCAAGATGC  
TGGTGATAGTAGTCAAAGTCAACTCAAACGTGGGGAGTTGGTCTTCAAAATGTGCGATCAACCGCTCAA  
ACTTCATTTTGGAGCCAAATTACCATATGAAGATTGATTCTAGACCCCAAAAAGGGACGAAAGTTGAAAT  
ATATATAAATAGAAATAGAACTAGC

**SP094 amino acid (SEQ ID NO:164)**

IAPLKDLRETMLEIASGAQNLRAKEVGAYELREVTRQFNAMLDQIDQLMVAIRSQEETTRQYQLQALSS  
QINPHFLYNTLDTIIMWAEFHDSQRVVQVTKSLATYFRLALNQGKDLICLSDEINHVRQYLFIQKQRYG  
DKLEYEINENVAFDNLVLPKLVLPVENALYHGIKEKEGQGHIKLSVQKQDSGLVIRIEDDGVGFQDA  
GDSSQSQKLRGGVGLQNVQRLKLHFGANYHMKIDSRPQKGTKEIYINRIETS

**SP095 nucleotide (SEQ ID NO:165)**

TAGGTCATATGGGACTTTTTTCTACAACAAAATAGGCTCCATAATATCTATAAGGGATTTACCCACTA  
CAATATTATAGAGCCGAAAATTCACATCTAATATATGCAGACTACTTTGAAATGAAATTAATAAATTA  
ATTAAAGGATGACACAAAAGTTTTTGAATAATCTACATTCAAATTTGTAGAAGGATATAAATATACCT

Table 1

GACAGAATCTAAAGAATCTGGAATTAAACAAATGGACAATGTCATAAAATATTTTGAGTTATTGAATC  
TAAAAGTATTGCTTTATATTTTCAAAAACGATTAAATGAGCTGATAGAT

**SP095 amino acid (SEQ ID NO:166)**

RSYGTFFLQQNRLHNIYKGFTHYKYRAENSHLIYADYFEMKLKLLKDDTKVFEKSTFKFVEGYKIYL  
TESKESGIKQMDNVIKYFEFIESKSIALYFQKRLNELID

**SP096 nucleotide (SEQ ID NO:167)**

CAACGTTGAGAATTATTTGCGAATGTGTTTGGATAGCATTTCAGAATCAGACGTATCAAAATTTTGAGTG  
TTTATTAATCAATGATGGCTCTCCAGATCATTCATCCAAAATATGTGAAGAATTTGTAGAGAAAGATTC  
TCGTTTCAAATATTTTGAGAAAGCAAACGGCGGTCTTTCATCAGCTCGTAACCTAGGTATTGAATGTTTC  
GGGGGGGGCGTACATTACTTTTGTAGACTC

**SP096 amino acid (SEQ ID NO:168)**

NVENYLRMLDSIQNQTYQNFECLLINDGSPDHSSKICEEFVEKDSRFKYFEKANGGLSSARNLGIECS  
GGGVHYFCRL

**SP097 nucleotide (SEQ ID NO:169)**

CTACTATCAATCAAGTTCTTTCAGCCATTGAGGCCACCATTGAGGGCAACAGCCAAACGACCATCAGCCA  
GACTAGCCACTTTATTTCAGTCTTATATCAAAAACTAGAAAACACCTCGACTGGTTTGACCCAGCAGAC  
GGATGTTCTGGCCTATGCTGAGAATCCCAGTCAAGACAAGGTCGAGGGAATCCGAGATTTGTTTGTGAC  
CATCTTGAAGTCAGATAAGGACTTGAAAACTGTTGTGCTGGTGACCAAATCTGGTCAGGTCATTTCTAC  
AGATGACAGCTGTGCAGATGAAAACTTCCCTCGATATGATGGCTGAGGATTGGTACCAAAGGCCATTCA  
TCAGGGAGCTATGCCTGTTTTGACTCCAGCTCGTAAATCAGATAGTCAGTGGGTCATTTCTGTCACTCA  
AGAACTTGTTGATGCAAGGGAGCCAATCTTGGTGTGCTTCGTTTGGATATTTCTTATGAAACTCTGGA  
AGCCTATCTCAATCAACTCCAGTTGGGGCAGCAGGGCTTTCCTTCATTATCAATGAAAACCATGAATT  
TGTCTACCATCCTCAACACACAGTTTATAGTTCGTCTAGCAAAATGGAGGCTATGAAACCTTACATCGA  
TACAGGTCAGGGTTATACTCCTGGTCACAAATCCTACGTCAGTCAAGAGAAGATTGCAGGAACCTGATTG  
GACGGTGCTTGGCGTGTATCATTTGAAAAAGTTAGACCAGGTTTCGGAGTCAG

**SP097 amino acid (SEQ ID NO:170)**

YYQSSSSAIEATIEGNSQTTISQTSHFQSYIKKLETTSTGLTQQTDVLAENPSQDKVEGIRDLFLT  
ILKSDKDLKTVVLVTKSGQVISTDDSVQMKTSDDMAEDWYQKAIHQGAMPVLT PARKSDSQWVISVTO  
ELVDAKGANLGLRLDISYETLEAYLNQLQLGQQGFAFIINENHEFVYHPQHTVYSSSSKMEAMKPYID  
TGQGYTPGHKSYSVSEKQIAGTDWTVLVGVSSLEKLDQVRSQ

**SP098 nucleotide (SEQ ID NO:171)**

GACAAAAACATTAAACGTCCTGAGGTTTTATCACCTGCAGGGACTTTAGAGAAGCTAAAGGTAGCTGT  
TCAGTATGGAGCAGATGCTGTCTTTATCGGTGGTCAGGCCTATGGTCTTCGTAGCCGTGCGGAAACTT  
TACTTTGCAACAGATGGAAGAAGGCGTGCAGTTTTCGGCCAAGTATGGTGCCAAGGTCTATGTAGCGGC  
TAATATGGTTATGCACGAAGGAAATGAAGCTGGTGTGAGTGGTTCCGTAAGCTGCGTGATATCGG  
GATTGCAGCAGTTATCGTATCTGACCCAGCCTTGATTATGATTGCAGTGAAGCACCAGGCCTTGA  
AATCCACCTTTCTACCCAAGCCAGTGCCACTAACTATGAAACCTTGAGTTCTGGAAAGAGCTAGGCTT  
GACTCGTGTCTGTTTTAGCGCGTGAGGTTTCAATGGAAGAATTAGCTGAGATCCGCAACGTACAGATGT  
TGAAATTGAAGCCTTTGTCCATGGAGCTATGTGTATTTTCACTCTGGACGTTGTACTCTTTCAAACCA  
CATGAGTATGCGGTGATGCCAACCCTGGTGGATGTTCTCAGTCATGCCGTTGGAAATACGACCTTTACGA  
TATGCCATTTGGGAAAGAAGCTAAGAGTTTGCAGGGTGAGATTCCAGAAGAATTTCAATGTCAGCCGT  
TGACATGTCTATGATTGACCANATTCAGATATGATTGAAAATGGTGTGGACAGTCTAAAAATCGAAGG  
ACGTATGNAGTCTATTCACTANGTATCAACAGTAACCAACTGCTACAAGGCGGCTGTGGATGCCTATCT  
TGAAAGTCTGAAAAGTTTGAAGCTATCAACAAGACTTGGTGGACGAGATGTGGAAGGTTGCCCAACG  
TGAAGTGGCTACAGGATTTTACTATGGTACACCATCTGAAAATGAGCAGTTGTTTGGTGCTCGTCGTAA  
AATCCCTGAGTACAAGTTTGTGCTGAAGTGGTTTCTTATGATGATGCGGCACAAACAGCAACTATTTCG  
TCAACGAAACGTCATTAACGAAGGGACCAAGTTGAGTTTATGGTCCAGGTTTCCGTCATTTTGAAAC  
CTATATTGAAGATTTGCATGATGCTAAAGGCAATAAAATCGACCGCGCTCCAAATCCAATGGAAGTATT  
GACTATTAAAGTCCCAACACCTGTTCAATCAGGAGACATGGTTCGAGCTCTTAAAGAGGGGCTTATCAA  
TCTTTATAAGGAAGATGGAACAGCGCTCACAGTTCGTGCT

Table 1

**SP098 amino acid (SEQ ID NO:172)**

TKTLKRPEVLS PAGTLEKLVAVQY GADAVFIGGQAYGLRSRAGNFTFEQMEEGVQFAAKYGAKVYVAA  
NMVMHEGNEAGAGWFRKL RDIGIAAVIVSDPALIMIAVTEAPGLEIHLSTQASATNYETLEFWKELGL  
TRVVLAREVSMEE LAEIRKRTDVEIEAFVHGAMCISYSGRCTL SNHMSMRDANRGGCSQSCRWKYDLYD  
MPFGKERKSLQGEIPEEF SMSAVDMSMIDXIPDMIENGVDLSKIEGRMXSIHXVSTVTNICYKAAVDAYL  
ESPEKFEAIKQDLVDEMVKVAQRELATGFYYGTPSENEQLFGARRKIPEYKFVAEVVSYDDAAQTATIR  
QRNVINEGDQVEFYGPGRHFETYIEDLHDAKG NKIDRAPNPMELLTIKVPQPVQSGDMVRALKEGLIN  
LYKEDGTSVTVRA

**SP099 nucleotide (SEQ ID NO:173)**

TTCTCAGGAGACCTTTAAAAATATCACC AATAGCTTCTCCATGCAAATCAATCGTCGCGTCAACCAAGG  
AACGCCTCGTGTGCTGGGAATATCAAGG GTGAAGACATCAAAAAATCACC GAAAACAAGGCCATTGA  
GTCTTATGTCAAACGTATCAACGCTATCGGAGATTTGACTGGATATGACCTGATTGAAACGCCAGAAAC  
CAAGAAGAATCTCACTGCTGATCGTGCCAAGCGTTTGGAAAGTAGCTTGATGATTACAGGTGTCAATGA  
CTCCTCTAAAGAAGACAAGTTTGTCTCTG GTTCTTATAAACTAGTCGAAGGAGAGCACTTAACCAACGA  
CGACAAGGATAAAAATCCTCTTG CACAAAGCACTTGGCAGCCAAACACGGCTGGAAGTAGGGGACAAGGT  
TAAACTGGACTCTAATATCTACGATGCAGATAATGAAAAGGAGCCAAGGAAACAGTTGAAGTGACAAT  
CAAGGGACTCTTTGATGGTCATAATAAGTCAGCAGTAACCTACTCACAAGAACTTTACGAAAACACAGC  
TATTACAGACATTCACACTGCTGCAAACTTTATGGATACACAGAAGACACAGCCATTTATGGGGACGC  
AACCTTCTTTGTAAACAGCAGACAAGAACTTGGATGATGTTATGAAAGAGTTGAATGGCATCAGTGGTAT  
CAACTGGAAGAGCTACACACTCGTCAAGAGCTCCTCTAACTACCCAGCTCTTGAGCAATCTATCTCTGG  
TATGTACAAGATGGCCAAC

**SP099 amino acid (SEQ ID NO:174)**

SQETFKNITNSFSMQINRRVNQGT PRGAGNIKGEDIKKITENKAIESYVKRINAIGDLTG/DLIETPET  
KKNLTA DRAKRFGSSLMITGVNDSSKEDKFVSGSYKLVEGEHLTND DDKILLHKDLAAKHGKVGDKV  
KLDSNIYDADNEKGAKETVEVTIKGLFDGHNKSAVTYSQELYENTAITDIHTAAKLYGYTEDTAIYGDA  
TFFVTADKNLDDVMKELNGISGINWKS YTLVKSSSNYPALQISGMYKMAN

**SP100 nucleotide (SEQ ID NO:175)**

AGTAAATGCGCAATCAAATTCATTAATATTAATAGATGAACCTGAAATCTCACTTCATCCGAGTGCAAT  
CTATAAAATTTAAAGAGTTTTTACTTCAAGAGTGTTTAAATAAAAAACATCAAATTATTATCACTACACA  
TTCTACACAACCTATAAAAGATTTTCTAGAGAAGCCGTGAAACTTTTAGTGAAAAACGGAGAAAAGGT  
AGATGTTATTGAAAATATTGATTATCAGGATGCATTTTGAATTAGGTGATGTGTATCATTCTAGGAA  
GATGATTATGTTGAAGATAGACTAGCTAAATATATTCTAGAGTTTGTATTCACTCATTCAAGGTAGTGA  
GAATCTTAAACAGAATTTAGTAGTGAGATATATTCTGGTGGAGCAAATCAAATAAATTTGTAATAAT  
TTTAACTCATCGTATTTAGATTCCGATAACCATTATTTTGGCTTGATGGAGATCAAAACACTAATGT  
TAGTGAATCAAATAAATTTAATGAATCTCTTGAAAATGGTGTGTTATATCAGATAAAATTCCTGAATC  
AGATAATAAAAAATCTTGATGATATTATAAAATTGATAANGGGATGTCCAATTAAATTTAATGTTTCAGG  
TAATAAAGGGCAAAAAATAATATTGAATTAATTGCGAAACAAAGAAGCTTTATAGATTATTGGGCTAA  
ATAC

**SP100 amino acid (SEQ ID NO:176)**

VNAQNSNLILIDEPEISLHPSAIYKFKEFL LQECNLNKKHQIIITTHSTQLIKDFPREAVKLLVKNGEKV  
DVNIENIDYQDAFFELGDVYHSRKMIYVEDRLAKYILEFVITHSGSEN LKQNLVVRYIPGGANQIICNNI  
LNSSYLDSDNHYFWLDGDQNTNVSESNLMNYLENGVVISDKIPESDNKNLDDI IKLIXGCPKIFNVSG  
NKGQKNNIELIAKQRSFIDYWAKY

**SP101 nucleotide (SEQ ID NO:177)**

TTACCGGTTTCATCAAGATGTCAAACAAGTCATGACCTATCAACCCATGGTGCGAGAAATATTGAGTGA  
ACAAGACACCCAGCAAACGAAGAGCTTGTGCTTGCTATGATTTATACTGAAACAAAAGGAAAAAGAGG  
CGATGTTATGCAGTCTAGTGAGTCTGCAAGTGGTTCCACCAACACCATCAATGATAATGCCTTAGCAT  
TCGGAAGGCATTCAAACCTCTGACAGGCAATCTCTATCTGGCGCAGAAGAAGGGGTAGATATCTGGAC  
AGCTGTTCAAGCCTATAATTTTGGACCTGCCTATATCGATTATCGCCCAAAATGGCAAGGAAATAC  
CCTGGCTCTAGCCAAACAGTACTCTCGTGAGACTGTTGCCCCCTTGCTTGGTAATAGGACTGGAAGAGC  
TTATAGTTATATTCAACCCCATTTCCATTTTTCACGGTGTGAACTCTATGTAATGGAGGAACTATTA  
TTATCTAGACAGGTACGACTTAACCTTTACATCATCAAATGTTTCACTCTCTTTTCAACATCTGGC

Table 1

**SP101 amino acid (SEQ ID NO:178)**

YRVHQDVKQVMTYQPMVREILSEQDTPANEELVLAMIYTETKKGEGDVMQSSSESASGSTNTINDNASSI  
RQGIQTLTGNLYLAQKKGVDIWTAQVQAYNFGPAYIDFIAQNGKENTLALAKQYSRETVAPLLGNRTGKT  
YSYIHPISIFHGAELYVNGGNYYYSRQVRLNLYIIKCFRLFSTSG

**SP102 nucleotide (SEQ ID NO:179)**

GTGGATGGGCTTTAACTATCTTCGTATTCGCCGTGCGGCTAAAAATTGTGGACAATGAGGAGTTTGAAGC  
CTTGATTTCGTACGGGTCAATTGATTGATTTCGCCGACCCAGCAGAATTCCACAGAAAACATATCCTTGG  
TGCACGCAATATTCCTTCAAGTCAGTTGAAAACCTAGTCTTGACGCCCTTCGTAAAGATAAACCTGTCTT  
TCTCTACGAAAACCAACGTGCGCAACGAGTTACAAATGCAGCTCTTTACTTGAAAAACAAGGTTTTTC  
TGAGATTTATATCCTTTCTTATGGCTTGGATTCTTGAAAGGGAAAGTGAAGACTAGC

**SP102 amino acid (SEQ ID NO:180)**

WMGFNYLRIRRAAKIVDNEFEALIRTQLIDLDPAEFHRKHILGARNIPSSQLKTSLAALRKDKPVL  
LYENQRAQRVTNAAALYLLKKQGFSEIYILSYGLDSWKGVKTS

**SP103 nucleotide (SEQ ID NO:181)**

ACTAAACCAGCATCGTTTCGACGAAAAATAAGGACAATAATCGTGTCTCTTATGTGGATGGCAGCCAGTC  
AAGTCAGAAAAGTGAAAACTTGACACCAGACAGGTTAGCCAGAAAAGAAGGAATTCAGGCTGAGCAAAT  
TGTAATCAAAAATTACAGATCAGGGCTATGTAACGTCACACGGTGACCACTATCATTACTATAATGGGAA  
AGTTCCCTTATGATGCCCTCTTTAGTGAAGAACTCTTGATGAAGGATCCAACTATCAACTTAAAGACGC  
TGATATTGTCAATGAAGTCAAGGGTGGTTATATCATCAAGGTCGATGGAAAAATATTATGTCTACCTGAA  
AGATGCAGCTCATGCTGATAATGTTTCCAACTAAAGATGAAATCAATCGTCAAAAAACAAGAACATGTCAA  
AGATAATGAGAAGGTTAACTCTAATGTTGCTGTAGCAAGGCTCTCAGGGACGATATACGACAAATGATGG  
TTATGTCTTTAATCCAGCTGATATTATCGAAGATACGGGTAATGCTTATATCGTTCCTCATGGAGGTCA  
CTATCACTACATTTCCAAAAGCGATTTATCTGCTAGTGAATTAGCAGCAGCTAAAGCACATCTGGCTGG  
AAAAAATATGCAACCGAGTCAGTTAAGCTATTCTTCAACAGCTAGTGACAATAACACGCAATCTGTAGC  
AAAAGGATCAACTAGCAAGCCAGCAAATAAATCTGAAAAATCTCCAGAGTCTTTTGAAGGAACCTATGA  
TTCACCTAGCGCCCAACGTTACAGTGAATCAGATGGCCCTGGTCTTTGACCTTGCTAAGATTATCAGTCG  
TACACCAAATGGAGTTGCGATTCCGCATGGCGACCATTACCACCTTTATTCCTTACAGCAAGCTTTCTGC  
CTTAGAAGAAAAAGATTGCCAGAATGGTGCCTATCAGTGGAAGTGGTCTTACAGTTTCTACAAATGCAAA  
ACCTAATGAAGTAGTGTCTAGTCTAGGCAGTCTTTCAAGCAATCCTTCTTCTTTAACGACAAGTAAGGA  
GCTCTCTTACAGCATCTGATGGTTATATTTTAAATCCAAAAGATATCGTTGAAGAAACGGCTACAGCTTA  
TATTGTAAGACATGGTGATCATTTCCATTACATTTCCAAAATCAAATCAAATTTGGGCAACCGACTCTTCC  
AAACAATAGTCTAGCAACACCTTCTCCATCTCTTCCAATCAATCCAGGAACCTCACATGAGAAAACATGA  
AGAAGATGGATACGGATTGATGCTAATCGTATTATCGTGAAGATGAATCAGGTTTGTGTCATGAGTCA  
CGGAGACCACAATCATTTATTTCTTCAAGAAG

**SP103 amino acid (SEQ ID NO:182)**

LNQHRSQENKDNRRVSYVDGSQSSQKSENLPDQVSQKEGIAEQIVIKITDQGYVTSBGDHYHYNGK  
VPYDALFSEELMKDPNYQLKDADIVNEVKGGYIIKVDGKYVYLLKDAHADNVRTKDEINRQKQEHVK  
DNEKVNNSNAVARSQGRYTTNDGYVFNPAIIEDTGNAYIVPHGGHYHYIPKSDLSASELAAAKAHLA  
KNMQPSQLSYSSASTDNNTQSVAKGSTSKPANKSENLSLLKELYDSPSAQRYSESDGLVDFPAKIIISR  
TPNGVAIPHGDHYHFIPYSKLSALEEKIARMVPISGTGSTVSTNAKPNEVVSSLGSLSSNPSSLTTSKE  
LSSASDGYIFNPKDIVEETATAYIVRHGDHFHYIPKSNQIGQPTLPNNSLATPSPSLPINPGTSHEKHE  
EDGYGFDANRIIAEDES GFVMSHGDHNYFFKK

**SP105 nucleotide (SEQ ID NO:183)**

TGACTACCTTGAAATCCCACTTTACAGCTATCTTGGTGGATTCAACACTAAAGTTCTTCCAACCTCCAAT  
GATGAACATCATCAACGGTGGTTCTCACTCTGACGCTCCAATCGCTTTCCAAGAGTTTCATGATCTTGCC  
AGTTGGTGCGCCAACATTTAAAGAAGCCCTTCGTTACGGTGCAGAAATCTTCCACGCTCTTAAGAAAAT  
CCTTAAATCACGTGGTTTGGAACTGCCGTAGGTGACGAAGGTGGATTTCGCTCCTCGTTTTCGAAGGAAC  
TGAAGATGGTGTGAAACTATCCTTGCTGCGATTGAAGCTGCTGGATATGTACCAGGTAAGACGTATT  
TATCGGATTGACTGTGCTTCTCATCAGAAATCTACGATAAAGAACGTAAAGTTTACGACTACACTAAAT  
TGAAGGTGAAGGTGCTGCTGTTCTGTACATCTGCAGAACAAATCGACTACCTTGAAGAAATGGTTAACAA  
ATACCCAATCATCACTATTGAAGATGGTATGGATGAAAACGACTGGGATGGTTGGAAAGCTCTTACTGA  
ACGCTCTTGGTAAGAAAGTACAACCTGTTGGTGACGACTTCTTCGTAACAAACACTGACTACCTTGACCG

Table 1

TGGTATCCAAGAAGGTGCTGCTAACTCAATCCTTATCAAAGTTAACCAAATCGGTACTCTTACTGAAAC  
TTTTGAAGCTATCGAAATGGCTAAAGAAGCTGGTTACACTGCTGTTGTATCACACCGTTCAGGTGAAAC  
TGAAGATTCAACAAATCGCTGATATTGCAGTTGCAACTAACGCAGGACAAATCAAGACTGGTTCACCTTC  
ACGTACAGACCGCATCGCTAAATACAACCAATTGCTTCGTATCGAAGACCAACTTGGTGAAGTAGCTGA  
ATATCGTGGATTGAAATCATTTCTACAACCTTAAAAAA

**SP105 amino acid (SEQ ID NO:184)**

DYLEIPLYSYLGGFNTKVLPTPMNIINGGSHSDAPIAFQEFMILPVGAPTFKEALRYGAEIFHALKKI  
LKSRGLETAVGDEGGFAPRFEGTEDGVETILAAIEAAGYVPGKDVFIGFDCASSEFYDKERKVYDYTKF  
EGEGAAVRTSAEQIDYLEELVNKYPITIEDGMDENDWDGWKALTERLGKKVQLVGDDFFVTNTDYLAR  
GIQEGAANSILIKVNQIGTLTETFEAIEAKEAGYTAVVSHRSGETEDSTIADIATNAGQIKTGSLS  
RTDRIAKYNQLLRIEDQLGEVAEYRGLKSFYNLKK

**SP106 nucleotide (SEQ ID NO:185)**

TCGTATCTTTTTTTGGAGCAATGTTTCGCGTAGAAGGACATTCCATGGATCCGACCCCTAGCGGATGGCGA  
AATTCTCTTCGTTGTATAAACACCTTCCTATTGACCGTTTTGATATCGTGGTGGCCCATGAGGAAGATGG  
CAATAAGGACATCGTCAAGCGCGTGATTGGAATGCCTGGCGACACCATTTCGTTACGAAAATGATAAACT  
CTACATCAATGACAAAGAAACGGACGAGCCTTATCTAGCAGACTATATCAAACGCTCAAGGATGACAA  
ACTCCAAAGCACTTACTCAGGCAAGGGCTTTGAAGGAAATAAAGGAACCTTTCTTTAGAAGTATCGCTCA  
AAAAGCTCAAGCCTTCACAGTTGATGTCAACTACAACACCAACTTTAGCTTTACTGTTCCAGAAGGAGA  
ATACCTTCTCCTCGGAGATGACCGCTTGGTTTCGAGCGACAGCCGCCACGTAGGTACCTTCAAAGCAAA  
AGATATCACAGGGGAAGCTAAATTCGCTTATGGCCAATCACCCGTATCGGAACATTT

**SP106 amino acid (SEQ ID NO:186)**

RIFFSNVRVEGHSMDPTLADGEILFVVKHLPIDRFDIVVAHEEDGNKDIVKRVIGMPGDTIRYENDKL  
YINDKETDEPYLADYIKRFKDDKLQSTYSGKGFEGNKGTFFRSIAQKAQFTVDVNYNTNFSFTVPEGE  
YLLGDDRLVSSDSRHVGTFKAKDITGEAKFRLWPITRIGTF

**SP107 nucleotide (SEQ ID NO:187)**

GGACTCTCTCAAAGATGTGAAAGCAAATGCTAGCGACAGCAAGCCTGCACAGGACAAGAAGGATGCAAA  
ACAAGGAACGGAAGATAGTAAGGATTCAAGATAAGATGACTGAAACAAACTCAGTTCGGCAGGAGTGAT  
TGTGGTCAGTCTACTTGCCCTCCTAGGCGTGATTGCCTTCTGGCTGATTCCGCGTAAGAAAGAGTCAGA  
AATCCAGCAATTAAGCACGGAATTGATCAAGGTTCTAGGACAGCTAGATGCAGAAAAAGCGGATAAAAA  
AGTCTTTGCCAAAGCCCAAAACCTTCTCCAAGAAACCTTGATTTCGTGAAGAAGAAAAATGGCTCAGC  
AGAGACAGAACTAACTAGTAGAGGAGCTTAAAGCAATCCTTGACAACTCAAG

**SP107 amino acid (SEQ ID NO:188)**

DSLKDVKANASDSKPAQDKDAKQGTEDSKDSDKMTETNSVPAGVIVVSLALLGVIAFWLIRRKKESE  
IQQLSTELIKVLGQLDAEKADKKVLAKAQNLLQETLDFVKEENGSAETETKLVEELKAILDKLK

**SP108 nucleotide (SEQ ID NO:189)**

CAAGAAATCCTATCATCTCTTCCAGAAGCAAACAGAGACGAGGGGAATTCAGACTCAGTTGATTGAAGA  
ATCGCTTAGTCAGCAGACTATAATCCAGTCCTTCAATGCTCAAACAGAAATTTATCCAAAGATTGCGTGA  
GGCTCATGACAACTACTCAGGCTATTCTCAGTCAGCCATCTTTTATTCTTCAACGGTCAATCCTTCGAC  
TCGCTTTGTAAATGCACTCATTTATGCCCTTTTAGCTGGAGTAGGAGCTTATCGTATCATGATGGGTTC  
AGCCTTGACCGTCGGTCGTTTAGTGACTTTTTTGAACATATGTTACGCAATACACCAAGCCCTTTAACGA  
TATTTCTTCAGTGCTAGCTGAGTTGCAAAGTGCTCTGGCTTGCGTAGAGCGTATCTATGGAGTCTTAGA  
TAGCCCTGAAGTGGCTGAAACAGGTAAGGAAGTCTTGACGACCAAGTGACCAAGTTAAGGGAGCTATTTT  
CTTTAAACATGTCTCTTTTGGCTACCATCCTGAAAAAATTTTGATTAAAGGACTTGCTATCGATATTCC  
AGCTGGTAGTAAGGTAGCCATCGTTGGTCCGACAGGTGCTGGAAAAATCAACTCTTATCAATCTCCTTAT  
GCGTTTTTATCCCATTAGCTCGGGAGATATCTTGCTGGATGGGCAATCCATTTATGATTATACACGAGT  
ATCATTGAGACAGCAGTTTGGTATGGTGCTTCAAGAAACCTGGCTCACACAAGGGACCATTCATGATAA  
TATTGCTTTTGGCAATCCTGAAGCCAGTCGAGAGCAAGTAATTGCTGCTGCCAAAGCAGCTAATGCAGA  
CTTTTTCATCCAACAGTTGCCACAGGATACGATACCAAGTTGGAAAAATGCTGGAGAATCTCTCTCTGT  
CGGCAAGCTCAGCTTTGACCATAGCCCGAGTCTTTCTGGCTATTCCAAAGATTCTTATCTTAGACGA  
GGCAACTTCTTCCATTGATACACGGACAGAAAGTGCTGGTACAGGATGCCCTTTGCAAACTCATGAAGGG  
CCGCACAAGTTTCATCATTTGCTCACCGTTTGTCAACCATTACAGGATGCGGATTTAATTTCTTGCTTAGT



Table 1

AGATGGTGATATTGTTGAATATGGTAACCATCAAGAACTCATGGATAGAAAGGGTAAGTATTACCAAAT  
GCAAAAAGCTGCGGCTTTTAGTTCTGA

A

**SP108 amino acid (SEQ ID NO:190)**

KKSYHLFQKQTETRGIQTLIEESLSQQTIIQSFNAQTEFIQRLREAHDNYSQSAIFYSSVTNPST  
RFVNALIYALLAGVGAYRIMMGSALTVGRLVTFNLVYQQYTKPFNDISSVLAELQSALACVERIYGVLD  
SPEVAETGKEVLTTSDQVKGAISFKHVSFGYHPEKILIKDLSIDIPAGSKVAIVGPTGAGKSTLINLLM  
RFYPISSGDILLDQSIYDYTRVSLRQQFGMVLTQETWLTQGTIHDNIAFGNPEASREQVIAAANAANAD  
FFIIQQLPQGYDTKLENAGESLSVGQAQLLTIARVFLAIPKILILDEATSSIDTRTEVLVQDAFAKLMKG  
RTSFIIAHLSTIQDADLILVLVDGDIVYGNHQLMDRKGKYYQMKAASFSE

**SP109 nucleotide (SEQ ID NO:191)**

ACGAAATGCAGGGCAGACAGATGCCTCGCAAATTGAAAAGGCGGCAGTTAGCCAAGGAGGAAAAGCAGT  
GAAAAAACAGAAATTAGTAAAGACGCAGACTTGCACGAAATTTATCTAGCTGGAGGTTGTTCTGGGG  
AGTGGAGGAATATTTCTCACGTGTTCCCGGGTGACGGATGCCGTTTCAGGCTATGCAAATGGTAGAGG  
AGAAACAACCAAGTACGAATTGATTAACCAAACAGGTCATGCAGAAACCGTCCATGTCACCTATGATGC  
CAAGCAAATTTCTCTCAAGGAAATCCTGCTTCACTATTTCGCGCATATCAATCCAACAGCAAAAATAA  
ACAAGGAAATGATGTGGGGACCCAGTACCGTACTGGTGTATTATACACAGATGACAAGGATTTGGAAGT  
GATTAACCAAGTCTTTGATGAGGTGGCTAAGAAATACGATCAACCTCTAGCAGTTGAAAAGGAAAACCTT  
GAAGAATTTTGTGGTGGCTGAGGATTACCATCAAGACTATCTCAAGAAAAATCCAAATGGCTACTGCCA  
TATCAATGTTAATCAGGCGGCCATCCTGTCAATTGATGCCAGCAAATATCCAAAACCAAGTATGAGGA  
ATTGAAAAGACCCGTGTACCTGAGGAGTATGCAGTTACCCAGGAAAAATCAAACAGAACGAGCTTTCTC  
AAACCGTTACTGGGATAAAATTTGAATCCGGTATCTATGTGGATATAGCAACTGGGGAACCTCTCTTTTC  
ATCAAAAGACAAATTTGAGTCTGGTGTGGCTGGCCTAGTTTTACCCAACCCATCAGTCCAGATGTTGT  
CACCTACAAGGAAGATAAGTCTTACAATATGACGCGTATGGAAGTGCAGGAGCCGAGTAGGAGATTCTCA  
CCTTGGGCATGTCTTTACGGATGGTCCACAGGACAAGGGCGGCTTACGTTACTGTATCAATAGCCTCTC  
TATCCGCTTTATTCCCAAAGACCAAATGGAAGAAAAAGGCTACGCTTATTTACTAGATTATGTTGAT

**SP109 amino acid (SEQ ID NO:192)**

RNAGQTDASQIEKAAVSQGGKAVKKTEISKDADLHEIYLAGGCFWGVVEEYFSRVPVTDVAVSGYANGRG  
ETTKYELINQTHGAETVHVTDYDAKQISLKEILLHYFRIINPTSKNKQNDVGTQYRTGVVYTDKDLV  
INQVFDEVAKKYDQPLAVEKENLKNFVVAEDYHQDYLLKNPNGYCHINVNQAAYPVIDASKYPKPSDEE  
LKKTLSPPEYAVTQENQTERAFSNRYWDFESGIYVDIATGEPLFSSKDKFESGCGWPSFTQPISPDVV  
TYKEDKSYNMTMEVRSRVGDSHLGHVFTDGPQDKGLRYCINSLSIRFI PKDQMEEKGYAYLLDYVD

**SP110 nucleotide (SEQ ID NO:193)**

TGTATAGTTTTAGCGCTTGTCTCTTAATTCTGNTAAAAATGAAGAAAATACTTCTAAAGAGCATGCG  
CCTGATAAAATAGCTTTTAGATCATGCTTTCGGTCAAACCTATATTAGATAAAAAACCTGAAAGAGTTGCA  
ACTATTGCTTGGGGAAATCATGATGTAGCATTAGCTTTAGGAATAGTTCTGTGGATTTCCTAAAGCA  
AATTACGGTGTAAAGTGTGATAAAGGAGTTTACCATGGACAGAAGAAAAATCAAAGAACTAAATGGT  
AAAGCTAACCTATTTGACGATTTGGATGGACTTAACTTTGAAGCAATATCAAATTCCTAAACAGATGTT  
ATCTTAGCAGGTTATTCTGGTATAACTAAAGAAGATTATGACACTCTATCA

**SP110 amino acid (SEQ ID NO:194)**

CIVFSACSSNSXKNEENTSKEHAPDKIVLDHAFQQTILDKKPERVATIAWGNHDVALALGIVPVGFSSKA  
NYGVSADKGVLPWTEEEKIKELNGKANLFDLDGLNFEAISNSKPDVILAGYSGITKEDYDTLS

**SP111 nucleotide (SEQ ID NO:195)**

GTGTGTCGAGCATATTCTGAAGCAAACCTATCAAAATATAGAAATTATTTTAGTTGATGACGGTTCTAC  
GGATAATTCTGGGGAAATTTGTGATGCTTTTATGATGCAAGATAATCGTGTGCGAGTATTGCATCAAGA  
AAATAAGGGGGGGGAGCACAAGCTAAAAATATGGGGATTAGTGTAGCTAAGGGAGAGTACATCACGAT  
TGTTGATTCAGATGATATCGTAAAAGAAAAATGATTGAAACTCTTTATCAGCAAGTCCAAGAAAAGGA  
TGCAGATGTTGTTATAGGGAATTACTATAATTATGACGAAAGTGACGGGAATTTTTATTTTATGTAAAC  
AGGGCAAGATTTTTCGCTCGAAGAATTAGCTATACAAGAAATTATGAACCGTCAAGCAGGAGATTGGAA  
ATTCAATAGCTTCGGCCTTTATATTGCCGACATTTAAGTTGATTAAAAAGAATTATTCAATGAAGTTCA  
CTTTTCAAATGGTCGCCGCTTTGATGATGAAGCAACTATGCATCGCTTTTATCTTTTAGCCTCTAAAAAT  
CGTCTTTATAAACGATAATCTCTATCTGTATAGAAGACGTTACAGGAAGCATCATGAGAACGGAATTTGA

Table 1

TCTTTCCTGGGCAAGAGATATTGTTGAAGTGTTCCTAAGAAAATATCGGATTGTGTCTTGGCTGGTTT  
GGATGTC'CCGTTCTGCGTATTCGATTGTCAATCTTTTAAAAGATTATAAGCAAACCTTTAGAAATACCA  
TCAATTAACAGATACTGAGGAATATAAAGATATTTGTTTCAGATTAAAGTTGTTT'TTGATGCAGAACA  
AAGAAATGGTAAAAGT

**SP111 amino acid (SEQ ID NO:196)**

CVEHILKQTYQNIIEILVDDGSTDNSGEICDAFMMQDNVRVRLHQENKGGAAQAKNMGISVAKGEYITI  
VDSDDIVKENMIETLYQQVQEKDADVIGNYNYDESDGNFYFYVTGQDFCVEELAIQEIIMNRQAGDWK  
FNSSAFILPTFKLIKELFNEVHFSNGRRFDDEATMHRFYLLASKIVFINDNLYLRRRSGSIMRTEFD  
LSWARDIVEVFSKKISDCVLAGLDVSVLRIRFVNLLKDYKQTFLEYHQLTDTEEYKDICFRLKLFDAEQ  
RNGKS

**SP0112 nucleotide (SEQ ID NO:197)**

GTGTTTGGATAGCATTGAGAATCAGACGTATCAAAATTTTGAGTGTATTATTAATCAATGATGGCTCTCC  
AGATCATTCATCCAAAATATGTGAAGAATTTGTAGAGAAAGATTCTCGTTTCAAATATTTTGAAGAAAGC  
AAACGGCGGTCTTTTCATCAGCTCGTAACCTAGGTATTGAATGTTCCGGGGGGGGCGTACATTACTTTTGT  
AGACTCTGATGATTGGTTGGAACATGATGCTTTAGACCGATTATATGGTGCTTTGAAAAAGGAAACGC  
AGATATTAGTATCGGGCGTTATAATTCCTTATGATGAAACACGCTATGTGTATATGACTTATGTTACGGA  
TCCAGATGATTCCTCTAGAAGTGATAGAAGGTAAGCAATTTATGGATAGGGAAGGTGTCGAAGAAGTCAG  
AAATGGGAACTGGACTGTAGCTGCTTGAAGTTATTCAAGAGAGAGTTACTACAAGATTTACCATTTCC  
TATAGGAAAAAATTGCAGAGGATACTTACTGGACATGGAAGGTACTTCTAAGAGCTTCGAGGATAGCTTA  
TTTGAATCGTTGTGTTTACTGGTACCGTGTGGTTTATCTGATACTTTATCGAATACATGGAGTGAAAA  
GCGTATGTATGATGAAATGGGGCTAGGGAAGAAAAAGATAGCTATTTTAGCAAGTTCAGACTATGACTT  
GACCAATCATATTTTGATTATATAAAATAGATTACAAAGAGTGATAGCAAAATTAGAAGAACAAAATAT  
GCAGTTCACAGAGATTTACAGAAGATGATGGAAAAATTGCTTTTACTTCCG

**SP0112 amino acid (SEQ ID NO:198)**

CLDSIQNQTYQNFECLLINDGSPDHSSKICEEFVEKDSRFKYFEKANGGLSSARNLGI ECSGGAYITFV  
DSDDWLEHDALDRLYGALKKENADISIGRYNSYDETRYVYMTYVTDPPDSLEVIEGKAIMDREGVEEVR  
NGNWTVAVLKLFKRELLQDLFPPIGKIAEDTYWTKVLLRASRIVYLNRCVYWYRVGLSDTLNWTSEK  
RMYDEIGAREEKIAILASSDYDLTNHILYKNRLQRVIAKLEEQNMQFTEIYRRMMEKLSLLP

**SP113 nucleotide (SEQ ID NO:199)**

GTGCCATAGATAGTATTATTACTCAAACATATAAAAAATTTGAGATTGTTGTCGTTAATGATGGTTCTAC  
GGATGCTTCAGGTGAAATTTGTAAAGAATTTTCAGAAATGGATCACCGAATTCCTATATAGAACAAGA  
AAATGCTGGTCTTTCTGCCGCACGAAACACCGGTCTGAATAATATGTCCGGAAATTTATGTGACCTTTGT  
GGACTCGGATGATTGGATTGAGCAAGATTATGTAGAACTCTATATAAAAAAATAGTAGAGTATCAGGC  
TGATATTGCAAGTTGGTAAATTTATTCTTTCAACGAAAGTGAAGGAATGTTCTACTTTTATATATTGGG  
AGACTCCTATTATGAGAAAGTATATGATAATGTTTCTATCTTTGAGAACTTGTATGAACTCAAGAAAT  
GAAGAGTTTGTCTTTGATATCTGCTTGGGGTAACTCTATAAGGCAAGATTGTTTGAGCAGTTGCGCTT  
TGACATAGGTAAATTAGGAGAAGATGGTTACCTCAATCAAAAGGTATATTTATTATCAGAAAAGGTAAT  
TTATTTAAATAAAAGTCTTTATGCTTATCGGATTAGAAAAGGTAGTTTATCAAGAGTTTGGACAGAAAA  
GTGGATGCACGCTTTAGTTGATGCTATGTCTGAACGTATTACGCTACTAGCTAATATGGGTTATCCTCT  
AGAGAAACACTTGGCAGTTTATCGTCAGATGTTGGAAGTCAGTCTCGCCAACGGTCAAGCTAGTGGTTT  
ATCTGCACACGCAACGTATAAAGAGTTTGAAATGAAACAAAGGCTTTTAAATCAGCTATCGAGACAAGA  
GGAAGTGAAAAAGAAAGCCATTGTCTCGCAGCAAACTATGGCTATGTAGACCAAGTTTAAACGACAAT  
CAAGTCTATTGTTATCATAATCGTTCGATTGCTTTTATCTGATTATAGCGATTTTCCAAATGAATG  
GATTAAGCAATTAATAAGCGCTTAGAGAAGTTTGAAGTCAAGAAATTTAATTTGTCGGGTAACCTCTGA  
GCAAAATTCATGTTATAAATCGGATATTAGTTACACAGTCTTTTACGCTATTTTATAGCTGATTTCTGT  
GCAAGAAGACAAGGCCCTCTACTTGGACTGTGATCTAGTTGTAACGAAAAATCTGGATGACTTGTGTTGC  
TACAGACTTACAAGATTATCCTTTGGCTGCTGTTAGAGATTTTGGGGGCAGAGCTTATTTTGGTCAAGA  
AATCTTTAATGCCGGTGTCTCTTGGTAAACAATGCTTTTGGAAAAAAGAGAAATATGACCCAAAAAATT  
AATTGATGTAACCAATGAATGGCATGATAAGGTGGATCAGGCAGATCAGAGCATCTTGAATATGCTTTT  
TGAACATAAATGGTTGGAATGGACTTTGATTATAATCATATTGTCATTATATAAACAGTTTGTGATTAT  
TCAATTGCTTGAGGTGAGGATTTATCTGCTATTATTCACTATCTTTCTCATCGGAAACCGTGGAAAGA  
TTTGGCGGCCCAAACCTATCGTGAAGTTTGGTGGTACTATCATGGCTTGAATGGACAGAAATTTGGGACA  
AAACCATCATTTACATCCATTACAAAGATCTCACATCTATCCAATAAAGGAACCTTTCACTTGTCTAAT  
CTATACTGCCTCAGACCATATTGAACAAATTGAGACATTGGTTCAATCCTTGCCTGATATTCAAGTTAA

Table 1

GATAGCAGCTAGAGTAATAGTTAGTGATCGATTGGCTCAGATGACAATTTATCCAAACGTGACTATATT  
 TAACGGAATTCACATTTTGGTAGATGTGCGATAATGAATTGGTAGAAACCAGTCAAGTACTTTTAGATAT  
 TAATCATGCGGAAAAGACAGAGAAATTCTCGATCAATTTGCTAATCTTGGCAAGCCTATCTTATCCTT  
 TGAAAATACTAAACCTATGAAGTAGGTCAGGAGGCATATGCTGTTGACCAAGTTCAAGCAATGATTGA  
 AAAATTGAGAGAAATAAGCAAA

**SP113 amino acid (SEQ ID NO:200)**

CLDSIITQYTKNIEIVVNDGSTDASGEICKEFSEMDHRILYIEQENAGLSAARNITGLNNMSGNYVTFV  
 DSDDWIEQDYVETLYKKIVEYQADIAVGNYSFNESEGMFYFHHILGDSYIEKVYDNVSIENLYETQEM  
 KSFALISAWGKLYKARLFEQLRFDIGKLGEDGYLNQKVYLLSEKVIYLNKSLYAYRIRKGSLSRVWTEK  
 WMHALVDAMSERITLLANMGYPLEKHLAVYRQMLEVSLANGQASGLSDTATYKEFEMKQRLNQLSRQE  
 ESEKKAIVLAANYGYVDQVLTITKSICYHNRSIRFYLIHSDFPNEWIKQLNKRLEKFDSEIINCRVTSE  
 QISCYKSDISYTVFLRYFIADFVQEDKALYLDCLDVLVTKNLDLDFATDLQDYPLAAVRDFGGRAYFGQE  
 IFNAGVLLVNNAFWKENMTQKLDVNTNEWHDKVDQADQSILNMLFEHKWLELDFDYNHIVIHKQFADY  
 QLPEGQDYPALIIHYLSHRKPWKDLAAQTYREVWVYHGLEWTELGNHHLHPLQRSHIYPIKEPFTCLI  
 YTASDHIEQIETLVQSLPDIQFKIAARVIVSDRLAQMTIYPNVTIFNGIHYLVVDVDELVETSQVLLDI  
 NHGEKTEEILDQFANLGKPILSFENTKTYEVGQEAAYAVDQVQAMIEKLREISK

**SP114 nucleotide (SEQ ID NO:201)**

CATTCAGAAGCAGACCTATCAAAATCTGGAAATTATTCTTGTGATGATGGTGCAACAGATGAAAGTGG  
 TCGCTTGTGTGATTCAATCGCTGAACAAGATGACAGGGTGTGAGTGCTTCATAAAAAGAAGCAAGGATT  
 GTCGCAAGCAGCAAAATGATGGGATGAAGCAGGCTCACGGGGATTATCTGATTTTTATTGACTCAGATGA  
 TTATATCCATCCAGAAATGATTCAGAGCTTATATGAGCAATTAGTTCAAGAAGATGCGGATGTTTTCGAG  
 CTGTGGTGTCTGAATGTCTATGCTAATGATGAAAGCCACAGTCAGCCAATCAGGATGACTATTTTGT  
 CTGTGATTCTCAAAATTTCTAAAGGAATACCTCATAGGTGAAAAATACCTGGGACGATTTGCAATAA  
 GCTAATCAAGAGACAGATTGCAACTGCCCTATCTTTCTTAAGGGGTTGATTTACGAAGATGCCATTATTA  
 CCATTTTGATTTAATCAAGTTGGCCAGAAAGTATGTGGTTAATACTAAACCCTATTATTACTATTTCCTA  
 TAGAGGGGATAGTATTACGACCAAACCTATGCGAGAGAAGGATTTAGCCTATATTGATATCTACCAAAA  
 GTTTTATAATGAAGTTGTGAAAACTATCCTGACTTGAAAGAGGTCGCTTTTTTTCAGATTGGCCTATGC  
 CCACTTCTTTATTCTGGATAAGATGTGTGCTAGATGATCAGTATAAACAGTTTGAAGCCTATTCTCAGAT  
 TCATCGTTTTTTTAAAGGCCATGCCCTTGCTATTCTAGGAATCCAATTTTCCGTAAGGGGAGAAGAAT  
 TAGTGCTTTGGCCCTATTCAATAATTTCTTTATATCGATTCTTATTACTGAAAAATAATTGAAAAATC  
 TAAAAAATTACAT

**SP114 amino acid (SEQ ID NO:202)**

IQKQTYQNLEIILVDDGATDESGRLCDSIAEQDDRVSVLHKKNEGLSQARNDMKQAHGJYLIFIDSDD  
 YIHPMIQSLYEQLVQEDADVSSCGVMNVYANDESPQSANQDDYFVCDSTFLKEYLIGEXIPGTICNK  
 LIKRQIATALSFPKGLIYEDAYYHFDLIKAKKYVNTKPYYYFPHRGDSITTKPYAEKDLAYIDIYQK  
 FYNEVVKNPDLKEVAFFRLAYAHFFILDKMLLDDQYKQFEAYSQIHRFLKGHAFASRNPIFRKGRRI  
 SALALFINISLYRFLLLKNIEKSKKLH

**SP115 nucleotide (SEQ ID NO:203)**

TAAGGCTGATAATCGTGTCAAATGAGAACGACGATTAATAATGAATCGCCATTGTTGCTTTCTCCGTT  
 GTATGGCAATGATAATGGTAACGGATTATGGTGGGGGAACACATTGAAGGGAGCATGGGAAGCTATTCC  
 TGAAGATGTAAAGCCATATGCAGCGATTGAACCTCATCCTGCAAAAGTCTGTAAACCAACAAGTTGTAT  
 TCCACGAGATACGAAAGAAATTGAGAGAAATGGTATGTCAAGATGTTGGAGGAAGCTCAAAGTCTAAACAT  
 TCCAGTTTTCTTGGTTATTATGTGCGCTGGAGAGCGTAATACAGTTCTCCAGAGTGGTTAGATGAACA  
 ATTCCAAAAGTATAGTGTGTTAAAAGGTGTTTTAAATATTGAGAAATTATTGGATTTACAATAACCAGTT  
 AGCTCCGCATAGTGCTAAATATTTGGAAGTTGTGCCAAATATGGAGCGCATTTTATCTGGCATGATCA  
 TGAAAAATGGTTCTGGGAACTATTATGAATGATCCGACATTCTTTGAAGCGAGTCAAAAAATATCATAA  
 AAATTTGGTGTGGCAACTAAAAATACGCCAATAAGAGATGATGCGGGTACAGATTCTATCGTTAGTGG  
 ATTTTGGTTGAGTGGCTTATGTGATAACTGGGGCTCATCAACAGATACATGGAAATGGTGGGAAAAACA  
 TTATACAAACACATTTGAACTGGAAGAGCTAGGGATATGAGATCCTATGCATCGGAACCAAGATCAAT  
 GATTGCTATGGAATGATGAATGATATATACTGGGGGAGGCACAGTTTATAATTTCAAGTGTGCCGCGTA  
 TACATTTATGACAAATGATGTACCAACTCCAGCATTACTAAAGGTATTATCTCTTTTAGACATGC  
 TATACAAAATCCAGCTCCAAGTAAGGAAGAAGTTGTAATAGAACAAAAGCTGTATTTTGGAAATGGAGA  
 AGGTAGGATTAGTTCAATTAACGGATTTTATCAAGGACTTTATTCGAATGATGAAACAATGCCCTTTATA  
 TAATAATGGGAGATATCATATTCTCTGTAAATACATGAGAAAAATTGATAAGGAAAAAGATTTTCATCTAT

Table 1

ATTCCCTAATGCAAAAATTTTACTAAAAATAGTGAGGAATTGTCTAGTAAAGTCAACTATTTAAACTC  
GCTTTATCCAAAACTTTATGAAGGAGATGGGTATGCTCAGCGTGTAGGTAAATTCCTGGTATATTTATAA  
TAGTAATGCTAATATCAATAAAAAATCAGCAAGTAATGTTGCCTATGTATACATAATAATACAAAGTCGTT  
ATCGTTAGATTTGACGCCACATACTTACGCTGTTGTTAAAGAAAAATCCAAATAATTTACATATTTTATT  
GAATAATTACAGGACAGATAAGACAGCTATGTGGGCATTATCAGGAAATTTTGATGCATCAAAAAGTTG  
GAAGAAAGAAGAAATTAGAGTTAGCGAACTGGATAAGCAAAAATTTCCATCAATCCTGTAGATAATGA  
CTTTAGGACAACAACACTTACATTTAAAAGGGCATACTGGTCATAAACCTCAGATAAATATAAGTGGCGA  
TAAAAATCATTATACCTTATACAGAAAATTTGGGATGAGAATACCCATGTTTATACCATTACGTTAATCA  
TAATGGAATGGTAGAGATGCTCTATAAATACAGGGGACAGGTCCAGTCTCTTTCCCAACACCAGATAA  
ATTTAATGATGGTAATTTGAATATAGCATATGCAAAACCAACAACAAAGTTCTGTAGATTACAATGG  
AGACCTTAATAGAGCTGTGGATGGTAACAGAAATGGTAATTTAACTCTGGTTCGGTAACACACACTAG  
GGCAGATAATCCCTCTTGGTGGGAAGTCGATTTGAAAAAAATGGATAAAGTTGGGCTTGTTAAAAATTTA  
TAATCGCACAGATGCTGAGACTCAACGCTCTATCTAATTTT

**SP115 amino acid (SEQ ID NO:204)**

KADNRVQMRTTINNESPLLLSPLYGNDNGNGLWNGNTLKGAWAIPEDVKPYAAIELHPAKVCKPTSCI  
PRDTKELREWYVKMLEEAQSLNIPVFLVIMSAGERNTVPPPEWLDEQFQKYSVLKGVNLNIENYWIYNQL  
APHSKYLEVCAKYGAHFIWHDHEKWFWEITMNDPTFFASQKYHKNLVLATKNTPIRDDAGTDSIVSG  
FWLSGLCDNWSSTDTWKWWEKHYYTTFETGRARDMRSYASEPESMIAMEMMNVTYGGGTVYNFECAAY  
TFMTNDVPTPAFTKGIIIPFRHAIQNPAKSKEEVNRTKAVFWNGEGRISSLNGFYQGLYSNDETMPLY  
NNGRYHILPVIHEKIDKEKISSIFPNAKILTKNSEELSSKVNYLNSLYPKLYEGDG'YQRVGNSWYIYN  
SNANINKNQVMLPMTYNNTKSLSLDLTPHTYAVVKENPNLHILLNNYRTDKTAMWALSGNFDASKSW  
KKEELELANWISKYNSINPVDNDFRTTTLTKGHTGHKQINISGDKNHYYTYTENWDENTHVTITVNH  
NGMVMSINTEGTGPVSFPTPKFNDGNLNIAYAKPTTQSSVDYNGDPNRAVDGNRNGNFNSGVSHTTR  
ADNPSSWWEVDLKKMDKVLVKIYNRTDAETQRLSNF

**SP117 nucleotide (SEQ ID NO:205)**

CTGTGGCAATCAGTCAGCTGCTTCCAAACAGTCAGCTTCAGGAACGATTGAGGTGATTTACAGAGAAAA  
TGGCTCTGGGACACGGGTGCTTCCAGAAAATCACAGGGATTCTCAAAAAAGACGGTGATAAAAAAAT  
TGACAACACTGCCAAAACAGCTGTGATTCAAAATAGTACAGAAGGTGTTCTCTCAGCAGTTCAAGGGAA  
TGCTAATGCTATCGGCTACATCTCCTTGGGATCTTTTAACGAAATCTGTCAAGGCTTTAGAGATTGATGG  
TGTCAGGCTAGTCGAGACACAGTTTTAGATGGTGAATACCCCTCTTCAACGCTCCCTTCAACATTGTTTG  
GTCTTCTAATCTTTCCAAGCTAGGTCAAGATTTTATCAGCTTTATCCACTCCAAACAAGGTCAACAAGT  
GGTCACAGATAATAAATTTATTGAAGCTAAAACCGAAACACGGAATATACAAGCCAACACTTATCAGG  
CAAGTTGTCTGTTGTAGGTTCCACTTCAGTATCTTCTTTAATGGAAAAATAGCAGAAGCTTATAAAAA  
AGAAAAATCCAGAAGTTACGATTGATATTACCTCTAATGGGTCTTTCAGCAGGTATTACCGCTGTTAAGGA  
GAAAACCGCTGATATTGGTATGGTTTCTAGGGAATTAACCTCTGAAGAAGGTAAGAGTCTACCCATGA  
TGCTATTGCTTTAGACGGTATTGCTGTTGTGGTCAATAATGACAATAAGGCAAGCCAAGTCAGTATGGC  
TGAACCTGCAGACGTTTTTAGTGGCAATTAACCACCTGGGACAAGATTAAA

**SP117 amino acid (SEQ ID NO:206)**

CGNQSAASKQSASGTIEVISRENGSGTRGAFTEITGILKKDGDKKIDNTAKTAVIQNSTEGVLSAVQGN  
ANAIGYISLGLTKSVKALEIDGVKASRDTVLDGEYPLQRPFNIVSSNLSKLGQDFISFIHSKQGGQV  
VTDNKFIEAKTETETYSQHLSGKLSVVGSTSVSSLMKLAAYKKENPEVTIDITSNGSSAGITAVKE  
KTADIGMVSRELTPEEKSLTHDAIALDGIADVNNNDNKASQVSMALADVFSGLTTWDKIK

**SP118 nucleotide (SEQ ID NO:207)**

TTGTCAACAACAACATGCTACTTCTGAGGGGACGAATCAAAGGCAAAGCAGTTCAGCGAAAGTTCCATG  
GAAAGCTTCATACACCAACCTAAACAACAGGTAAGTACAGAAGAGGTCAAATCTCTTATCAGCTCA  
CTTGGATCCAAATAGTGTGATGCATTTTTTAATCTCGTTAATGACTATAATACCATTGTCGGCTCAAC  
TGGCTTATCAGGAGATTTCACTTCCTTTACTCACACCGAATACGATGTTGAGAAAATCAGTCATCTCTG  
GAATCAAAAGAAGGGCGATTTGTTGGGACCAACTGCCGTATCAATAGTTATTGTCTTTTGAAAAATTC  
AGTCACCATTTCAAAGCTTGAAAAGAATGACCACTTGCTTTTCCTAGATAATGATGCGATTGATAAAGG  
AAAGGTCTTTGATTACACAAGATAAGGAAGAGTTGATATTCTATTTTCGAGAGTTCCAAGTCAAC  
TACAGATGTCAAGGTTACGCTGAAAAGATGGAAGCATTTCTCTCACAATTTCAATCAATGAAAAAGC  
TCGAATGCTGTCTGTAGTCTTGCACGACAATTTGGATGGCGAGTATCTGTTTGTAGGCCACGTTGGGGT  
CTTAGTACCTGCTGATGACGGTTTCTTATTGTTAGAGAAATGACTTTTGAAGAGCCCTACCAAGCGAT

Table 1

TAAATTTGCTAGTAAGGAAGATTGCTACAAGTATTTGGGCACCAAGTATGCGGATTATACAGGCGAGGG  
ACTGGCTAAGCCTTTTATCATGGATAATGATAAGTGGGTAAACTT

**SP118 amino acid (SEQ ID NO:208)**

CQQQHATSEGTNQRQSSSAKVPWKASYTNLNNQVSTEEVKSLLSAHLDPNSVDAFFNLVNDYNTIVGST  
GLSGDFTSFTHTEYDVEKISHLWNQKKGDFVGTNCRINSYCLLKNSVTIPKLEKNDQLFLDNDIDAIDKG  
KVFDSDQKEEFDILFSRVPTSTTDVKVHAEKMEAFFSQFQFNEKARMLSVVLHDNLDGEYLFVGHVGV  
LVPADDGFLFVEKLTFEPEYQAIKFASKEDCYKYLGTKYADYTGEGLAKPFIMDNDKWVKL

**SP119 nucleotide (SEQ ID NO:209)**

TTGTTTCAGGCAAGTCCGTGACTAGTGAACACCAACGAAAGATGAAATGAAGACGGAGCAGACAGCTAG  
TAAACAAGCGCAGCTAAAGGGAAAGAGGTGGCTGATTTTGAATTGATGGGAGTAGATGGCAAGACCTA  
CCGTTTATCTGATTACAAGGGCAAGAAAGTCTATCTCAAAATCTGGGCTTCTTGGTGTTCATCTGTCT  
GGCTAGTCTTCCAGATACGGATGAGATTGCTAAAGAAGCTGGTATGACTATGTGGTCTTGACAGTAGT  
GTCACCAGGACATAAGGGAGAGCAATCTGAAGCGGACTTTAAGAATTGGTATAAGGGATTGGATTATAA  
AAATCTCCCAGTCTTAGTTCACCATCAGGCAAACTTTTGAAACTTATGGTGTCCGTTCTTACCCAAC  
CCAAGCCTTTATAGACAAAGAAGGCAAGCTGGTCAAAACACATCCAGGATTCATGGAAAAAGATGCAAT  
TTTGCAAACTTTGAAGGAATTAGCC

**SP119 amino acid (SEQ ID NO:210)**

CSGKSVTSEHQTKDEMKEQTASKTSAAKGKEVADFELMGVDGKTYRLSDYKGGKVYLKFWASWCSICL  
ASLPDTDEIAKEAGDDYVVLTVVSPGHKGEQSEADFNWYKGLDYKNLPVLVDPGKLETYGVRSYPT  
QAFIDKEGKLVKTHPGFMEKDAILQTLKELA

**SP120 nucleotide (SEQ ID NO:211)**

CTCGCAAATTGAAAAGGCGGCAGTTAGCCAAGGAGGAAAAGCAGTGAAAAAACAGAAATTAGTAAAGA  
CGCAGACTTGCACGAAATTTATCTAGCTGGAGGTTGTTTCTGGGGAGTGGAGGAATATTCTCACGTGT  
TCCCGGGGTGACGGATGCCGTTTCAGGCTATGCAAATGGTAGAGGAGAAACAACCAAGTACGAATTGAT  
TAACCAAAACAGGTATGCAGAAACCGTCCATGTACCTATGATGCCAAGCAAATTTCTCTCAAGGAAAT  
CCTGCTTCACTATTTCGCGATTATCAATCCAACCAGCAAAAATAAACAAGGAAATGATGTGGGGACCCA  
GTACCGTACTGGTGTATTATACACAGATGACAAGGATTTGGAAGTGATTAAACCAAGTCTTTGATGAGGT  
GGCTAAGAAATACGATCAACCTCTAGCAGTTGAAAAGGAAAACTTGAAGAATTTGTGGTGGCTGAGGA  
TTACCATCAAGACTATCTCAAGAAAAATCCAAATGGCTACTGCCATATCAATGTTAATCAGGCGGCCTA  
TCCTGTCTATTGATGCCAGCAAATATCCAAAACCAAGTGATGAGGAATTGAAAAAGACCCTGTACCTGA  
GGAGTATGCAGTTACCCAGGAAAATCAAACAGAACGAGCTTTCTCAAACCGTTACTGGGATAAAATTTGA  
ATCCGGTATCTATGTGGATATAGCAACTGGGGAACCTCTCTTTTCATCAAAAGACAAATTTGAGTCTGG  
TTGTGGCTGGCCTAGTTTACCCAACCCATCAGTCCAGATGTTGTACCTACAAGGAAGATAAGTCCTA  
CAATATGACGCGTATGGAAGTGCGGAGCCGAGTAGGAGATTCTACCTTGGGCATGTCTTTACGGATGG  
TCCACAGGACAAGGGCGGCTTACGTTACTGTATCAATAGCCTCTCTATCCGCTTTATTCCCAAAGACCA  
AATGGAAGAAAAAGGTACGCTTATTAC

**SP120 amino acid (SEQ ID NO:212)**

SQIEKAASVQGGKAVKKEISKDADLHEIYLAGGCFWGVVEEYFSRVPGVTDVSGYANGRGETTKYELI  
NQTGHAETVHVITYDAKQISLKEILLHYFRIINPTSKNKQGNVGTQYRTGVVYTDKDLVINQVFDE  
AKKYDQPLAVEKENLKNFVVAEDYHQDYLLKNPNNGYCHINVNQAAYPVIDASKYPKPSDEELKKTLSPE  
EYAVTQENQTERAFSNRYWDXFESGIYVDIATGEPLFSSKDKFESGCGWPSFTQPISPDVVITYKEDKSY  
NMTRMEVRSRVGDSHLGHVFTDGPQDKGLRYCINSLSIRFIPKQDMEEKGTLIY

**SP121 nucleotide (SEQ ID NO:213)**

TTGTCAGTCAGGTTCTAATGGTTCTCAGTCTGCTGTGGATGCTATCAAACAAAAAGGAAATTAGTTGT  
GGCAACAGTCCGTGACTATGCACCCTTTGAATTTCAATCATTTGGTTGATGGAAAGAACAGGTAGTCGG  
TGCAGACATCGACATGGCTCAGGCTATCGCTGATGAACCTTGGGGTTAAGTTGGAAATCTCAAGCATGAG  
TTTTGACAATGTTTTGACCACTCTTCAAACCTGGTAAAGGCTGACCTAGCAGTTGCAGGAATTAGTGCTAC  
TGACGAGAGAAAAAGAGTCTTTGATTTTTCAATCCCATACTATGAAAACAAGATTAGTTTCTTGGTTTCG  
TAAGGCTGATGTGAAAAATACAAGGATTTAACTAGCCTAGAAAGTGCTAATATTGCAGCCCAAAAAGG  
GACTGTTCCAGAAATCAATGGTCAAGGAACAATTGCCAAAAGTTCAATTAACCTCCCTAACTAATATGGG  
TGAAGCAGTCAATGAATTGCAGGCTGGAAAAATAGATGCTGTTTATATGGATGAGCCTGTTGCACTTAG

Table 1

92

TTATGCTGCTAAAAACGCTGGCTTAGCTGTGCAACTGTGAGCTTGAAGATGAAGGACGGCGACGCCAA  
TGCC

**SP121 amino acid (SEQ ID NO:214)**

CQSGSNGSQSAVDAIKQKGLVVATSPDYAPFEFQSLVDGKNQVVGADIDMAQAIADLGVKLEISSMS  
FDNVLTSLOTGKADLAVAGISATDERKEVDFDSIPYYENKISFLVRKADVEKYKDLTSLSANIAAQKG  
TVPESMVKEQLPKVQLTSLTNMGEAVNELQAGKIDAVHMDPEVALSYAAKNAGLAVATVSLKMKDGDAN  
A

**SP122 nucleotide (SEQ ID NO:215)**

GGAACTTCACAGGATTTTAAAGAGAGAAAACAGCAGTCATTAAGGAAAAAGAAGTTGTTAGTAAAAA  
TCCTGTGATAGACAATAACACTAGCAATGAAGAAGCAAAATCAAAGAAGAAAAATCCAATAAAATCCCA  
AGGAGATTATACGGACTCATTTGTGAATAAAAAACAGAAAAATCCCAAAAAAGAAGATAAAGTTGTCTA  
TATTGCTGAATTTAAAGATAAAGAATCTGGAGAAAAAGCAATCAAGGAAGTATCCAGTCTTAAGAATAC  
AAAAGTTTATATACTTTATGATAGAAATTTTAAACGGTAGTGCCATAGAAACAACTCCAGATAACTTGGA  
CAAAATTAACAAAAATAGAAGTATTTTCATCGGTTGAAAGGGCACAAAAAGTCCAACCCATGATGAATCA  
TGCCAGAAAGGAAATTGGAGTTGAGGAAGCTATTGATTACCTAAAGTCTATCAATGCTCCGTTTGGGAA  
AAATTTTGATGGTAGAGGTATGGTCATTTCAAATATCGATACGGAACAGATTATAGACATAAGGCTAT  
GAGAATCGATGATGATGCCAAAGCCTCAATGAGATTTAAAAAGAAGACTTAAAGGCACTGATAAAAA  
TTATTGGTTGAGTGATAAAATCCCTCATGCGTTCAATTATTATAATGGTGGCAAAATCACTGTAGAAAA  
ATATGATGATGGAAGGGATTATTTGACCCACATGGGATGCATATGTCAGGGATTCTTGCTGGAATGA  
TACTGAACAAGACATCAAAACTTTAACGGCATAGATGGAATTCACCTAATGCACAAATTTTCTCTTA  
CAAAATGTATTCTGACGCAGGATCTGGGTTTGCAGGTTGATGAAACAATGTTTCATGCTATTGAAGATT  
TATCAAAACACAACGTTGATGTTGTTTCGGTATCATCTGGTTTACAGGAACAGGTCTTGTAGGTGAGAA  
ATATTGGCAAGCTATTCGGGCATTAAGAAAAGCAGGCATTCCAATGGTTGTCGCTACGGGTAACATATGC  
GACTTCTGCTTCAAGTTCTTCATGGGATTTAGTAGCAAAATAATCATCTGAAAAATGACCGACACTGGA  
TGTAACACGAACTGCAGCACATGAAGATGCGATAGCGGTCGCTTCTGCTAAAAATCAAACAGTTGAGTT  
TGATAAAGTTAACATAGGTGGAGAAAGTTTAAATACAGAAATATAGGGGCCCTTTTCGATAAGAGTAA  
AATCACAACAAATGAAGATGGAACAAAAGCTCCTAGTAAATTAATAATTTGTATATATAGGCAAGGGCA  
AGACCAAGATTTGATAGGTTTGGATCTTAGGGGCAAAATTCAGTAATGGATAGAATTTATACAAAGGA  
TTTAAAAAATGCTTTTAAAAAAGCTATGGATAAGGGTGCACGCGCCATTATGGTTGTAAATACTGTAAA  
TTACTACAATAGAGATAATTGGACAGAGCTTCCAGCTATGGGATATGAAGCGGATGAAGGTACTAAAAG  
TCAAGTGTTTTCAATTTCAAGGAGATGATGGTGTAAAGCTATGGAACATGATTAATCTTGATAAAAAAC  
TGAAAGTCAAAAGAAATAATAAGAGATTTTAAAGATAAATTTGGAGCAATACTATCCAATTGATATGGA  
AAGTTTTTAATTTCAACAAACCGAATGTAGGTGACGAAAAAGAGATTGACTTTAAGTTTGCACCTGACAC  
AGACAAAGAACTCTATAAAGAAGATATCATCGTTCCAGCAGGATCTACATCTTGGGGGCCAAGAAATAGA  
TTTACTTTTAAACCCGATGTTTCAGCACCTGGTAAATAATTTAAATCCACGCTTAATGTTATTAATGG  
CAATCAACTATGGCTATATGTCAGGAAGTATGAGGACTTCAATCGTGGCAGCTTCTACTGTTTTT  
GATTAGACCGAAATTAAGGAAATGCTTGAAGAGCTGTATTGAAAAATCTTAAGGAGATGACAAAT  
AGATCTTACAAGCTTTACAAAAATGCCCCACAAAATACGCGGACCTATGATGGATGCAACTTCTTG  
GAAAGAAAAAGTCAATACTTTGCATCACCTAGACAACAGGGAGCAGGCCTAATTAATGTGGCAATGC  
TTTGAGAAATGAAGTTGTAGCAACTTTCAAAAACACTGATTCTAAAGGTTTGGTAAACTCATATGGTTC  
CATTTCTCTTAAAGAAATAAAGGTGATAAAAAATACTTTACAATCAAGCTTCACAATACATCAAAACAG  
ACCTTTGACTTTTAAAGTTTCAGCATCAGCGATAACTACAGATTCTCTAACTGACAGATTAAACTTTGA  
TGAAACATATAAAGATGAAAAATCTCCAGATGGTAAGCAAAATGTTCCAGAAATTCACCCAGAAAAAGT  
CAAAGGAGCAAAATACACATTTGAGCATGATACTTTCACTATAGGCGCAAATCTAGCTTTGATTGAA  
TGCGGTTATAAATGTTGGAGAGGCCAAAAACAAAAATAAATTTGTAGAATCATTTATTCAATTTGAGTC  
AGTGAAGCGATGGAAGCTTAAACTCCAGCGGGAAGAAAAATAAATTTCCAACCTTCTTTGTGCGATGCC  
TCTAATGGGATTTGCTGGGAATTGGAACACGAACCAATCCTTGATAAATGGGCTTGGGAAGAAGGGTC  
AAGATCAAAAACACTGGGAGGTTATGATGATGATGGTAAACCGAAAAATTCAGGAACCTTAAATAAGGG  
AATTGGTGGAGACATGGTATAGATAAATTTAATCCAGCAGGAGTTATACAAAATAGAAAAGATAAAAA  
TACAACATCCCTGGATCAAAATCCAGAAATTTATGCTTTCAATAACGAAGGATCAACGCTCCATCATC  
AAGTGGTTCTAAGATTGCTAACATTTATCCTTTAGATTCAAAATGGAATCCTCAAGATGCTCAACTTGA  
AAGAGGATTAACACCTTCTCCACTTGTATTAAGAAGTGCAGAAGAAGGATTGATT

**SP122 amino acid (SEQ ID NO:216)**

ETSQDFKEKKTAVIKEVVSKNPVIDNNTSNEEAKIKEENSNSQGDYTDTSFVNKNTENPKKEDKVVY  
IAEFKDKESGEKAIKELSSLNKTKVLYTYDRIFNGSAIETTPDNLDKIKQIEGISSVERAQKVQPMNH

Table 1

ARKEIGVEEAIDYLSINAPFGKNFDGRGMVISNIDTGTDRHKAMRIDDDAKASMRFKKEDLKGTDKN  
YWLSDKIPHAFNYNGGKITVEKYDDGRDYFDPHGMHIAGILAGNDTEQDIKNFNGIDGIAPNAQIFSY  
KMYSDAGSGFAGDETFMFAIEDSIKHNVVDVSVSSGFTGTGLVGEKYWQAIRALRKAGIPMVVATGNYA  
TSASSSSWDLVANNHLKMTDTGNVTRTAHEDAIIVASAKNQTVEFDKVNIGGESFKYRNIGAFFDKSK  
ITTNEGDGTAKPSKLFVYIGKGQDQDLIGLDRGKIAVMDRIYTKDLKNAFKKAMDKGARAIMVNTVN  
YYNRDNWTELPMAGYEADGKTSQVFSISGDDGVKLWNMINPDKKTEVKRNNKEDFKDKLEQYYPIDME  
SFNSNKNPVNDEKEIDFKFAPDTEKELYKEDIIVPAGSTSWGPRIDLLKPDVSAPGKNIKSTLNVING  
KSTYGYMSGTSMATPIVAASTVLIRPKLEMLERPVLKNLKGDDKIDLTSLTKIALQNTARPMMDATSW  
KEKSQYFASPRQOGAGLINVANALRNEVVATFKNTDSKGLVNSYGSISLKEIKGDKKYFTIKLHNTSNR  
PLTFKVSASAITTDSLDRKLDETYKDEKSPDGKQIVPEIHPEKVKANITFEHDTFTIGANSSFDLN  
AVINVGAKNKNKFVESFIHFESVEAMEALNSSGKKINFQPSLSMPLMGFAGNWNHEPILDKWAEWEGS  
RSKTLGGYDDDGPKPIPGTLNKGIGGEHGIDKFNPAQVIONRKDKNTTSLDQNPFLFAFNNEG INAPSS  
SGSKIANIYPLDSNGNPQDAQLERGLTPSPLVLRSAEEGLI

**SP123 nucleotide (SEQ ID NO:217)**

TGTGGTCAAGTTGAGACTCCTCAATCAATAACAAATCAGGAGCAAGCTAGGACAGAAAACCAAGTAGT  
AGAGACAGAGGAAGCTCCAAAAGAAGAAGCACCTAAAACAGAAAGTCCAAAGGAAGAACCAAAATC  
GGAGGTAAAACCTACTGACGACACCCCTTCTAAAGTAGAAGAGGGGAAAGAAGATTACAGCAGAACACAG  
TCCAGTTGAAGAAGTAGGTGGAGAAGTTGAGTCAAAACAGAGGAAAAGTAGCAGTTAAGCCAGAAAG  
TCAACCATCAGACAAACAGCTGAGGAATCAAAAGTTGAACAAGCAGGTGAACCAAGTCGCGCCAAGAGA  
AGACGAAAAGGCACCAAGTCGAGCCAGAAAAGCAACAGAGCTCCTGAAGAAGAGAAGGCTGTAGAGGA  
AACACCGAAAACAAGAAGAGTCAACTCCAGATACCAAGGCTGAAGAACTGTAGAACCAAAAGAGGAGAC  
TGTTAATCAATCTATTGAACAACCAAAAGTTGAAACCGCTGCTGTAGAAAAACAACAGAACCAACAGA  
GGAACCAAAAGTTGAACAAGCAGGTGAACCAAGTCGCGCCAAGAGAAGACGAACAGGCACCAACGGCACC  
AGTTGAGCCAGAAAAGCAACAGAGTTCTGAAGAAGAGAAGGCTGTAGAGGAAACACCGAAACAGAGA  
AGATAAAATAAAGGGTATTGGTACTAAAGAACCAGTTGATAAAAGTGAGTTAAATAATCAAATTGATAA  
AGCTAGTTAGTTTCTCTACTGATTATTCTACAGCAAGTTACAATGCTCTTGGACCTGTTTGTAGAAAC  
TGCAAAAGGTGTCTATGCTTACAGACCTGTAAAACAGCCTGAGGTAAATAGCGAGACAAATAAACTTAA  
AACGGCTATTGACGCTCTAAACGTTGATAAACTGAAATTAACAACTCCAACTGAAGTTACAAAGGCTGAAAAGT  
GGTAAAGAACATTACAGTGATAGAAGTTGGCAAAACCTCCAACTGAAGTTACAAAGGCTGAAAAGT  
TGCAGCTAATACAGATGCTAAACAAAGTGAAGTTAACGAAGCTGTTGAAAAATTAAGTCAACTATTGA  
AAAATTGGTTGAATTATCTGAAAAGCCAATATTAACATTGACTAGTACCGATAAGAAAAATTGGAACG  
TGAAGCTGTTGCTAAGTATACTCTAGAAAATCAAAACAAAACAAAATCAAATCAATCAGAGCTGAATT  
GAAAAAAGGAGAAGAAGTTATTAACTGTTAGTCTTACAGATGACAAGGTAACAACAGAACTATAAG  
CGCTGCATTTAAGAACCTAGAGTACTACAAAGAATACACCTATCTACAACATGATTTACGACAGAGG  
TAACGGTGAAGAACTGAACTCTAGAAAATCAAAATATTTCAATTAGATCTTAAAAAAGTTGAGCTTAA  
AAATATTAAACGTACAGATTAACTAAATACGAAAATGGAAAAGAACTAATGAATCACTGATAACAAC  
TATTCCTGATGATAAGAGCAATTATTATTTAAAAATAACTTCAAATAATCAGAAAACCTACATTACTAGC  
TGTTAAAAATATAGAAGAACTACGGTTAACGGAACACCTGTATATAAGTTACAGCAATCGCAGACAA  
TTTAGTCTCTAGAACTGCTGATAATAAATTTGAAGAAGAA

**SP123 amino acid (SEQ ID NO:218)**

VVEVETPQSITNQEQARTENQVVETEEAPKEEAPKTEESPKEPKSEVKPTDDTLPKVEEGKEDSAEPA  
PVEEVGGEVESKPEEKVAVKPESQPSDKPAEESKVEQAGEPVAPREDEKAPVEPEKQPEAPEEEKAVEE  
TPKQEESTPDTKAETVEPKETVNQSIQPKVETPAVEKQTEPTEEPKVEQAGEPVAPREDEQAPTAP  
VEPEKQPEVPEEEKAVEETPKPEDKIKGIGTKPEVDKSELNNQIDKASSVSPTDYSTASYNALGPVLET  
AKGVYASEPVKQPEVNSETNKLKTAIDALNVDKTELNNTIADAKTKVKEHYSRWSQNLQTEVTKAKEV  
AANTDAKQSEVNEAVEKLTAIEKLVELSEKPIILTLTSTDKKILEREAVAKYTLENQNKTKIKSITAE  
KKGEEVINTVVLTDKVTETISAAFKNLEYKEYTLSTTMIYDRNGEETETLENQNIQLDLKKVELK  
NIKRTDLIKYENGRETNESLITTIIPDDKSNYYLKITSNNQKTTLLAVKNI EETTVNGTPVYKVTAIADN  
LVSRTADNKFEEE

**SP124 amino acid (SEQ ID NO:219)**

AACACCTGTATATAAAGTTACAGCAATCGCAGACAATTTAGTCTCTAGAACTGCTGATAATAAATTTGA  
AGAAGAATACGTTCACTATATTGAAAAACCTAAAGTCCACGAAGATAATGTATATTATAATTTCAAAGA  
ATTAGTGGAAGCTATTCAAACGATCCTTCAAAGAATATCGTCTGGGACAAATCAATGACCGCTAGAAA  
TGTTGTTCTTAATGGAATCATATATCACTAAAGAATTCACAGGAAAACCTTTTAAGTTCTGAAGGAAA  
ACAATTTGCTATTACTGAATTGGAACATCCATTATTTAATGTGATAACAACGCAACGATAAATAATGT

Table 1

94

GAATTTTGAAGTGTAGAGATAGAACGTTCTGGTCAAGATAATATTGCATCATTAGCCAATACTATGAA  
 AGGTTCTTCAGTTATTACAAATGTCAAAATTACAGGCACACTTTCAGGTCGTAATAATGTTGCTGGATT  
 TGTAAATATATGAATGATGGAACCTCGTATTGAAAATGTTGCTTTCTTTGGCAAACCTACACTCTACAAG  
 TGGAAATGGCTCTCATACAGGGGGAATTGCAGGTACAACTATAGAGGAATTGTTAGAAAAGCATATGT  
 TGATGCTACTATTACAGGAAACAAAACACGCGCCAGCTTGTAGTTCTTAAAGTAGATTATGGATTAAC  
 TCTAGACCATCTTATTGGTACAAAAGCTCTCCTAACTGAGTCGGTTGTAAAAGGTAAAATAGATGTTTC  
 AAATCCAGTAGAAGTTGGAGCAATAGCAAGTAAGACTTGGCCTGTAGGTACGGTAAGTAATCTGTCTAG  
 CTATGCTAAGATTATCCGTGGAGAGGAGTTATTCCGCTCTAACGACGTTGATGATTTCTGATTATGCTAG  
 TGCTCATATAAAAGATTATATGCGGTAGAGGGATATTCGTCAGGTAATAGATCATTTAGGAAATCTAA  
 AACATTTACTAAATTAATAAGAACAGCTGATGCTAAAGTTACTACTTTCAATATTACTGCTGATAA  
 ATTAGAAAGTGATCTATCTCTCTTGCAAACTTAATGAAGAAAAGCCTATTCTAGTATTCAAGATTA  
 TAACGCTGAATATAACCAAGCCTATAAAATCTTGAAAATTAATACCATTCTACAATAAGATTATAT  
 TGTATATCAAGGTAATAAATAAATAAGAACACCATCTAAATACTAAAGAAGTTCTTTCTGTTACCGC  
 GATGAACAACATGAGTTTATCACAACTTAGATGAAGCTAATAAAATATTGTTCACTATGCGGACGG  
 TACAAAAGATTACTTTAACTTGTCTTCTAGCAGTGAAGGTTAAGTAATGTAAAAGAAATATACTATAAC  
 TGACTTAGGAATTAAATATACACCTAATATCGTTCAAAAAGATAACACTACTCTTGTTAATGATATAAA  
 ATCTATTTTAGAATCAGTAGAGCTTCAGTCTCAAACGATGTATCAGCATCTAAATCGATTAGGTGACTA  
 TAGAGTTAATGCAATCAAAGATTTATATTTAGAAGAAAGCTTCACAGATGTTAAAGAAAACCTTAACAAA  
 CCTAATCACAAATTAGTTCAAAACGAAGAATCAACTAAATGATTCTCCAGCTGCTCGTCAAATGAT  
 TCGTGATAAAGTCGAGAAAAACAAAGCAGCTTTATTACTAGGTTAACTTACCTAAATCGTTACTATGG  
 AGTTAAATTTGGTGATGTTAATATTAAGAATTAATGCTATTCAAACAGATTTCATGGTGAAAAAGT  
 TAGCGTATTAGACAGATTAAATGAAATCGGTTCTAAAGAGAACAACATTAAAGGTTACGTACATTCTGA  
 CGCATTCGGTCAAGTA

**SP124 amino acid (SEQ ID NO:220)**

TPVYKVTAIADNLVSRADNKFEEYVHYIEKPKVHEDNVYVNFKELVEAIQNDPSKEYRLGQSMSARN  
 VVPNGKSYITKEFTGKLLSSEGKQFAITELEHPLFNVTNATINNUNFENVEIERSGQDNIALNTMK  
 GSSVITNVKITGTLSGRNNVAGFVNMMNDGTRIENVAFFGKLHSTSGNGSHTGGIAGTNYRGIVRKAYV  
 DATITGNKTRASLLVPKVVDYGLTLDHLIGTKALLTESVVGKIDVSNPVEVGAIASKTWPVGTVSNSVS  
 YAKIIRGEELFGSNDVDDSDYASAHIKDLYAVEGYSSGNRSFRKSKTFTKLKEQADAKVTTFNITADK  
 LESDLSPLAKLNEEKAYSSIQDYNAEYNQAYKNLEKLI PFYNKDYIVYQGNKLNKEHHLNTEKVLSTVA  
 MNNNEFITNLDEANKIIVHYADGTDYFNLSSESSEGLSNVKEYTITDLGIKYTPNIVQKDNMTLVNDIK  
 SILESELQSQTMYQHLNRLGDYRVNAIKDLYLEESFTDVKENLTNLITKLQVNEEHQLNDSIPAARQMI  
 RDKVEKNKAALLGLTYLNRYGVKFGDVNIKELMLFKPDFYGEKVSVDRLIEIGSKENNIKGSRTFD  
 AFGQV

**SP125 nucleotide (SEQ ID NO:221)**

ATTAGACAGATTAAATGAAATCGGTTCTAAAGAGAACAACATTAAAGGTTACGTACATTTCGACGCATT  
 CGGTCAAGTATTGGCTAAATATACTAAATCAGGTAATTTAGATGCATTTTTAAATTATAATAGACAAAT  
 GTTCACAAATATAGACAATATGAACGATTGGTTTATTGATGCTACAGAAGACCATGTCTACATCGCAGA  
 ACGCGCTTCTGAGGTGCAAGAAATTAATAATCTTAAACATCGTGCATTTCGATAATTTAAACGAAGTCA  
 CCTTAGAAATACTATACTCCCACTACTGAATATTGATAAAGCACATCTTTATTAAATTTCAAATTATAA  
 TGCAATTGCCTTTGGTAGTCAGAGCGATTAGGTAATAAATCATTAGAAGATATTAAAGATATCGTTAA  
 CAAAGCTGCAGATGGTTATAGAACTATTATGATTTCTGGTATCGTCTAGCGTCTGATAACGTTAAACA  
 ACGACTACTAAGAGATGCTGTTATCTCTATTGGGAAGGTTATAACGCTCTGGTGGATGGGTTGAAAA  
 ATATGGCCGCTATAATACCGACAAAGTATATACTCTCTTAGAGAATTCTTTGGTCTATGGATAAGTA  
 TTATAATTATAATGGAACAGGAGCTTATGCTGCTATATATCTTAACCTCTGATGATATTAGAAGTATGAT  
 AAAATATGTTCAATTTAGAAATGGTTGGTGAATACGGTATTTCAAGTTTACACACATGAAACAACACAGT  
 CAACGACCGTGCGATTTACTTAGGTGGCTTTGGACACCGTGAAGGTACTGATGCTGAAGCATATGCTCA  
 GGGTATGCTACAACTCTGTTACTGGTAGTGGATTGATGAGTTTGGTTCTTTAGGTATTAAATATGGT  
 ATTTAAACGCAAAAATGATGGGAATCAGTGGTATATTACAGATCCAAAACTCTAAAAACACGAGAAGA  
 TATTAAATAGATATATGAAGGGTTATAATGACACTTAACTCTCTTGTATGAAATTGAGGCTGAATCTGT  
 GATTCTCAACAAAATAAAGATTTAAATAGTGCATGGTTCAAAAAATAGATAGAGAATACCGTGATAA  
 CAATAAATTAATCAATGGGATAAAATTCGAAATCTAAGTCAAGAAGAGAAAAATGAATTAAATATTCA  
 ATCTGTTAATGATTTAGTTGATCAACAATTAATGACTAATCGCAATCCAGGTAATGGTATCTATAAACC  
 CGAAGCAATTATGCTATAACGATCAATCACCTTATGTAGGTGTTAGAATGATGACCGGTATCTACGGAGG  
 TAATACTAGTAAAGGTGCTCTGGAGCTGTTTCAATCAACATAATGCTTTTAGATTATGGGGTTACTA  
 CGGATACGAAAATGGGTTCTTAGGTTATGCTTCAATAAATAAACAACAATCTAAAAACAGATGGTGA



Table 1

GTCTGTTCTAAGTGATGAATATATTATCAAGAAAATATCTAACAATACATTTAATACTATTGAAGAATT  
TAAAAAAGCTTACTTCAAAGAAGTTAAAGATAAAGCAACGAAAGGATTAAACAACATTCGAAGTAAATGG  
TTCTTCCGTTTCATCATACGATGATTTACTGACATTGTTTAAAGAAGCTGTTAAAAAAGATGCCGAAAC  
TCTTAAACAAGAAGCAAACGGTAATAAAACAGTATCTATGAATAATACAGTTAAATTAAAAAGAGCTGT  
TTATAAGAACTTCTTCAACAAACAAATAGCTTTAAAACCTCAATCTTTAAA

**SP125 amino acid (SEQ ID NO:222)**

LDRLIEIGSKENNIKGSRTTDAFGQVLAKYTKSGNLDAFLNYNRQLFTNIDNMNDWFI DATEDHVYIAE  
RASEVEEIKNSKHRAFDNLKRSHLRNTILPLLNDKAHLYLISYNAIAFGSAERLGKKSLEDIKDIVN  
KAADGYRNYDFWYRLASDNVKQRLLRDAVIPIWEGYNAPGGWVEKYGRYNTDKVYTPLEFFGPMCKY  
YNYNGTGAYAAIYPSDDIRTDVKYVHLEMVGEYGISVYTHETHVNDRAIYLGFGFHREGTDAEAYAQ  
GMLQTPVTGSGFDEFGSLGINMVFKRKNDGNQWYITDPKTLKTREDINRYMKGYNDTLTLLEIEAESV  
ISQKNKDLNSAWFKKIDREYRDNNKLNQWDKIRNLSQEEKNELNIQSVNDLVDQQLMTNRNPGNGIYKP  
EAI SYNDQSPYVGRMMGTGIYGGNTSKGAPGAVSFKHNAFRLWGYGYENGFLGYASNKYKQSKTDGE  
SVLSDEYIIKKISNNTFNTIEEFKKAYFKEVKDKATKGLTTFEVNGSSVSSYDDLTLFKEAVKKDAET  
LKQEANGNKTVSMNNTVKLKEAVYKLLQQTNSFKTSIFK

**SP126 nucleotide (SEQ ID NO:223)**

TAAGACAGATGAACGGAGCAAGGTGTTTGACTTTTCCATTCCCTACTATACTGCAAAAAATAAATCAT  
TGTCAAAAAATCTGACTTGACTACTTATCAGTCTGTAAACGACTTGGCGCAGAAAAAGGTTGGAGCGCA  
GAAAGGTTTCGATTCAAGAGACGATGGCGAAAGATTGCTACAAAATCTTCCCTCGTATCTCTGCCTAA  
AAATGGGAATTTAATCACAGATTTAAAAATCAGGACAAGTGGATGCCGTTATCTTTGAAGAACCTGTTTC  
CAAGGGATTTGTGGAAAATAATCTGATTAGCAATCGCAGACCTCAATTTTGAAAAAGAGCAAGATGA  
TTCCTACCGGTAGCCATgAAAAAAGATAGCAAGAAATTGAAGAGGCAGTTCGATAAAACCATTCAAAA  
GTTGAAGGAGTCTGGGGAATTAGACAAACTCATTGAGGAAGCCTTA

**SP126 amino acid (SEQ ID NO:224)**

KTDERSKVFDFSIPYYTAKNKLIVKKSDLTTYQSVNDLAQKKVGAQKGSIQETMAKDLLQNSSLVSLPK  
NGNLITDLKSGQVDIVIFEPPVSKGFVENNPDLAIADLNFEKEQDDSYAVAMKKDSKKLKRQFDKTIQK  
LKESGELDKLIEEAL

**SP127 nucleotide (SEQ ID NO:225)**

CTGTGAGAAATCAAGCTACACCCAAAGAGACTAGCGCTCAAAAGACAATCGTCCTTGCTACAGCTGGCGA  
CGTGCCACCATTGACTACGAAGACAAGGGCAATCTGACAGGCTTTGATATCGAAGTTTTAAAGGCAGT  
AGATGAAAAACTCAGCGACTACGAGATTCAATTCCAAAGAACCGCTGGGAGAGCATCTTCCAGGACT  
TGATTCTGGTCACTATCAGGCTGCGGCCAATAACTTGAGTTACACAAAAGAGCGTGTGAAAAATACCT  
TTACTCGCTTCCAATTTCCAACAATCCCTCGTCCTTGTCAGCAACAAGAAAAATCCTTTGACTTCTCT  
TGACCAGATCGCTGGTAAAAACAACAAGAGGATACCGGAACCTCTAACGCTCAATTCATCAATAACTG  
GAATCAGAAAACACACTGATAATCCCGCTACAATTAATTTTCTGGTGAGGATATTGGTAAACGAATCCT  
AGACCTTGCTAACGGAGAGTTTGATTTCCTAGTTTTTGACAAGGTATCCGTTCAAAAAGATTATCAAGGA  
CCGTGGTTTTAGACCTCTCAGTCGTTGATTTACCTTCTGCAGATAGCCCCAGCAATTATATCATTTTCTC  
AAGCGACCAAAAAGAGTTTAAAGAGCAATTTGATAAAGCGCTCAAAGAACTCTATCAAGACGGAACCTT  
TGAAAAACTCAGCAATACCTATCTAGGTGGTTCTTACCTCCAGATCAATCTCAGTTACAA

**SP127 amino acid (SEQ ID NO:226)**

CENQATPKETSAQKTIVLATAGDVPPFDYEDKGNLTGFDIEVLKAVDEKLSDYEQFORTAWESIFPGL  
DSGHYQAAANNLSYTKERAKEYLYSLPISNNPLVLVSNKKNPLTSLDQIAGKTTQEDTGTSTNAQFINNW  
NQKHTDNPATINFSGEDIGKRILDLANGEFDLVFDKVSQKIIKDRGLDLSVVDLPSADSPSNYIIFS  
SDQKEFKEQFDKALKELYQDGTLEKLSNTYLGGSYLPDQSQLQ

**Table 2**  
***S. pneumoniae* Antigenic Epitopes**

**SP001**

Lys-1 to Ile-10; Leu-13 to Lys-32; Arg-41 to Ile-51; Ser-85 to Glu-97; Ala-159 to His-168; Val-309 to Thr-318; Val-341 to Asn-352; Asn-415 to Met-430; Phe-454 to Asn-464; Ser-573 to Gly-591; Asn-597 to Thr-641; and Asn-644 to Ala-664.

**SP004**

Thr-9 to Thr-24; Ile-29 to Ala-48; Thr-49 to Val-56; Val-286 to Val-312; Pro-316 to Glu-344; Val-345 to Ile-367; Gln-368 to Val-399; Ser-400 to Glu-431; Asn-436 to Ala-457; Ile-467 to Ala-498; and Thr-499 to Glu-540.

**SP006**

Glu-1 to Lys-13; Pro-24 to Gly-36; Val-104 to Thr-112; Ala-118 to Asn-130; Trp-137 to Ala-146; Ser-151 to Ile-159; Ile-181 to Leu-188; and Pro-194 to Tyr-202.

**SP007**

Gly-1 to Asn-7; Tyr-24 to Gln-34; His-47 to Phe-55; Ser-60 to Ala-67; Ala-122 to Leu-129; Leu-221 to Lys-230; Val-236 to Phe-256; and Asp-271 to Gly-283; and Leu-291 to Asp-297.

**SP008**

Leu-4 to Lys-17; Gln-24 to Leu-32; Asp-60 to Ser-66; Ser-70 to Asp-76; Ala-276 to Lys-283; Asn-304 to Lys-311; and Thr-429 to Pro-437.

**SP009**

Thr-4 to Glu-11; Leu-50 to Asp-60; Ile-102 to Trp-123; and Ser-138 to Ile-157.

**SP010**

Phe-34 to Gly-41; Asp-44 to Lys-50; Leu-172 to Val-186; Leu-191 to Val-198; Ser-202 to Ile-209; and Val-213 to Leu-221.

**SP011**

Asn-2 to Thr-10; Asp-87 to Ala-102; Tyr-125 to Glu-132; Thr-181 to Tyr-189; Arg-217 to Thr-232; Asn-257 to Lys-264; Pro-271 to Ser-278; Tyr-317 to Ala-325; Glu-327 to Pro-337; and Thr-374 to Val-381.

**SP012**

Gly-1 to Lys-19; Phe-34 to Tyr-41; Leu-109 to Lys-126; and Leu-231 to Glu-247.

**SP013**

Ala-1 to Lys-12; Ile-42 to Pro-53; Leu-138 to Lys-146; Ile-205 to Lys-217; Ser-235 to Ile-251; and Ser-261 to Tyr-272.

**SP014**

Gly-1 to Val-16; Leu-35 to Leu-44; Asp-73 to Asp-81; Ile-83 to Asp-92; Glu-145 to Ile-153; Phe-188 to Asn-196; Ser-208 to Phe-215; Ile-224 to Leu-231; and Asn-235 to Ala-243.

**SP015**

Ser-1 to Pro-16; Asn-78 to Glu-88; Ala-100 to Val-108; Ala-122 to Thr-129; Thr-131 to Ser-137; Leu-201 to Ser-220; and Gly-242 to Val-251.

**Table 2**  
***S. pneumoniae* Antigenic Epitopes**

**SP016**

Gly-1 to Glu-20; Thr-30 to Val-38; Gln-94 to Asn-105; Lys-173 to Pro-182; Gly-189 to Arg-197; Ser-207 to Val-224; Pro-288 to Leu-298; Ala-327 to Ala-342; and Ser-391 to Ala-402.

**SP017**

Ser-1 to Thr-12; Ala-36 to Tyr-45; Gln-48 to Ile-54; Lys-59 to Lys-76; Tyr-113 to Leu-138; and Phe-212 to Asp-219.

**SP019**

Val-97 to Glu-117; Asp-163 to Leu-169; Thr-182 to Thr-191; and Lys-241 to Ser-250.

**SP020**

Asn-18 to Lys-25; Thr-47 to Glu-60; Trp-75 to Val-84; Gly-102 to Val-110; Pro-122 to Ala-131; and Glu-250 to Pro-258.

**SP021**

Ser-1 to Asp-8; Val-44 to Asp-54; Ala-117 to Val-125; Thr-165 to Thr-173; and Glu-180 to Pro-189.

**SP022**

Phe-5 to Lys-13; Thr-20 to Ser-36; Glu-59 to Lys-81; Tyr-85 to Gly-93; Trp-94 to Trp-101; and Thr-195 to Trp-208.

**SP023**

Gln-45 to Glu-59; Asp-69 to Pro-85; Lys-111 to Asn-121; Pro-218 to Ala-228; and Glu-250 to Asn-281.

**SP025**

Gln-14 to Thr-20; Gly-27 to Phe-33; Gly-63 to Glu-71; and Ile-93 to Phe-102.

**SP028**

Asp-171 to Pro-179; Tyr-340 to Glu-350; Pro-455 to Tyr-463; and Asp-474 to Pro-480.

**SP030**

Leu-22 to Leu-37; Trp-81 to Ala-90; Phe-101 to Ala-106; Thr-124 to Tyr-130; and Asn-138 to Glu-144.

**SP031**

Asp-8 to Val-16; Gly-27 to Thr-35; Gly-178 to Asp-195; Thr-200 to Asp-209; Trp-218 to Leu-224; and Lys-226 to Asp-241.

**SP032**

Ser-9 to Asp-28; Phe-31 to Val-40; Gly-42 to Arg-50; Ile-52 to Leu-60; Asp-174 to Phe-186; Leu-324 to Met-333; and Thr-340 to Asn-347.

**SP033**

Gln-2 to Ile-13; Phe-46 to Ile-53; and Asp-104 to Thr-121.

**SP034**

Glu-36 to Gly-43; Ala-188 to Asp-196; Trp-313 to Gly-320; and Leu-323 to Leu-329.

**Table 2**  
***S. pneumoniae* Antigenic Epitopes**

**SP035**

Arg-19 to Asp-36; Asp-47 to Val-57; Asn-134 to Thr-143; Asp-187 to Arg-196; and Glu-222 to Ser-230.

**SP036**

Arg-10 to Arg-17; Lys-29 to Ser-39; Ser-140 to Ala-153; Arg-158 to Tyr-169; Asp-175 to Ala-183; Gly-216 to Asn-236; Ala-261 to Leu-270; Arg-282 to Phe-291; and Thr-297 to Ala-305; Pro-342 to Gln-362; Phe-455 to Asp-463; His-497 to Thr-511; Ala-521 to Gly-529; Ile-537 to Val-546; Ile-556 to Ala-568; Pro-581 to Ser-595; Glu-670 to Ala-685; Ser-696 to Ala-705 and Leu-782 to Ser-791.

**SP038**

Glu-61 to Pro-69; Phe-107 to Ala-115; Leu-130 to Tyr-141; Ala-229 to Glu-237; Ser-282 to Asn-287; Ala-330 to Glu-338; and Tyr-387 to Glu-393.

**SP039**

Ser-28 to Asp-35; Pro-88 to Pro-96; Leu-125 to Arg-135; Phe-149 to Leu-157; Gln-246 to Val-254; Ala-357 to Thr-362; Gly-402 to Lys-411; and Leu-440 to Pro-448.

**SP040**

Thr-21 to Ile-30; His-54 to Gln-68; Arg-103 to Leu-117; and Thr-127 to Leu-136.

**SP041**

Gly-36 to Asp-49; Leu-121 to Val-128; and Ala-186 to Ile-196.

**SP042**

Gly-11 to Arg-19; Ile-23 to Lys-31; His-145 to Asn-151; Gln-159 to Asp-166; Ile-175 to Asp-181; Gly-213 to Tyr-225; Ile-283 to Val-291; Pro-329 to Glu-364; Arg-372 to Ser-386; Thr-421 to Phe-430; Leu-445 to Val-453; Ile-486 to Ala-497; Asp-524 to Ala-535; His-662 to Gly-674; and His-679 to Gln-702.

**SP043**

Lys-2 to Asp-12; Val-58 to Asn-68; Ser-87 to Asp-95; and Asp-102 to Lys-117.

**SP044**

Gln-3 to Lys-11; Asp-37 to Tyr-52; Glu-171 to Leu-191; His-234 to Asn-247; and Asn-283 to Ala-291.

**SP045**

Tyr-52 to Ile-63; Asp-212 to Gln-227; Ser-315 to Thr-332; Leu-345 to Phe-354; Asp-362 to Val-370; Thr-518 to Asn-539; Ala-545 to Lys-559; and Val-601 to Pro-610.

**SP046**

Gln-9 to Ala-18; Glu-179 to Lys-186; Lys-264 to Glu-271; Gly-304 to Glu-17; Ser-503 to Asn-511; Asn-546 to Thr-553; and Asn-584 to Asp-591.

**SP048**

Table 2  
*S. pneumoniae* Antigenic Epitopes

Tyr-4 to Asp-25; Lys-33 to Val-70; Asp-151 to Thr-170; Asp-222 to Val-257; Thr-290 to Phe-301; and Gly-357 to Val-367.

**SP049**

Ala-23 to Arg-37; Tyr-85 to Gln-95; Glu-106 to Ile-118; Arg-131 to Ile-144; Gly-150 to Ser-162; and Ala-209 to Asp-218.

**SP050**

Asp-95 to Glu-113; Gly-220 to Gly-228; Asn-284 to Glu-295; Thr-298 to Val-315.

**SP051**

Lys-16 to Glu-50; Lys-57 to Asn-104; Ser-158 to Trp-173; Asp-265 to Pro-279; Val-368 to Tyr-386; Glu-420 to Ile-454; Pro-476 to Ile-516; Phe-561 to Gly-581; Thr-606 to Gly-664; and Glu-676 to Val-696.

**SP052**

Asn-41 to Tyr-60; Phe-80 to Glu-103; Ala-117 to Val-139; Ile-142 to Leu-155; Val-190 to Lys-212; Glu-276 to Phe-283; Arg-290 to Ser-299; Leu-328 to Val-351; Gly-358 to Thr-388; Glu-472 to Ala-483; Val-533 to Asn-561; Asp-595 to Val-606; Glu-609 to Val-620; Glu-672 to Ser-691.

**SP053**

Ala-62 to Val-101; Thr-147 to Leu-174; Lys-204 to Val-216; Gln-228 to Val-262; Ser-277 to Gly-297; Thr-341 to Gly-368; Thr-385 to Ala-409; Thr-414 to Ser-453; Asn-461 to Leu-490; Glu-576 to Thr-625; Gly-630 to Arg-639; and Asp-720 to Leu-740.

**SP054**

Glu-7 to Val-28; and Tyr-33 to Glu-44.

**SP055**

Pro-3 to Val-18; Thr-21 to Lys-53; Val-84 to Lys-99; Ile-162 to Val-172; and Val-204 to Ser-241.

**SP056**

Val-34 to Tyr-41; Leu-47 to Glu-55; and Pro-57 to Gln-66.

**SP057**

Asp-1 to Val-25; Pro-29 to Ile-80; Asn-96 to Val-145; and Pro-150 to Glu-172.

**SP058**

Ala-64 to Thr-70; Leu-82 to His-138; and Val-228 to Asn-236.

**SP059**

Val-10 to Thr-24; Ser-76 to Pro-102; Ser-109 to Ile-119; Ser-124 to Val-130; Thr-186 to Ile-194; and Asn-234 to Ser-243.

**SP060**

Leu-70 to Arg-76; and Val-79 to Ile-88.

**SP062**

Glu-14 to Lys-28; Ser-32 to Lys-46; and Glu-66 to Thr-74.

Table 2  
*S. pneumoniae* Antigenic Epitopes

**SP063**

Ile-10 to Val-25; Val-30 to Thr-40; Asp-44 to Pro-54; Asn-57 to Val-63; Pro-71 to Val-100; and Thr-105 to Thr-116.

**SP064**

Pro-12 to Leu-32; Val-40 to Leu-68; Asp-95 to Ala-125; Ser-164 to Glu-184; Ser-314 to Glu-346; Asn-382 to Val-393; Leu-463 to Gln-498; Asn-534 to Lys-548; and Lys-557 to Gly-605.

**SP065**

Asn-2 to Ile-12; Ala-39 to Thr-61; and His-135 to Ala-155.

**SP067**

Gly-1 to Thr-13; Asp-203 to Asn-218; and Gly-240 to Asp-253.

**SP068**

Ser-2 to Ser-12; Val-17 to Gln-26; and Lys-54 to Cys-67.

**SP069**

Ser-32 to Thr-41; Pro-66 to Glu-80; Thr-110 to Val-122; and Val-147 to Thr-180.

**SP070**

Lys-6 to Tyr-16; Gln-19 to Ile-27; Arg-50 to Ala-58; Leu-112 to Val-128; Ile-151 to Asn-167; Leu-305 to Phe-321.

**SP071**

Gln-92 to Asn-158; Gln-171 to Gln-188; Val-204 to Val-240; Thr-247 to Ala-273; Glu-279 to Thr-338; Pro-345 to Glu-368; Asn-483 to Lys-539; Val-552 to Ala-568; Glu-575 to Ser-591; Ser-621 to Gly-640; Gln-742 to Gly-758.

**SP072**

Val-68 to Tyr-81; Tyr-86 to Val-121; Leu-127 to Gly-140; Gly-144 to Ala-155; Gln-168 to Val-185; Asp-210 to Try-241; Glu-246 to Thr-269; Lys-275 to Tyr-295; Gly-303 to Pro-320; Arg-327 to Ile-335; Thr-338 to Thr-364; Tyr-478 to Phe-495; and Tyr-499 to Arg-521.

**SP073**

Glu-37 to Val-45; Glu-55 to Val-68; Thr-104 to Thr-119; Ile-127 to Tyr-135; Asn-220 to Ile-232; Thr-237 to Ala-250; Ser-253 to Ala-263; Glu-284 to Ile-297; and Met-438 to Asn-455.

**SP074**

Gly-2 to Ala-12; Gly-96 to Ile-110; and Thr-220 to Phe-239.

**SP075**

Phe-33 to Tyr-42; Gln-93 to Gly-102; and Val-196 to Asp-211.

**SP076**

Ser-64 to Leu-76; and Phe-81 to Ala-101.

**SP077**

Asp-1 to Glu-12; Tyr-26 to Val-36; and Val-51 to Try-62.

**Table 2**  
***S. pneumoniae* Antigenic Epitopes**

**SPO78**

Ala-193 to Ile-208; Tyr-266 to Asn-275; Glu-356 to Leu-369; Ala-411 to Gly-422; Ser-437 to Pro-464; Thr-492 to Glu-534; and Glu-571 to Gln-508.

**SPO79**

Gly-11 to Leu-20; Lys-39 to Leu-48; Leu-72 to Val-85; Asn-147 to Ser-158; Ile-178 to Asp-187; Tyr-189 to Gln-201; and Leu-203 to Ala-216

**SPO80**

Ser-2 to Glu-12; Gln-42 to Ala-51; Ala-116 to Ser-127; Phe-131 to Asp-143; and Ile-159 to Ile-171.

**SPO81**

Gln-2 to Leu-9; Gln-49 to Cys-57; Ile-108 to Val-131; Gly-134 to Leu-145; and Trp-154 to Cys-162.

**SPO82**

Ile-101 to Ser-187; Gly-191 to Asn-221; Arg-225 to Arg-236; Tyr-239 to Leu-255; and Gly-259 to Arg-268.

**SPO83**

Ser-28 to Asp-70.

**SPO84**

Leu-42 to Gln-66; Thr-69 to Lys-81; Glu-83 to Arg-92; and Gly-98 to Asn-110.

**SPO85**

Gln-2 to Val-22; and Ser-45 to Glu-51.

**SPO86**

Leu-18 to Gln-65; and Lys-72 to Val-83.

**SPO87**

Ser-45 to Leu-53; and Thr-55 to Gln-63

**SPO88**

Pro-8 to Ile-16; Leu-25 to Trp-33; Tyr-35 to Gln-43; Leu-51 to Val-59; Val-59 to Arg-67; Thr-55 to Tyr-63; Asn-85 to Gly-93; Thr-107 to Leu-115; Leu-115 to Trp-123; Ala-121 to Thr-129; Tyr-153 to Ala-161; His-176 to Gly-184; Tyr-194 to Ala-202; Ala-217 to Gly-225; and Asn-85 to Gly-93.

**SPO89**

Trp-43 to Ala-51; Gln-68 to Phe-76; Val-93 to Gln-101; Phe-106 to Phe-114; Lys-117 to Lys-125; Trp-148 to Phe-156; Glu-168 to Gln-176; Ile-193 to Tyr-201; Lys-203 to Lys-211; Glu-212 to Gln-220; Ile-237 to Tyr-245; Lys-247 to Lys-255; Glu-256 to Gln-264; Met-275 to Gly-283; Lys-286 to Gly-294; Trp-292 to Glu-300; Asp-289 to Thr-297; Tyr-315 to Ser-323; Asp-334 to Lys-342; Pro-371 to Arg-379; Arg-485 to Asn-493; Lys-527 to Arg-535; Phe-537 to Met-545; and Tyr-549 to Glu-557.

**SPO90**

**Table 2**  
***S. pneumoniae* Antigenic Epitopes**

Phe-2 to Gln-10; Gln-13 to Lys-21; Tyr-19 to Glu-27; Tyr-39 to Met-47; Pro-65 to Leu-73; Tyr-121 to His-129; Lys-147 to Ile-155; Gly-161 to Lys-169; Gly-218 to Trp-226; Asp-230 to Thr-238; Tyr-249 to Ala-257; and Ala-272 to Gly-280.

**SP091**

Ser-19 to Ser-27; Asn-25 to Thr-33; Val-51 to Gln-59; Asn-75 to Asn-83; Ile-103 to Trp-111; Tyr-113 to Ala-121; Leu-175 to Asn-183; Glu-185 to Trp-193; Ala-203 to Tyr-211; Val-250 to Phe-258; Asn-260 to Thr-268; Ser-278 to Asp-286; Tyr-305 to Leu-313; Asn-316 to Gly-324; Asn-374 to Asp-382; Asn-441 to Gly-449; and Ser-454 to Gln-462.

**SP092**

Arg-95 to Glu-103; Ala-216 to Val-224; Leu-338 to Glu-346; Pro-350 to Ala-358; Pro-359 to Ala-367; Pro-368 to Ala-376; Pro-377 to Ala-385; Pro-386 to Ala-394; Pro-395 to Ala-403; Pro-350 to Ala-358; Gln-414 to Lys-422; Pro-421 to Asn-429; Trp-465 to Tyr-473; Phe-487 to Tyr-495; Asn-517 to Gly-525; Trp-586 to Tyr-594; Phe-608 to Tyr-616; and Asp-630 to Gly-638.

**SP093**

Gln-30 to Ile-38; Gln-52 to Val-60; Ala-108 to His-116; Tyr-133 to Glu-141; Tyr-192 to Ala-200; and Phe-207 to Ser-215.

**SP094**

Ala-87 to Val-95; Leu-110 to Cys-118; Gln-133 to Leu-141; Ser-185 to Leu-193; Ile-195 to Gly-203; Asp-206 to Gln-214; Ser-211 to Gly-219; Ile-241 to Thr-249.

**SP095**

Arg-1 to Gln-9; Phe-7 to Asn-15; Thr-21 to Asn-30; Leu-46 to Phe-54; and Ser-72 to Met-80.

**SP096**

Gly-29 to Ile-37; Glu-52 to Ser-60; and Leu-64 to Gly-72.

**SP097**

Ala-11 to Thr-19; Glu-53 to Glu-61; Ser-91 to Lys-99; Thr-123 to Gln-131; and Gly-209 to Lys-217.

**SP098**

Thr-3 to Ser-11; Gly-38 to Phe-46; Tyr-175 to Asn-183; Met-187 to Cys-195; Gln-197 to Leu-205; Tyr-307 to Gln-315; Gly-318 to Tyr-326; Asn-348 to Val-356; Lys-377 to Pro-385; and Leu-415 to Val-423.

**SP099**

Arg-19 to Gly-27; Asp-76 to Ser-84; Val-90 to Lys-98; Phe-165 to Val-173; Leu-237 to Pro-245.

**SP100**

His-111 to Gln-119; Ser-141 to His-149; Asp-154 to Ser-162; Gln-158 to Gln-166; Asp-154 to Gln-166; Lys-180 to Gln-188; and Ser-206 to Gln-214.

**SP101**



**Table 2**  
***S. pneumoniae* Antigenic Epitopes**

Glu-23 to Glu-31; Glu-40 to Val-48; Gln-50 to Ser-58; Thr-61 to Ile-69; Leu-82 to Ile-90; Ala-108 to Leu-116; Gln-121 to Pro-129; and Leu-130 to Thr-138.

**SP102**

Asp-32 to His-40; Arg-48 to Lys-56; and Asp-102 to Thr-110.

**SP103**

Arg-5 to Gln-13; Gln-22 to Leu-30; Arg-151 to Gln-159; Arg-167 to Gln-175; Pro-189 to Glu-197; Gly-207 to Leu-215; Ser-219 to Gln-227; Ser-233 to Ser-241; Pro-255 to Asp-264; Lys-272 to Gly-280; Ser-318 to Val-326; Thr-341 to Asp-351; Asn-356 to Thr-364; Val-370 to Tyr-378; Ile-379 to Gln-387; and Met-435 to Tyr-443.

**SP105**

Asn-28 to Pro-36; Thr-77 to Phe-85; Arg-88 to Val-96; Gly-107 to Phe-115; Asp-169 to Asp-177; His-248 to Ser-256; and Ser-274 to Ala-282.

**SP106**

Val-10 to Thr-18; Ile-62 to Tyr-70; Ile-71 to Pro-79; Lys-86 to Gln-94; Lys-100 to Thr-108; Phe-132 to Leu-140; and Asp-145 to Arg-153.

**SP107**

Asp-33 to Val-41; and Arg-63 to Gln-71.

**SP108**

Lys-9 to Gln-17; Leu-44 to Ser-52; Ser-63 to Phe-71; Tyr-109 to Ser-117; Ile-183 to Ile-191; Pro-194 to Leu-202; Gly-257 to Gln-265; Ala-323 to Thr-331; and Leu-381 to Tyr-389.

**SP109**

Asn-2 to Gln-10; Ala-65 to Lys-73; Leu-76 to Glu-84; Thr-111 to Asp-119; Gln-116 to Tyr-124; Tyr-130 to Val-138; Asp-173 to Gly-181; Asp-196 to Ser-204; Asn-231 to Ser-239; Phe-252 to Ser-260; Phe-270 to Tyr-278; Val-291 to His-299; Asp-306 to Leu-314; and Pro-327 to Gly-335.

**SP110**

Ser-8 to Glu-16; Ile-37 to Val-45; Ala-107 to Val-115; and Gly-122 to Thr-130.

**SP111**

Asp-19 to Glu-28; Leu-43 to Ala-51; Asn-102 to Phe-110; Gln-133 to Ser-141; Phe-162 to Asp-170; Tyr-194 to Met-202; and Asp-273 to Ser-281.

Table 2  
*S. pneumoniae* Antigenic Epitopes

**SP112**

Asp-3 to Gln-11; Gly-21 to Ile-29; Ala-46 to Arg-54; Arg-98 to Arg-106; Thr-114 to Val-122; Gln-133 to Asn-141; and Leu-223 to Thr-231.

**SP113**

Asn-19 to Gly-27; Arg-54 to Ser-62; Val-69 to Gln-77; Ser-117 to Asn-125; Gly-164 to Leu-172; Tyr-193 to Ser-201; Cys-303 to Phe-311; His-315 to Ile-323; Arg-341 to Cys-349; Ile-347 to Ser-355; Arg-403 to Phe-411; Gln-484 to Pro-492; Ser-499 to Leu-507; Ile-541 to Thr-549  
Asn-622 to Ile-630; and Glu-645 to Gly-653.

**SP114**

Gly-17 to Leu-25; His-40 to Gln-48; Arg-49 to Arg-57; Ile-65 to Pro-73;  
Asn-101 to Asp-111; Gly-128 to Cys-136; Phe-183 to Thr-191; and Pro-268 to Ile-276.

**SP115**

Met-8 to Ser-16; Tyr-24 to Leu-32; Cys-68 to Leu-76; Ser-100 to Pro-108; Thr-193 to Thr-201; Gly-238 to Pro-250; Thr-280 to Phe-288; Pro-303 to Asn-312; Trp-319 to Leu-328; Leu-335 to Leu-344; Lys-395 to Ala-403; Asn-416 to Gln-424; Tyr-430 to Ser-438; Val-448 to Leu-456; Leu-460 to Thr-468; Pro-502 to Thr-510; Lys-515 to Ile-524; Gln-523 to His-532; Tyr-535 to Thr-543; Ser-559 to Pro-567; Thr-572 to Asn-580;  
Val-594 to Arg-602; Arg-603 to Asn-611; Thr-620 to Trp-628; and Tyr-644 to Arg-653.

**SP117**

Ala-6 to Gly-14; Ile-19 to Thr-27; Thr-99 to Leu-107; Ser-117 to Asp-125; His-131 to Val-139; Ile-193 to Gly-201; and Val-241 to Gln-249.

**SP118**

Ser-8 to Trp-23; His-46 to Ala-54; Asn-93 to Gly-101; Val-100 to Ser-108; Arg-155 to Asp-163; and His-192 to Leu-200.

**SP119**

Tyr-46 to Lys-54; Ser-93 to Ser-101; Trp-108 to Asn-116; Val-121 to Glu-129; and Tyr-131 to Gln-139.

**SP120**

Ala-57 to Lys-65; Leu-68 to Glu-76; Thr-103 to Tyr-116; Tyr-122 to Val-130; His-163 to Gly-173; Asp-188 to Ser-196; Ser-222 to Ser-231; Phe-244 to Ser-252; Pro-262 to Tyr-270; Val-283 to His-291; and Asp-298 to Leu-306.

**SP121**

Ser-3 to Ala-11; Asp-13 to Leu-21; Ser-36 to Val-44; and Gln-136 to Met-144.

**SP122**

Asn-28 to Lys-36; Glu-39 to Thr-50; Val-54 to Lys-62; Asn-106 to Leu-114; Phe-159 to Gly-167; Asn-172 to Arg-180; Glu-199 to Asn-207;

**Table 2**  
***S. pneumoniae* Antigenic Epitopes**

Lys-230 to His-241; Asn-252 to Gly-263; Met-278 to Ala-287; Thr-346 to Asp-354; Lys-362 to Thr-370; Asp-392 to Asn-405; Asp-411 to Ala-424; Gly-434 to Gly-443; Tyr-484 to Glu-492; Ile-511 to Leu-519; Asn-524 to Asp-538; Glu-552 to Ile-567; Val-605 to Lys-613; Phe-697 to Ala-705; Phe-722 to Leu-730; Leu-753 to Leu-761; Asp-787 to Gln-795; Leu-858 to Asn-866; Ala-892 to Thr-901; Gly-903 to Ile-913; Ile-921 to Asn-931; Asn-938 to Pro-951; Gly-960 to Lys-970; Leu-977 to Asp-985; and Leu-988 to Pro-996.

**SP123**

Val-4 to Asn-12; Glu-47 to Leu-55; Lys-89 to Glu-100; Ser-165 to Thr-173; Lys-234 to Val-242; Ser-258 to Ser-266; Glu-284 to Asn-292; Tyr-327 to Leu-335; Tyr-457 to Thr-465; Tyr-493 to Glu-501; Thr-506 to Tyr-514; Lys-517 to Thr-525; Asn-532 to Gly-540; and Arg-556 to Glu-564.

**SP124**

rg-16 to Glu-24; Gln-52 to Arg-60; Asn-69 to Tyr-77; Glu-121 to Asn-129; Ala-134 to Val-142; Thr-151 to Ala-159; Asn-164 to Glu-172; His-181 to His-189; Thr-210 to Ala-218; Ser-244 to Val-252; Phe-287 to Tyr-297; Ser-312 to Thr-323; His-433 to Tyr-441; Ser-445 to Asn-453; Asn-469 to Thr-477; Asn-501 to Asn-509; Gln-536 to Ala-547; and Gln-608 to Asp-621.

**SP125**

Ser-9 to Asp-21; Ala-28 to Leu-36; Asn-49 to Phe-57; Val-137 to Arg-145; Asn-155 to Leu-163; Glu-183 to Asp-191; Gly-202 to Tyr-210; Pro-221 to Asp-229; Phe-263 to Ala-271; Phe-300 to Gln-308; Asp-313 to Glu-321; Asn-324 to Asp-332; Ile-346 to Asn-354; Asp-362 to Lys-370; Met-402 to Gly-410; Gly-437 to Gly-445; Ser-471 to Glu-483; Gly-529 to Asp-537; Gln-555 to Val-563; and Leu-579 to Lys-587.

**SP126**

Leu-22 to Thr-30; Val-65 to Leu-73; and Thr-75 to Asp-83.

**SP127**

Glu-2 to Ala-12; Asp-28 to Thr-36; Val-105 to Thr-113; Lys-121 to Thr-129; Trp-138 to Pro-146; Ser-152 to Ile-160; Lys-180 to Asp-188; Leu-194 to Asn-202; and Gly-228 to Thr-236.

**Table 3**  
***S. pneumoniae* ORF Cloning Primers**

<b>Primer</b>			<b>RE</b>
<b>Name</b>	<b>SEQ ID</b>	<b>Sequence</b>	
SP001A	NO:227	GACTGGATCCTAAAATCTACGACAATAAAAATC	Bam HI
SP001B	NO:228	CTGAGTCGACTGGTTGTGCTGGTTGAG	Sal I
SP004A	NO:229	GTCAGGATCCAAATTACAATACGGACTATG	Bam HI
SP004B	NO:230	CAGTGTGCTGACTAACTCTAGGTCCGAAAC	Sal I
SP006A	NO:231	GACTGGATCCTGAGAATCAAGCTACACCCAAAGAG	Bam HI
SP006B	NO:232	AGTCAAGCTTTTGTAACTGAGATTGATCTGG	Hind III
SP007A	NO:233	GACTGGATCCTGGTAACCGCTCTTCTCGTAACGCAGC	Bam HI
SP007B	NO:234	AGTCAAGCTTTTTCAGGAACCTTTTACGCTTCC	Hind III
SP008A	NO:235	AGTCAGATCTTGTGGAAATTTGACAGGTAACAGCAAAAAAGCTGC	Bgl II
SP008B	NO:236	ACTGAAGCTTTTTTGTTTTTCAAGAATTCATCG	Hind III
SP009A	NO:237	GACTGGATCCTGGTCAAGGAACGTCTTCTAAAGAC	Bam HI
SP009B	NO:238	AGTCAAGCTTTCACAAATTCGTTGGTGAAGCC	Hind III
SP010A	NO:239	GACTGGATCCTAGETCAGGTGGAACGCTGGTTTCATCC	Bam HI
SP010B	NO:240	AGTCAAGCTTATCAACTTTTCCACCTTCAACAACC	Hind III
SP011A	NO:241	GTCAAGATCTCTCCAATATGGTAAATCTGCGGATGG	Bgl II
SP011B	NO:242	AGTCCTGCAGATCCACATCCGCTTTCATCGGGTTAAAGAAGG	Pst I
SP012A	NO:243	GACTGGATCCTGGGAAAAATTTAGCGAAACTAGTGG	Bam HI
SP012B	NO:244	GTCAGTGCAGCTGTCTTCTTTTACTTCTTTGGTTGC	Pst I
SP013A	NO:245	GACTGGATCCTGTAGCGGAAAAAAGATACAACCTTCTGG	Bam HI
SP013B	NO:246	CTGAAAGCTTTTGTGCCAATCCTTCAGCAATCTTGTC	Hind III
SP014A	NO:247	GACTAGATCTTGGCTCAAAAAATACAGCTTCAAGTCC	Bgl II
SP014B	NO:248	AGTCCTGCAGGTTTTTGTGTTGCTTGGTATTGGTCG	Pst I
SP015A	NO:249	GACTGGATCCTAGTACAACTCAAGCACTAGTCAGACAGAG	Bam HI
SP015B	NO:250	CAGTCTGCAGTTTCAAAGCTTTTGTATGTCTTC	Pst I
SP016A	NO:251	GACTGGATCCTGGCAATTCTGGCGGAAGTAAAGATGC	Bam HI
SP016B	NO:252	AGTCAAGCTTGTTTCATAGCTTTTTTGATTGTTTTCG	Hind III
SP017A	NO:253	GACTGGATCCTTCACAAGAAAAACAAAAATGAAGATGG	Bam HI
SP017B	NO:254	AGTCAAGCTTATCGACGTAGTCTCCGCCTTC	Hind III
SP019A	NO:255	GACTGGATCCGAAAGGTCTGTGGTCAAATAATCTTACC	Bam HI
SP019B	NO:256	AGTCAAGCTTAGAGTTAATCATGGTGTGCTTGCCAATAGG	Hind III
SP020A	NO:257	GACTGGATCCAAACTCAGAAAAGAAAGCAGACAATGC	Bam HI
SP020B	NO:258	AGTCAAGCTTCCAAACTGGTTGATCCAAACCATCTG	Hind III
SP021A	NO:259	GACTGGATCCTTCGAAAGGGTCAGAAGGTGCAGACC	Bam HI
SP021B	NO:260	AGTCAAGCTTCTGTAGGCTTGGTGTGCCCCAGTTGC	Hind III
SP022A	NO:261	CTGAGGATCCGGGGATGGCAGCTTTTAAAAATC	Bam HI
SP022B	NO:262	CAGTAAGCTTGTTTTACCCATTACCATTTACC	Hind III
SP023A	NO:263	CAGTGGATCCAGACGAGCAAAAAATTAAG	Bam HI
SP023B	NO:264	TCAGAAGCTTGTTTTACCCATTACCATTT	Hind III
SP025A	NO:265	GACTGGATCCCTGTGGTGAGGAAGAACTAAAAAG	Bam HI
SP025B	NO:266	CTGAGTCGACAATATTCTGTAGGAATGCTTCGAATTTG	Sal I
SP028A	NO:267	CTGAGGATCCGACTTTTAACAATAAACTATTGAAGAG	Bam HI
SP028B	NO:268	GTCAGTGCAGGTTGTACCTCCAAAAATCACGG	Pst I
SP030A	NO:269	GACTGGATCCCTTTTACAGGTAAACAACACAAGTCGG	Bam HI
SP030B	NO:270	CAGTAAGCTTTTCGAAGTTTGGCTCAGAATTG	Hind III
SP031A	NO:271	GACTGGATCCCCAGGCTGATACAAGTATCGCA	Bam HI
SP031B	NO:272	CAGTAAGCTTATCTGCAGTATGGCTAGATGG	Hind III
SP032A	NO:273	GACTGGATCCGTCTGTATCATTTGAAAACAAAGAAAC	Bam HI
SP032B	NO:274	CAGTCTGCAGTTTACTGTTGTGCTGTGCTTGTG	Pst I
SP033A	NO:275	ACTGAGATCTTGGTCAAAGGAAAGTCAGACAGGAAAGG	Bgl II
SP033B	NO:276	CAGTAAGCTTATTCCTGAGCTTTTTTGATAAAGTTGCGCA	Hind III
SP034A	NO:277	ACTGGGATCCGAAGGATAGATATATTTTAGCATTTGAGAC	Bam HI
SP034B	NO:278	AGTCAAGCTTCCATGGTATCAAAGGCAAGACTTGG	Hind III
SP035A	NO:279	GTCAGGATCCGGTAGTTAAAGTTGGTATTAAACGG	Bam HI
SP035B	NO:280	AGTCAAGCTTGCAATTTTTCGGAAGTATTCCAAGAG	Hind III
SP036A	NO:281	AGTCGGATCCTTCTTACGAGTTGGGACTGTATCAAGC	Bam HI

**Table 3**  
***S. pneumoniae* ORF Cloning Primers**

<b>Primer</b>			
<u>Name</u>	<u>SEQ ID</u>	<u>Sequence</u>	<u>RE</u>
SP036B	NO:282	AGTCAAGCTTGTATTATTTTTCCTTACTTACAGATGAAGG	Hind III
SP038A	NO:283	AGTCGGATCCTACTGAGATGCATCATAATCTAGGAGC	Bam HI
SP038B	NO:284	TCAGCTCGAGTTCTTTGACATCTCCATCATAAGTCGC	Xho I
SP039A	NO:285	GACTGGATCCGGTTTGGAGAAAGTATTTGCAGGGG	Bam HI
SP039B	NO:286	CAGTAAGCTTGGATTMTTTCATGGATGCAATTTTTTTGG	Hind III
SP040A	NO:287	GACTGGATCCGACAAACATTTACTATCCATACAGTAGAGTCAGC	Bam HI
SP040B	NO:288	GACTAAGCTTGGCATAAGGTTGCAATTCTGGATTAATTGG	Hind III
SP041A	NO:289	GACTGGATCCGGCTAAGGAAAGAGTGGATG	Bam HI
SP041B	NO:290	GACTAAGCTTTTCATTMTTAAATTTGACTATGCGCCCCG	Hind III
SP042A	NO:291	GACTGGATCCTTGTTCCTATGAACTTGGTCGTCACC	Bam HI
SP042B	NO:292	CATGAAGCTTATCCTGGATTTTTTCCAAGTAAATCT	Hind III
SP043A	NO:293	GACTGGATCCTTATAAGGGTGAATTAGAAAAAGG	Bam HI
SP043B	NO:294	GACTAAGCTTCTTATTAGGATTGTTAGTAGTTG	Hind III
SP044A	NO:295	GACTGGATCCGAATGTTCAAGGCTCAAGAAAGTTCAGG	Bam HI
SP044B	NO:296	GACTAAGCTTTTCCCCCTGATGGAGCAAAGTAATACC	Hind III
SP045A	NO:297	GACTGGATCCCTTGGGTGTAACCCATATCCAGCTCCTTCC	Bam HI
SP045B	NO:298	GACTGTCGACTTCAGCTTGTTTATCTGGGGTTGC	Sal I
SP046A	NO:299	GACTGGATCCTAGTGATGGTACTTGGCAAGGAAAACAG	Bam HI
SP046B	NO:300	ACTGCTGCAGATCTTTGCCACCTAGCTTCTCATTTG	Pst I
SP048A	NO:301	GTCAGGATCCTGGGATCAATATGTCAGAGATGATACTAG	Bam HI
SP048B	NO:302	CTAGAAGCTTACGCACCCATTACCATTTATCATTTG	Hind III
SP049A	NO:303	GTCAGGATCCGATAATAGAGAAGCATTAAAAACC	Bam HI
SP049B	NO:304	AGTCAAGCTTGACAAAATCTTGAACTCCTCTGGTC	Hind III
SP050A	NO:305	GTCAGGATCCAGATTTTGTGCGAGGAGTGTCAATACC	Bam HI
SP050B	NO:306	AGTCAAGCTTTCCCTTTTACCCCTTACGAATCCAGG	Hind III
SP051A	NO:307	GACTGGATCCATCTGTAGTTTATGCGGATGAAACACTTATTAC	Bam HI
SP051B	NO:308	GACTGTCGACGCTTTGGTAGAGATAGAAGTCATG	Sal I
SP052A	NO:309	GACTGGATCCTTACTTTGGTATCGTAGATACAGCCGGC	Bam HI
SP052B	NO:310	AGTCAAGCTTTGTTAATTGCGTACCTTCTAAGCGACC	Hind III
SP053A	NO:311	GACTGGATCCAGCTAAGGTTGCATGGGATGCGATTCCG	Bam HI
SP053B	NO:312	GACTGTCGACCTGGGCTTTATTAGTTTGACTAGC	Sal I
SP054A	NO:313	CAGTGGATCCCTATCACTATGTAAATAAAGAGA	Bam HI
SP054B	NO:314	ACTGAAGCTTTTCTGTCCCTGTTTGAGGCA	Hind III
SP055A	NO:315	CAGTGGATCCTGAGACTCCTCAATCAATAACAAA	Bam HI
SP055B	NO:316	ACGTAAGCTTATAATCAGTAGGAGAACTGAACT	Hind III
SP056A	NO:317	CAGTGGATCCGGATGCTCAAGAACTGCGG	Bam HI
SP056B	NO:318	GACTAAGCTTTTGCCTCTCATTTCTTGCTTCC	Hind III
SP057A	NO:319	CAGTGGATCCCGACAAAGGTGAGACTGAG	Bam HI
SP057B	NO:320	ACGTAAGCTTATTCTTAAATCAAGTGTTTCTCTG	Hind III
SP058A	NO:321	GACTGGATCCAAATCAATTGGTAGCACAAGATCC	Bam HI
SP058B	NO:322	CAGTGTGACATTAGGAGCCACTGGTCTC	Sal I
SP059A	NO:323	CAGTGGATCCCAAACAGTCAGCTTCAGGAAC	Bam HI
SP059B	NO:324	GACTCTGCAGTTTAATCTTGTCCCAGGTGG	Pst I
SP060A	NO:325	GACTGGATCCATTGATGATGCGGATGAAAAG	Bam HI
SP060B	NO:326	GACTAAGCTTCATTGTCTTTGGGTATTTGCGCA	Hind III
SP062A	NO:327	CAGTGGATCCGGAGAGTCGATCAAAAGTAG	Bam HI
SP062B	NO:328	GTCAGTGCAGTTGCTCGTCTCGAGGTTT	Pst I
SP063A	NO:329	CAGTGGATCCATGGACAACAGGAACTGGGAC	Bam HI
SP063B	NO:330	CAGTAAGCTTATTAGCTTCTGTACCTGTGTTTG	Hind III
SP064A	NO:331	GACTGGATCCCGATGGGCTCAATCCAACCCAGGTCAAGTC	Bam HI
SP064B	NO:332	GACTCTGCAGCATAGCTTTATCCTCTGACATCATCGTATC	Pst I
SP065A	NO:333	GACTGGATCCTTCCAATCAAAAACAGGCAGATGG	Bam HI
SP065B	NO:334	GACTAAGCTTGAAGTCCCATAGTCCAAGGCA	Hind III
SP067A	NO:335	AGTCGGATCCTATCACAGGATCGAACGGTAAGACAACC	Bam HI
SP067B	NO:336	ACTGGTCGACTTCTTTAACTCCGCTACTGTGTC	Sal I

**Table 3**  
***S. pneumoniae* ORF Cloning Primers**

<b>Primer</b>			
<b>Name</b>	<b>SEQ ID</b>	<b>Sequence</b>	<b>RE</b>
SP068A	NO:337	CAGTGGATCCAAGTTCATCGAAGATGGTTGGGAAGTCC	Bam HI
SP068B	NO:338	GATCGTCGACCCGCTCCCACATGCTCAACCTT	Sal I
SP069A	NO:339	TGACGGATCCATCGCTAGCTAGTGAATGCAAGAAAG	Bam HI
SP069B	NO:340	TGACAAGCTTATTCGTTTTTTGAACTAGTTGCTTTTCGT	Hind III
SP070A	NO:341	GACTGGATCCGCACCAGATGGGGCACAAGGTTCAAGG	Bam HI
SP070B	NO:342	TGACAAGCTTAACTTGTAAACGAACAGTTCAATCTG	Hind III
SP071A	NO:343	GACTAGATCTTTTTTAACCCAACTGTTGGTACTTTTC	Bgl II
SP071B	NO:344	TGACAAGCTTGTAGGTGTTACATTTTGACCGTC	Hind III
SP072A	NO:345	ACTGAGATCTTTTTTAACCCAACTGTTGGTACTTTTC	Bgl II
SP072B	NO:346	GACTAAGCTTTTCTACGATAACGATCATTTTCTTTACC	Hind III
SP073A	NO:347	GACTGTCGACTCGTAGATATTTAAGTCTAAGTGAAGCG	Sal I
SP073B	NO:348	AGTCAAGCTTGTAGGTGTTACATTTTGCAAGTC	Hind III
SP074A	NO:349	GACTGGATCCCTTTGGTTTTGAAGGAAGTAAG	Bam HI
SP074B	NO:350	TGACCTGCAGACGATTTTTGAAAAATGGAGGTGTATC	Pst I
SP075A	NO:351	CAGTGGATCCCTACTACCTCTCGAGAGAAAG	Bam HI
SP075B	NO:352	ACTGAAGCTTTTCGCTTTTTACTCGTTTGACA	Hind III
SP076A	NO:353	CAGTGGATCCTAAGGTCAAAAGTCAGACCGCTAAGAAAGTGC	Bam HI
SP076B	NO:354	CAGTAAGCTTTAGGGTATCCAAATACGTTGTTGATG	Hind III
SP077A	NO:355	TGACAGATCTTGACGGGTCTCAGGATCAGACTCAGG	Bgl II
SP077B	NO:356	TGACAAGCTTCAAAGACATCCACCTCTTGACCTTTG	Hind III
SP078A	NO:357	GACTGGATCCTAGAGGCTTTGCCAAATGGTGGGAAGGG	Bam HI
SP078B	NO:358	GTCAGTCGACTTGTGTAAACACTTTTCGAGGTTTGGTACC	Sal I
SP079A	NO:359	CAGTGGATCCTCAAAAAGAGAAGGAAAAC TTGG	Bam HI
SP079B	NO:360	CAGTCTGCAGTTTCTTCAACAAACCTTGTCTCTG	Pst I
SP080A	NO:361	CAGTGGATCCACGTTCTATTGAGGACCCTT	Bam HI
SP080B	NO:362	CAGTAAGCTTTTCTCTCTCAGTCAATTC TTTTCC	Hind III
SP081A	NO:363	GACTGGATCCCGCTCAAAATACCAGAGGTGTTTCAG	Bam HI
SP081B	NO:364	GACTAAGCTTAGTACCATGGGTGTGACAGGTTTGAA	Hind III
SP082A	NO:365	CTGAGGATCCAATTGTACAATTAGAAAAAGATAGC	Bam HI
SP082B	NO:366	TGACAAGCTTGCGTTGACTAGGTTCTGCAATGCC	Hind III
SP083A	NO:367	GACTGGATCCTCTGACCAAGCAAAAAGAAGCAGTCAATGA	Bam HI
SP083B	NO:368	TCAGCAGCTGATCATTTGACTTTACGATTTGCTCC	Bgl II
SP084A	NO:369	GACTGGATCCGTCGCGCTCTGTCCAGTCCACTTTTTCAGCG	Bam HI
SP084B	NO:370	TCAGAAGCTTATTTTTTGTTCCTTAATGCGTT	Hind III
SP085A	NO:371	GACTGGATCCGGGACAAATTCAAAAAATAGGCAAGAGG	Bam HI
SP085B	NO:372	GTCAAAGCTTTGGCTCTTTGATTGCCAACAACTG	Hind III
SP086A	NO:373	GACTGGATCCTCGCTACCAGCAACAAAGCGAGCAAAAGG	Bam HI
SP086B	NO:374	GACTAAGCTTACTTTTTTCTTTTCCACACGA	Hind III
SP087A	NO:375	CAGTGGATCCGAACCGACAAGTCGCCCACTATCAAGACT	Bam HI
SP087B	NO:376	CTGAAAGCTTTGAATTCTTTTCTTTTCAGGCT	Hind III
SP088A	NO:377	TCGAGGATCCGGTTGTGCGCTGGCAATATATCCCGT	Bam HI
SP088B	NO:378	CAGTAAGCTTCCGAACCCATTCCGCATTATAGTTGAC	Hind III
SP089A	NO:379	AGTCGGATCCGGCCAAATCAGAATGGGTAGAAGAC	Bam HI
SP089B	NO:380	TGACCTGCAGCTTCTCATTTGATTTCATCATCAC	Pst I
SP090A	NO:381	GACTGGATCCATTGTCAGATGATTCTGAAGGATGG	Bam HI
SP090B	NO:382	TCAGCTGCAGCTTAACCCATTACCATTCTAGTTTAAAG	Pst I
SP091A	NO:383	GACTGGATCCTGTGCTGCAAAATGAACTGAAGTAGC	Bam HI
SP091B	NO:384	GACTAAGCTTATACCAACGCTGACATCTACGCG	Hind III
SP092A	NO:385	AGTCAGATCTTACGTCTCAGCCTACTTTTGTAAAGAGC	Bgl II
SP092B	NO:386	GACTAAGCTTAACCCATTACCATTGGCATTGAC	Hind III
SP093A	NO:387	CAGTGGATCCTGACAGGTGAAAGGTATGCTACATTTGTG	Bam HI
SP093B	NO:388	GACTAAGCTTCAACCATTGAGACCTTGCAACAC	Hind III
SP094A	NO:389	GTCAGGATCCGATTGCTCCTTTGAAGGATTTGAGAGAAACC	Bam HI
SP094B	NO:390	GACTAAGCTTCGATCAAAGATAAGATAAATATATATAAAGT	Hind III
SP095A	NO:391	GACTGGATCCTAGGTCATATGGGACTTTTTTCTACAACAAATAGG	Bam HI

**Table 3**  
***S. pneumoniae* ORF Cloning Primers**

<b>Primer</b>			
<b>Name</b>	<b>SEQ ID</b>	<b>Sequence</b>	<b>RE</b>
SP095B	NO:392	TGACAAGCTTATCTATCAGCTCATTTAATCGTTTTTG	Hind III
SP096A	NO:393	CTGAGGATCCCAACGTTGAGAATTATTTGCGAATG	Bam HI
SP096B	NO:394	TGACAAGCTTGAGTCTACAAAAGTAATGTAC	Hind III
SP097A	NO:395	GTCAGGATCCCTACTATCAATCAAGTCTTTCAGCC	Bam HI
SP097B	NO:396	TGACAAGCTTGACTGAGGCTTGACCAGATTGAAAAG	Hind III
SP098A	NO:397	GACTGGATCCGACAAAAACATTAAACGCTCTGAGG	Bam HI
SP098B	NO:398	GACTAAGCTTAGCACGAAGTGTGACGCTGGTTCC	Hind III
SP099A	NO:399	GACTGGATCCCTTCTCAGGAGACCTTTAAAAATATC	Bam HI
SP099B	NO:400	GACTAAGCTTGTGGCCATCTTGTACATACC	Hind III
SP100A	NO:401	GACTGGATCCAGTAAATGCCAATCAAATTC	Bam HI
SP100B	NO:402	AGTCCTGCAGGTATTTAGCCCAATAATCTATAAAGCT	Pst I
SP101A	NO:403	CAGTGGATCCCTTACCGCGTTTCATCAAGATGTC	Bam HI
SP101B	NO:404	GACTAAGCTTGCCAGATGTTGAAAAGAGAGTG	Hind III
SP102A	NO:405	GACTGGATCCGTGGATGGGCTTTAACTATCTTCGTATTCCG	Bam HI
SP102B	NO:406	AGTCAAGCTTGCTAGTCTTCACTTTCCCTTTCC	Hind III
SP103A	NO:407	GACTGTCGACACTAAACCAGCATCGTTCGCAGGA	Sal I
SP103B	NO:408	CTGACTGCAGCTTCTTGAAGAAATAATGATTGTGG	Pst I
SP105A	NO:409	CAGTGGATCCCTGACTACCTTGAAATCCCACTT	Bam HI
SP105B	NO:410	CAGTAAGCTTTTTTTTAAAGTTGTAGAATGATTTCAATC	Hind III
SP106A	NO:411	CAGTGTGCGACTCGTATCTTTTTTTGGAGCAATGTT	Sal I
SP106B	NO:412	GACTAAGCTTAAATGTTCCGATACGGGTGATTG	Hind III
SP107A	NO:413	CAGTGGATCCCGACTCTCTCAAAGATGTGAAAG	Bam HI
SP107B	NO:414	GACTAAGCTTCTTGAGTTTGTCAAGGATTGCTTT	Hind III
SP108A	NO:415	CAGTGGATCCCAAGAAATCCTATCATCTCTCCAGAAG	Bam HI
SP108B	NO:416	GACTAAGCTTTTTCAGAACTAAAAGCCGCAGCTT	Hind III
SP109A	NO:417	GACTGGATCCACGAAATGCAGGCGAGACAG	Bam HI
SP109B	NO:418	CAGTAAGCTTATCAACATAATCTAGTAAATAAGCGT	Hind III
SP110A	NO:419	CAGTGGATCCCTGTATAGTTTTTTAGCGCTTGTCTTC	Bam HI
SP110B	NO:420	GTCAAAGCTTTGATAGAGTGTCTATAATCTCTTTAG	Hind III
SP111A	NO:421	GACTGGATCCGTGTGTCGAGCATATTCTGAAG	Bam HI
SP111B	NO:422	CAGTAAGCTTACTTTTTACCATTCTTTGTCTGTCATC	Hind III
SP112A	NO:423	GACTGTCGACGTGTTTGATAGATTTCAGAAATCAGACG	Sal I
SP112B	NO:424	CAGTAAGCTTCGGAAGTAAAGACAATTTTTTCC	Hind III
SP113A	NO:425	CAGTGGATCCGTGCCTAGATAGTATTATTACTCAAAC	Bam HI
SP113B	NO:426	GACTAAGCTTTTTTGCTTATTTCTCTCAATTTTTTC	Hind III
SP114A	NO:427	CAGTGGATCCCATTCAGAAGCAGACCTATCAAAATC	Bam HI
SP114B	NO:428	ACTGAAGCTTATGTAATTTTTTAGATTTTTCAATATTTTTTCAG	Hind III
SP115A	NO:429	AGTCGGATCCTAAGGCTGATAATCGTGTTCAAATG	Bam HI
SP115B	NO:430	GACTAAGCTTAAATTAGATAGACGTTGAGT	Hind III
SP117A	NO:431	AGTCGGATCCCTGTGGCAATCAGTCAGCTGCTTCC	Bam HI
SP117B	NO:432	GACTGTCGACTTTAATCTTGTCCCAGGTGGTTAATTTGCC	Sal I
SP118A	NO:433	ACTGGTCGACTTGTCAACAACAACATGCTACTTCTGAG	Sal I
SP118B	NO:434	GACTCTGCAGAAGTTTAAACCCACTTATCATTATCC	Pst I
SP119A	NO:435	ACTGGGATCCCTGTTTCAGGCAAGTCCGTGACTAGTGAAC	Bam HI
SP119B	NO:436	GACTAAGCTTGGCTAATTCCTTCAAAGTTTGCA	Hind III
SP120A	NO:437	AGTCGGATCCCTCGCAAATTGAAAAGGCGGAGTTAGCC	Bam HI
SP120B	NO:438	GACTAAGCTTGTAAATAAGCGTACCTTTTCTTCC	Hind III
SP121A	NO:439	TCAGGGATCCCTGTGTCAGTCAGGTTCTAATGGTTCTCAG	Bam HI
SP121B	NO:440	AGTCAAGCTTGGCATTGGCGTCGCCGTCCTTC	Hind III
SP122A	NO:441	GACTGGATCCGAAACTTCACAGGATTTTAAAGAGAAG	Bam HI
SP122B	NO:442	GACTGTCGACAAATCAATCCTTCTTCTGCACTTCT	Sal I
SP123A	NO:443	CAGTGGATCCCTGTGGTCAAGTTGAGACTCCTCAATC	Bam HI
SP123B	NO:444	GACTAAGCTTTTTCTTCAAATTTATTATCAGC	Hind III
SP124A	NO:445	AGTCGGATCCAACACCTGTATATAAAGTTACAGCAATCG	Bam HI
SP124B	NO:446	GACTGTCGACTACTTGACCGAATGCGTCGAATGTACG	Sal I

Table 3  
*S. pneumoniae* ORF Cloning Primers

Primer			RE
<u>Name</u>	<u>SEQ ID</u>	<u>Sequence</u>	
SP125A	NO:447	CTGAGGATCCATTAGACAGATTAATTGAAATCGG	Bam HI
SP125B	NO:448	GACTGTCGACTTTAAAGATTGAAGTTTTAAAGCT	Sal I
SP126A	NO:449	TGACGGATCCTAAGACAGATGAACGGAGCAAGGTG	Bam HI
SP126B	NO:450	CTGAAAGCTTTAAGGCTTCCTCAATGAGTTGTCT	Hind III
SP127A	NO:451	GACTGGATCCCTGTGAGAATCAAGCTACACCCA	Bam HI
SP127B	NO:452	CTGAAAGCTTTTGTAAGTGAAGATGATCTGGGAG	Hind III



## INDICATIONS RELATING TO A DEPOSITED MICROORGANISM

(PCT Rule 13bis)

A. The indications made below relate to the microorganism referred to in the description on page <u>9</u> , line <u>12</u>	
B. IDENTIFICATION OF DEPOSIT <span style="float: right;">Further deposits are identified on an additional sheet <input type="checkbox"/></span>	
Name of depositary institution <b>American Type Culture Collection</b>	
Address of depositary institution (including postal code and country) <b>12301 Parklawn Drive Rockville, Maryland 20852 United States of America</b>	
Date of deposit <b>October 10, 1996</b>	Accession Number <b>55840</b>
C. ADDITIONAL INDICATIONS (leave blank if not applicable) <span style="float: right;">This information is continued on an additional sheet <input checked="" type="checkbox"/></span>	
In respect of those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication the mention of the grant of the European patent or until the date on which application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28(4) EPC).	
D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States)	
E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable)	
The indications listed below will be submitted to the International Bureau later (specify the general nature of the indications e.g., "Accession Number of Deposit")	

<p>For receiving Office use only</p> <p><input checked="" type="checkbox"/> This sheet was received with the international application</p> <p><i>[Signature]</i></p> <p>Authorized officer:</p> <p><b>12 DECEMBER 1997</b></p>	<p>For International Bureau use only</p> <p><input type="checkbox"/> This sheet was received by the International Bureau on:</p> <p>Authorized officer</p>
--	--

**SINGAPORE**

The applicant hereby requests that the furnishing of a sample of a microorganism shall only be made available to an expert. The request to this effect must be filed by the applicant with the International Bureau before the completion of the technical preparations for international publication of the application.

**NORWAY**

The applicant hereby requests that, until the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegians Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Norwegian Patent Office or any person approved by the applicant in the individual case.

**AUSTRALIA**

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

**FINLAND**

The applicant hereby requests that, until the application has been laid open to public inspection (by the National Board of Patents and Registration), or has been finally decided upon by the National Board of Patents and Registration without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

**ICELAND**

The applicant hereby requests that, until the application has been laid open to public inspection (by the Icelandic Patent Office), or has been finally decided upon by the Icelandic Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected in the art.

Page 2

**DENMARK**

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent Office or any person approved by the applicant in the individual case.

**SWEDEN**

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PUT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant, any request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent Office or any person approved by the applicant in the individual case.

**UNITED KINGDOM**

The applicant hereby requests that the furnishing of a sample of a microorganism shall only be made available to an expert. The request to this effect must be filed by the applicant with the International Bureau before the completion of the technical preparations for the International publication of the application.

**NETHERLANDS**

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapse, the microorganism shall be made available as provided in Rule 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever two dates occurs earlier.

*What Is Claimed Is:*

1. An isolated nucleic acid molecule comprising a polynucleotide having a nucleotide sequence at least 95% identical to a sequence selected from the group consisting of:
- 5 (a) a nucleotide sequence encoding any of the amino acid sequences of the polypeptides shown in Table 1; or
- (b) a nucleotide sequence complementary to any of the nucleotide sequences in (a).
- 10 2. An isolated nucleic acid molecule comprising a polynucleotide which hybridizes under stringent hybridization conditions to a polynucleotide having a nucleotide sequence identical to a nucleotide sequence in (a) or (b) of claim 1 wherein said polynucleotide which hybridizes does not hybridize under
- 15 stringent hybridization conditions to a polynucleotide having a nucleotide sequence consisting of only A residues or of only T residues.
3. An isolated nucleic acid molecule comprising a polynucleotide which encodes the amino acid sequence of an epitope-bearing portion of a polypeptide having an amino acid sequence in (a) of claim 1.
- 20 4. The isolated nucleic acid molecule of claim 3, wherein said epitope-bearing portion of a polypeptide has an amino acid sequence listed in Table 2.
- 25 5. A method for making a recombinant vector comprising inserting an isolated nucleic acid molecule of claim 1 into a vector.
6. A recombinant vector produced by the method of claim 5.
- 30 7. A method of making a recombinant host cell comprising introducing the recombinant vector of claim 6 into a host cell.
8. A recombinant host cell produced by the method of claim 7.
- 35 9. A method of producing a polypeptide encoded by the nucleic acid molecule of claim 1 comprising culturing the host cell of claim 8 under conditions favoring expressing the heterologous polypeptide.

10. A polypeptide produced according to the method of claim 9.

5 11. An isolated polypeptide comprising an amino acid sequence at least 70% identical to a sequence selected from the group consisting of an amino acid sequence of any of the polypeptides described in Table 1.

12. An isolated polypeptide antigen comprising an amino acid sequence of an *S. pneumoniae* epitope shown in Table 2.

10

13. An isolated nucleic acid molecule comprising a polynucleotide with a nucleotide sequence encoding a polypeptide of claim 9.

14. An isolated antibody that binds specifically to a polypeptide of claim 11.

15

15. A hybridoma which produces an antibody according to claim 14.

16. A vaccine, comprising:

20

(1) one or more *S. pneumoniae* polypeptides selected from the group consisting of a polypeptide comprising an amino acid sequence identified in Table 1, or a fragment thereof; and

(2) a pharmaceutically acceptable diluent, carrier, or excipient; wherein said polypeptide is present, in an amount effective to elicit protective antibodies in an animal to a member of the *Streptococcus* genus.

25

17. A method of preventing or attenuating an infection caused by a member of the *Streptococcus* genus in an animal, comprising administering to said animal a polypeptide of claim 11, wherein said polypeptide is administered in an amount effective to prevent or attenuate said infection.

30

18. A method of detecting *Streptococcus* nucleic acids in a biological sample obtained from an animal involving assaying for one or more nucleic acid sequences encoding *Streptococcus* polypeptides in a sample comprising:

35

(a) contacting the sample with one or more of the above-described nucleic acid probes, under conditions such that hybridization occurs, and

(b) detecting hybridization of said one or more probes to the one or more *Streptococcus* nucleic acid sequences present in the biological sample.

19. A method of detecting *Streptococcus* nucleic acids in a biological sample obtained from an animal, comprising:

- 5 (a) amplifying one or more *Streptococcus* nucleic acid sequences in said sample using polymerase chain reaction, and  
(b) detecting said amplified *Streptococcus* nucleic acid.

20. A kit for detecting *Streptococcus* antibodies in a biological sample obtained from an animal, comprising

- 10 (a) a polypeptide of claim 12 attached to a solid support; and  
(b) detecting means.

21. A method of detecting *Streptococcus* antibodies in a biological sample obtained from an animal, comprising

- 15 (a) contacting the sample with a polypeptide of claim 12; and  
(b) detecting antibody-antigen complexes.